187

**AD-A171** 



# AIR FORCE

RESOURCES

EQUIVALENCE OF COMPUTER AND PAPER-AND-PENCIL ARMED SERVICES VOCATIONAL APTITUDE BATTERY TESTS

> Gerard L. Kiely Anthony R. Zara David J. Weiss Department of Psychology University of Minnesota 75 East River Road Minneapolis, Minnesota 55455-0344

MANPOWER AND PERSONNEL DIVISION Brooks Air Force Base, Texas 78235-5601

August 1986 Final Technical Paper for Period April 1964 - January 1966

Approved for public release: distribution is unlimited.

LABORATORY

ELECTE AUG 2 5 1986

FILE COPY

311

AIR FORCE SYSTEMS COMMAND **BROOKS AIR FORCE BASE, TEXAS 78235-5601** 

B

#### MOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely Government-related procurement, the United States Government incurs no responsibility or any obligation whatsoever. The fact that the Government may have formulated or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication, or otherwise in any manner construed, as licensing the holder, or any other person or corporation; or as conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

The Public Affairs Office has reviewed this paper, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nationals.

This paper has been reviewed and is approved for publication.

WILLIAM E. ALLEY, Scientific Advisor Manpower and Personnel Division

ROMALD L. KERCHNER, Colonel, USAF Chief, Manpower and Personnel Division

Br. ADDRESS (City, State, and ZIP Code)				10. SOURCE OF FUNDING NUMBERS					
Brooks Air Force Base, Texas 78235-56			601	PROGRAM ELEMENT NO. 62730F	PROJECT NO. 7719	TASK NO.	WORK UNI ACCESSION 18 37		
-	lude Security C nce of Compet		-Pencil Armed Servi	ices Vocational	Aptitude Batt	ery Tes	ts		
12. PERSONAL Kiely, Go		re, Anthony R.;	and Weiss, David	 ]•		<del></del>			
13a. TYPE OF Final	REPORT	13b, TIME C FROM _As	OVERED TO Jan 86	14. DATE OF REPA	ORT (Year, Mont	h, Day)	15. PAGE COUNT 86		
16. SUPPLEM	entary notat	TION					<u> </u>		
17.	COSATI	CODES	18. SUBJECT TERMS	(Continue on rever	se if necessary a	nd identi	ify by block number)		
FIELD	GROUP	SUB-GROUP	abilities tes	ting	•	-			
05	09		aptitude test	• • •					
			Armed Service:	s Vocational Ap	titude Batter;	(ASVAB	) (Continued)		

In order to investigate the possibility of obtaining equivalent results between computer and paper-andpencil test administration, selected subtests of the Armed Services Vocational Aptitude Battery (ASVAB) were
programmed for cathode-ray-tube (CRT) administration. Speeded subtest items were presented two ways: one at
a time, and in blocks of several items. Paragraph comprehension items, which were too long to fit on the CRT
screen, were presented in three different scrolling modes. The graphical portions of items were displayed
from edited code created by a commercial digitizer. These CRT subtests were then compared with their paperand-pencil counterparts using Air Force recruits in a counterbalanced design. Results indicated that
obtaining equivalence between paper-and-pencil and computer administration appears feasible. Graphical items
present the least difficulty. Item production for one type of speeded subtest was best approximated by
single-item CRT presentation, and for another type of speeded subtest by CRT presentation of blocks of items.
Additional research is required for the "too long" paragraph comprehension items in which more practice with
the scrolling may be useful.

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

Item 18 (Concluded):

cathede rey tube (CRT) classification computer adaptive testing computer testing selection

Altivio	
Accession For	_
NTIS GRAMI	
DTIC TAB	
Unrum numeral -	
Juntin in it in the	
	_
Ву	
Distract Control	
Avallering	

Ac

Dist



# EQUIVALENCE OF COMPUTER AND PAPER-AND-PENCIL ARMED SERVICES VOCATIONAL APTITUDE BATTERY TESTS

Gerard L. Kiely Anthony R. Zara David J. Weiss

Department of Psychology University of Minnesota 75 East River Road Minneapolis, Minnesota 55455-0344

MANPOWER AND PERSONNEL DIVISION
Brooks Air Force Base, Texas 78235-5601

Reviewed by

Malcolm James Ree Senior Scientist, Force Acquisition Branch

Submitted for publication by

Lonnie D. Valentine, Jr. Chief, Force Acquisition Branch

This publication is primarily a working paper. It is published solely to document work performed.

#### **SUMMARY**

The armed services have a goal of administering their operational selection and classification enlisted test, the Armed Services Vocational Aptitude Battery (ASVAB), on the computer. Intentions are to administer the same kind of subtests as exist in the present operational paper-and-pencil (P&P) battery and to be able to do so in such a manner as to make it totally irrelevant whether an examinee receives the computer-administered subtest or the P&P version.

Several subtests consist of items which by their very nature would seem to be potential problems for transfer to the cathode-ray tube (CRT). There are two different types of speeded subtests (numerical operations and coding speed), whose items are easy and on which the final score generally depends on the number of items accomplished in a short time limit. The CRT is much too small to duplicate a full page of items such as those presented in a P&P mode. Similarly, the size of paragraph comprehension items prevents their appearing fully on the CRT screen. Finally, three of the ASVAB subtests have items with illustrations, and CRT presentation must switch from flat ink drawings to vertical light drawings on the screen.

Speeded subtests were programmed for two different CRT presentation modes, paragraph comprehension for three different modes, and graphics were displayed from code created by an off-the-shelf commercial digitizer. These CRT subtests were then compared with their P&P counterparts using Air Force recruits in a counterbalanced design. Results indicated that obtaining equivalence between P&P and computer administration appears feasible. Graphical items present the least difficulty. Item production for one type of speeded subtest was best approximated by single-item CRT presentation, and for another type of speeded test by CRT presentation of blocks of items. Additional research is required for the "too long" paragraph comprehension items in which more practice with the computer scope may be useful.

A CONCORD CANADA CONCORD CONCO

#### PR EFACE

Several Armed Services Vocational Aptitude Battery (ASVAB) subtests consist of items whose characteristics were expected to change when administered on a computer screen. This technical paper examines several ways to administer these items in order to find one which is equivalent to paper—and—pencil administration. This effort is ancillary to the Air Force responsibility for item pools for a computer adapted ASVAB.

# TABLE OF CONTENTS

						Page
ı.	INTRODUCTION.	•••••	•••••	•••••	•••••	. 1
II.	METHOD		•••••	•••••	• • • • • • • • • • •	. 2
	Test Battery.		•••••		••••••	. 2
					•••••	
	Subjects a	nd Data Coll	ection	•••••	••••••	. 2
					•••••	
					••••••	
					••••••	
					••••••	-
					••••••	
					••••••	
					••••••	
						• •
III.	RESULTS				•••••	. 19
					••••••	
					••••••	
	•				••••••	
	•	_			••••••	
					••••••	
					•••••	
					••••••	_
					••••••	-
					••••••	
					••••••	
					•••••	
IV.	DISCUSSION.				•••••	. 42
					•••••	
					•••••	
					•••••	
					•••••	
٧.	CONCLUSIONS.		•••••	•••••	••••••	. 45
	REFERENCES		• • • • • • • •	•••••	•••••	. 47
	APPENDIX A:	TTIM FACTOR	LOADINGS	AND COMMIT	NALITIES RY	
	and and an ai		-		NTATION MEDIA	. 49
	APPENDIT R.	ITEM STATIS	rics (nte	FICHTTY. P	OINT-BISERIAL	_
					UBTEST, FORM,	
					ON MEDIA	

# LIST OF FIGURES

Figure	• · · · · · · · · · · · · · · · · · · ·	Page
1	Data Collection Design for PC Subtest	5
2	Data Collection Design for NO and CS Subtests	6
3	Data Collection Design for AS, MC, and EI Subtests	8
4	Experimental Design Plan for Paper-and-Pencil Baseline Analysis	11
5	Experimental Design Plan for Analysis of Paragraph Comprehension Subtest	12
6	Experimental Design Plan for Analysis of Speeded Subtests	13
7	Experimental Design Plan for Analysis of Graphical Subtests	15
8	Overview of Test Conditions by Group and Session for Computer (CRT) and Paper-and-Pencil (P&P) Groups	16
	LIST OF TABLES	
Table	1	?age
1	ASVAB Subtests Used with Corresponding Number of Items, Operational Time in Minutes, and Speededness	2
2	Pillai-Bartlett Trace Values, Degrees of Freedom, Approximate F Ratios, and Estimated Significance Levels (p) for the Baseline MANOVA (N = 333)	20
3	Results of Univariate ANOVAs for Significant Effects Identified in the Baseline MANOVA (N = 333)	20
4	Mean and Standard Deviation of Scores, Kuder-Richardson Formula 20 Reliability Coefficient (KR20), and Number of Examinees (N), for the PC Subtest by Group and Session	21
5	Mean and Standard Deviation of Scores, and Number of Examinees (N), for the NO Subtest by Group and Session	20

6	Mean and Standard Deviation of Scores, and Number of Examinees (N), for the CS Subtest by Group and Session	23
7	Mean and Standard Deviation of Scores, Kuder-Richardson Formula 20 Reliability Coefficient (KR20), and Number of Examinees (N), for the AS Subtest by Group and Session	24
8	Mean and Standard Deviation of Scores, Kuder-Richardson Formula 20 Reliability Coefficient (KR20), and Number of Examinees (N), for the MC Subtest by Group and Session	25
9	Mean and Standard Deviation of Scores, Kuder-Richardson Formula 20 Reliability Coefficient (KR20), and Number of Examinees (N), for the EI Subtest by Group and Session	26
10	Results of the F-tests of Significance from the MANOVA for the Computer Versus Paper-and-Pencil Administration PC Subtest Conditions (N = 664)	28
11	Pillai-Bartlett Trace V Values with 2 and 655 Degrees of Freedom, Approximate F Ratios, and Estimated Significance Levels (p) from the MANOVA for the Computer Versus Paper-and-Pencil Administration Conditions for the NO and CS Subtests (N = 664)	29
12	Results of Univariate ANOVAs for Significant Effects Identified in the MANOVA for the Subtests with 1 and 656 Degrees of Freedom (N = 664)	30
13	Pillai-Bartlett Trace V Values, Degrees of Freedom, Approximate F Ratios, and Estimated Significance Levels (p) from the MANOVA for the Computer Versus the Paper-and-Pencil Administration Conditions for the AS, MC, and EI Subtests (N = 664)	31
14	Results of Univariate ANOVAs for Significant Effects Identified in the MANOVA for the AS, MC, and EI Subtests with 1 and 652 Degrees of Freedom (N = 664)	31
15	Test-Retest Correlations (r), for Subtests CS, AS, MC, and EI and Alternate Forms Retest Correlations for PC and NO Subtests and Number of Examinees (N) by Group and Mode	33

16	Average Kuder-Richardson Formula 20 Reliability (KR20) for Subtests PC, AS, MC, and EI by Experimental Group and Session	34
17	Intercorrelations of Subtest Scores by Group for Session 1 (Upper Triangle) and Session 2 (Lower Triangle)	36
18	Eigenvalues and Percentage of Common Variance Accounted for from Principal Factor Analyses of Subtest Scores by Group and Session	37
19	Factor Loadings and Communalities (h <sup>2</sup> ) from Principal Factor Analyses of Subtest Scores by Group and Session	38
20	Summary Table for Testing Models of Factor Equality Within Session, Showing Model, Chi-Square Value (X2), Degrees of Freedom (df), Goodness of Fit Index (GFI), Root-Mean Square Residual (RMR), and Estimated Probability (p)	39
21	Eigenvalues (E) and Percentage of Common Variance Accounted for (Z), by the First Five Principal Factors from Subtests AS, MC, and EI by Form and Administration Medium	41
<b>1-1</b>	Factor Loadings and Communalities (h <sup>2</sup> ) for the First Five Principal Factors from Session 1 Subtest AS Form 11 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)	50
1-2	Factor Loadings and Communalities (h <sup>2</sup> ) for the First Five Principal Factors from Session 1 Subtest AS Form 12 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)	51
<b>\-3</b>	Factor Loadings and Communalities (h <sup>2</sup> ) for the First Five Principal Factors from Session 1 Subtest AS Form 13 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)	52
<b>!-4</b>	Factor Loadings and Communalities (h <sup>2</sup> ) for the First Five Principal Factors from Session 1 Subtest MC Form 11 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)	53
r 5	Factor Loadings and Communalities (h <sup>2</sup> ) for the First Five Principal Factors from Session 1 Subtest MC Form 12 for Group 1 (Computer) and Group 3 (Paperson Paperson)	

Something

A-6	Factor loadings and Communalities (h <sup>2</sup> ) for the First Five Principal Factors from Session 1	
	Subtest MC Form 13 for Group 1 (Computer) and	6 5
	Group 3 (Paper-and-Pencil)	22
<b>A-7</b>	Factor Loadings and Communalities (h2) for the	
	First Five Principal Factors from Session 1	
	Subtest EI Form 11 for Group 1 (Computer) and	
	Group 3 (Paper-and-Pencil)	56
8-A	Factor Loadings and Communalities (h2) for the	
	First Five Principal Factors from Session 1	
	Subtest EI Form 12 for Group 1 (Computer) and	
	Group 3 (Paper-and-Pencil)	57
A-9	Factor Loadings and Communalities (h <sup>2</sup> ) for the	
	First Five Principal Factors from Session 1	
	Subtest EI Form 13 for Group 1 (Computer) and	
		58
B-1	Item Difficulties (p), Point-Biserial Correlations	
<b>D</b> -1	(rpb), and Biserial Correlations (rbis), for	
	Version A of the PC Subtest by Session and	
	Test Administration Medium	60
	iest muministication medium	00
B-2	Item Difficulties (p), Point-Biserial Correlations	
	(rpb), and Biserial Correlations (rbis), for	
	Version B of the PC Subtest by Session and	
	Test Administration Medium	61
B-3	Item Difficulties (p), Point-Biserial Correlations	
_ •	(rpb), and Biserial Correlations (rbis), Within	
	Session 1 for Version A of the AS Subtest by	
	- The state of th	62
B-4	Item Difficulties (p), Point-Biserial Correlations	
	(rpb), and Biserial Correlations (rbis), Within	
	Session 1 for Version B of the AS Subtest by	
	Form and Test Administration Medium	63
B-5	Item Difficulties (p), Point-Biserial Correlations	
	(rpb), and Biserial Correlations (rbis), Within	
	Session 2 for Version A of the AS Subtest by	
	Form and Test Administration Medium	64
B-6	Item Difficulties (p), Point-Biserial Correlations	
	(rpb), and Biserial Correlations (rbis), Within	
	Session 2 for Version B of the AS Subtest by	
	Form and Test Administration Medium	65

<b>5</b> -7	(rpb), and Biserial Correlations (rbis), Within Session 1 for Version A of the MC Subtest by Form and Test Administration Medium	66
B-8	Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 1 for Version B of the MC Subtest by Form and Test Administration Medium	67
	LOTE and lest weathterproperties the section	0,
<b>B-9</b>	Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version A of the MC Subtest by Form and Test Administration Medium	68
B-10	Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version B of the MC Subtest by Form and Test Administration Medium	69
B-11	Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 1 for Version A of the EI Subtest by Form and Test Administration Medium	70
B-12	Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 1 for Version B of the EI Subtest by Form and Test Administration Medium	71
B-13	Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version A of the EI Subtest by Form and Test Administration Medium	72
B-14	Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version B of the EI Subtest by Form and Test Administration Medium	73

#### I. INTRODUCTION

As the United States Armed Services move toward the implementation of computer adaptive testing (CAT) with the Armed Services Vocational Aptitude Bettery (ASVAB), several major issues must be addressed to ensure the continuity and well-being of the military testing program. At the present time, the transition from traditional paper-and-pencil testing to computerized testing is being envisioned as a gradual process; therefore, the equivalence of the two coexisting methods of testing is of concern, because the resulting scores will be required to function interchangeably (Green, Bock, Humphreys, Linn, & Reckase, 1982).

The first question of equivalence that must be addressed is that of the influence of the presentation medium itself on otherwise identical tests. That is, if the ASVAB in its present form is administered by computer to a group of examinees, how would the resulting scores differ from those that would be obtained by testing in the paper—and—pencil medium? Hore specifically, three questions can be raised:

1. How would the scores differ by subtest?

ということには、これのことのことのことを見られていたとう。

- 2. What might account for some of these differences?
- 3. For some types of items, which of several modes of presentation on the computer screen might serve to minimize differences?

The present effort was designed to address these questions in two ways. One way that the equivalence of two procedures can be determined is by a comparison of the man scores resulting from them to see if significant differences can be detected. Toward this end, the experimental design provided separate conditions for the study of alternative computer procedures against their paper-and-pencil counterparts. In addition, controls were built into the study to account for possible form and version differences, as well as practice effects. Methods of comparing mean differences were then applied.

The second approach was that of employing correlational methods. These techniques, which attempt to assess the degree of similarity rather than the extent of differences, included test-retest and internal consistency reliability comparisons across conditions, and exploratory and confirmatory factor analytic studies to compare factor structures.

For the purposes of this effort, 6 of the 10 ASVAB subtests were chosen for administration. The selection was based on some characteristic or set of characteristics of the subtests that might be expected to interact with the medium of presentation in either a positive or negative way, or that might require some change or modification from the previous paper-and-pencil form of presentation. These subtests can be divided into three groups on the basis of the criteria for selection: Paragraph Comprehension (PC), because of the problems involved in presenting it by computer that result from its unique item format; Numerical Operations (NO) and Coding Speed (CS), due to the speeded nature of these subtests; and Auto and Shop Information (AS), Mechanical Comprehension (NC), and Electronics Information (EI), because of their emphasis on graphical images, as well as items with no graphical content.

#### II. METHOD

# Test Battery

This study used subtests of Forms 11, 12, and 13 of the ASVAB (Prestwood, Vale, Massey, & Welsh, 1985). The subtests used are shown in Table 1. The six subtests chosen for study were administered in two versions, A and B, for each of the three forms for a total of six alternatives for each subtest: 11A, 11B, 12A, 12B, 13A, and 13B. For the CS, AS, MC, and EI subtests, the two versions differ only in the ordering of the items; by contrast, the PC and NO subtests use different items in each version. All subtests consist of different items in each form. Scoring was based on number-correct raw scores for each subtest.

Table 1.	ASVAB Subtests Used with Corresponding Number	
of Items.	Operational Time in Minutes, and Speededness	

Subtest	Number of items	Time allotted	Speeded
Paragraph Comprehension (PC)	15	13	No
Numerical Operations (NO)	50	3	Yes
Coding Speed (CS)	84	7	Yes
Auto and Shop Information (AS)	25	11	No
Mechanical Comprehension (MC)	25	19	No
Electronics Information (EI)	20	9	No

#### Experimental Design

### Subjects and Data Collection

The initial sample consisted of 1,024 Air Force recruits distributed over 30 independent groups with repeated measures for each examinee. The 30 groups were subgroups of three general experimental groups: (a) Group 1, which was first administered the ASVAB tests by computer and then by paper—and—pencil; (b) Group 2, which took the tests first by paper—and—pencil and then by computer; and (c) Group 3 which took the ASVAB tests twice by paper—and—pencil.

After removal of 27 examinees with incomplete data, the final data comsisted of item responses and subtest scores for 997 Air Force recruits on six subtests of the ASVAB, each taken twice in alternate forms, for a total of 12 subtest scores per examinee. Randomization was assured by preprinting 1,200 cards with coded conditions and ordering them in 40 groups, each group containing conditions 1 through 30 in sequence. Examinees were then assigned to groups by having them line up upon their arrival at the test center and handing out the cards in order until all examinees were accounted for. In this way, every 30th person was assigned to the same condition. All examinees were male recruits (to avoid possible confounding of results due to gender differences), and all were in their sixth day of basic military training at the time of testing. Testing of examinees occurred at the Air Force Human Resources Laboratory test facility at Lackland AFB, Texas, over a 2-week period during February 1985.

Once conditions were assigned, Group 3 (the group receiving paper-and-pencil tests in both sessions) was removed to a separate building for testing and was not exposed to the computerized test environment. Group I was brought into a room containing 30 carrels with Terak microcomputers, 28 of which were used for testing. Examiness were assigned randomly to computers. Due to computer memory limitations, each computer was programmed to administer only version A or version B tests. Within version, however, each machine contained all forms and conditions for all six subtests. The test each examines received was determined by the condition code printed on his condition card, which was entered into the computer before the start of testing. This random assignment of examiness to conditions and to computers controlled for variations in screen resolution between computer monitors—a particularly important consideration for subtests containing graphical images.

Before testing commenced, Group 1 received a standard set of instructions, over earphones from trained test administrators, covering both the tests themselves and the operation of the computer; then, graphical demonstrations and user-paced exercises on computer keyboard use and the 10 keys required for testing were administered. All examinees also received standard ASVAB test instructions. Administrators were available throughout testing to answer questions and to help with problems. Upon completion of testing, examinees were allowed to leave quietly. During the first session, Group 2 was administered equivalent paper-and-pencil tests in another room. Following a break at the end of Session 1, Groups 1 and 2 switched places; i.e., Group 2 was administered instructions and testing by computer while Group 1 was administered paper-and-pencil tests.

# Tests and Conditions

PC subtest. This subtest poses two problems when converted from paper-and-pencil to computer administration. First, some of the paragraphs used in the paper-and-pencil test are too long to fit on a cathode-ray-tube (CRT) screen at one time. Second, most of the reading comprehension paragraphs in the ASVAB tests are accompanied by multiple questions. Consequently, in the computer presentation medium, three different methods of presenting these kinds of items on a CRT (explained further on p. 4) were evaluated to determine which gave results most similar to those of paper-and-pencil administration.

MO and CS subtests. In the case of these highly-speeded, low-difficulty subtests, items are typically presented in groups in the paper-and-pencil medium, with instructions to answer as many items as possible within the time limit. A similar approach was taken with the computer presentation of these subtests by presenting several items on the screen at a time. This condition was compared with a second condition that presented items on the screen one at a time, to determine which item presentation condition was more similar to the paper-and-pencil adiministration.

AS, MC, and EI subtests. These subtests consist of both standard multiple-choice test items and multiple-choice items that use graphical images to describe physical, mechanical, or electronic concepts or components about which the examinee is questioned. They were presented on the computer screen in a single computer-presentation mode very similar to the presentation of their paper-and-pencil counterparts, to determine if differences resulted from the translation of standard multiple-choice items and graphical images from the paper-and-pencil medium to a CRT.

# Treatment Groups

The overall data collection plan, with the total numbers of examinees per condition (before eliminating those with incomplete data), is shown in Figures 1 through 3. Each figure is divided into sections representing the treatment groups to which the examinees were randomly assigned. A major advantage of this design was that it allowed the computer versus paper-and-pencil test administration variable to be examined both between and within subjects for all six subtests, thus allowing greater flexibility of analysis.

PC subtest. The data collection plan for the PC subtest is shown in Figure 1. To overcome the problem of lengthy PC items, a scrolling procedure was devised that enabled examinees to move forward and backward through the item text a line at a time. Scrolling was activated by depressing a designated forward or backward scrolling key which erased the text from the current screen (field) and replaced it with a different screen (field) of text. Depending on the scrolling key chosen (forward or backward), examinees were able to view new or previously presented material.

Three computer-administration Mode conditions (CRT-1 to CRT-3) were included to assess the effectiveness of three possible solutions to this complex item presentation problem. In the first Mode condition (CRT-1) the paragraph under consideration could be scrolled on the screen while one question at a time appeared beneath it in a separate, nonscrollable field. Previous questions about the paragraph were erased following an examinee's response and before the next question appeared, and examinees were unable to refer to previous paragraphs or previous questions pertaining to the current paragraph.

The second Mode condition (CRT-2) presented the paragraph and all questions related to it in a single scrollable field with no access to previous paragraphs or their questions. This condition allowed the examinee to use the entire screen to view the paragraph or single questions, and to move back and forth between the current paragraph and its questions. The third Mode condition (CRT-3) allowed the current paragraph to be scrolled on the screen, and beneath it questions could be scrolled separately. The displayed paragraph would change automatically as the items were scrolled to remain current with the displayed item, so that an examinee could scroll back to any previous paragraph and its questions. This condition also provided an answer-sheet type of display at the top of the screen which allowed examinees to monitor their progress through the test, and permitted them to go back and change answers to all previous PC items at any time throughout the test.

Each presentation condition appeared twice in the first two experimental groups, once with Version A and alternatively with Version B, for a total of six conditions with 50 to 60 examinees per condition. Due to the varied experimental conditions and limitations in sample size, it was necessary to limit the administration of the PC subtest to Form 11 of the ASVAB in Groups 1 and 2. Group 3, the paper—and—pencil only group, was not restricted by the three computer conditions; so the three forms of the PC subtest, Versions A and B, were administered instead, for a total of six conditions with 50 to 60 examinees per condition.

Group 1 (N=338): Computer-P&P Session 2 Session 1 CRT1 11A N-59 P&P 11B N-59 S CRT1 11B N-56 P&P 11A N-56 CRT2 11A N-54 P&P 11B M-54 CRT2 11B N=56 PEP 11A N-56 CRT3 11A H-57 P&P 11B H-57 S<sub>338</sub> CRT3 11B N=56 P&P 11A N-56

Group 2 (N=339): P&P-Computer Session 1 Session 2 S<sub>339</sub> P&P 11A N-56 CRT1 11B N-56 P&P 11B N-57 CRT1 11A N-57 P&P 11A N-58 CRT2 11B N-58 P&P 11B N-57 CRT2 11A N=57 P&P 11A N-56 CRT3 11B N=56 P&P 11B N=55 CRT3 11A N-55

Group :	N=347): P&P-P&P Session 1		Session 2		
S <sub>678</sub>	P&P 11A	N=58	P&P	118	N=58
	P&P 11B	N=58	P&P	11A	N=58
	P&P 12A	N=58	P&P	12B	พ=58
	P&P 12B	N=58	P&P	12A	ท=58
	P&P 13A	N=58	P&P	13B	N=58
S <sub>1024</sub>	P&P 13B	N=57	P&P	13A	N=57

Figure 1. Data Collection Design for PC Subtest.

NO and CS subtests. Figure 2 describes the data collection plan for the NO and CS subtests. Here, two computer presentation Mode conditions were included (CRT-1 and CRT-2) which, when combined with Versions A and B of each subtest, provided four conditions per group with 80 to 85 examinees per condition. In the CRT-1 condition, the items appeared on the CRT one at a time, and the examinees were instructed to answer as many of the items as possible within the allotted time. In the CRT-2 condition, several items were displayed at a time on the screen with the same instructions; for NO, three items appeared on the screen at the same time, and for CS, two blocks of seven items were displayed. Response times were recorded at both the single- and multiple-item level. Again, limitations in sample size restricted the administra-

Group 1 (N=338): (				Computer-P&P			
		Sea	ssion	1	Se	ssion	2
s <sub>1</sub>		CRT1	12A	N=83	P&P	12B	N=83
•		CRT1	12B	N=86	P&P	12A	N=86
•		CRT2	12A	N=87	P&P	12B	N=87
S <sub>338</sub>		CRT2	12B	N=82	P&P	12A	N=82

Group 2	2 (N=339): Sessi		_	ion :	2
S <sub>339</sub> [	P&P 12A	N=85	CRTI	12B	N=85
: [	P&P 12B	N=84	CR T1	12A	N=84
	P&P 12A	N=85	CR 12	12B	N=85
s <sub>677</sub>	P&P 12B	N <b>-</b> 85	CR T2	12A	N=85

Group	3 (N=300): P&P-P&P Session 1			Session 2		
S <sub>678</sub>	P&P	11A	N=58	P&P	11B	N=58
	P&P	11B	N=58	P&P	11A	N=58
	P&P	12A	N=58	P&P	12B	N=58
•	P&P	12B	N=58	P&P	12A	พ=58
•	P&P	13A	N=58	P&P	13B	N=58
S <sub>1024</sub>	P&P	13B	N=57	P&P	13A	N=57

Figure 2. Data Collection Design for NO and CS Subtests.

tion of the NO and CS subtests to Form 12 in Groups 1 and 2. Group 3 received both versions of all three forms for a total of six conditions with 50 to 60 examinees per condition.

AS, MC, and EI subtests. The data collection plan for the AS, MC, and EI subtests is shown in Figure 3. Unlike the other subtests, these consisted of only a single computer presentation condition that presented all items including graphical images. This permitted the administration of Forms 11, 12, and 13 to all three groups, for a total of six conditions per group with 50 to 60 examinees per condition. The graphical images for the computer-administered ASVAB tests were developed by the four-step process of (a) digitizing, (b) editing, (c) moving, and (d) concatenation and indexing. The digitizing process was done using a Kurta Series Two 12" x 17" digitizer pad.

The digitizer program that was written for this project (called DIGITI-ZER) allowed for digitizing to a half screen while scaling the image to make it as large as possible. In this way, the limited 120 vertical dots by 320 horizontal dots half-screen graphics window was used as completely as possible. DIGITIZER allows points, lines, and connected lines ("connect the dots" or polygon mode) to be plotted, either entered individually or "streamed" together.

After digitizing, all images were cleaned up and completed using the graphics editor. The graphics editor used was a reworked version of the Terak graphics editor GREDIT. It allows lines, points, circles, arcs, and arrow heads to be drawn or erased, or text to be entered or edited. It also allows the superimposing of one image upon another. Ultimately, all images were superimposed in this fashion, with one image on the top of the screen and the other on the bottom.

Once the image was refined to the desired level, it was centered within a half-screen area and located in the proper half screen (top or bottom), using a program called HOVER, which also allowed the duplication of one part of the screen on another part of the screen. The graphical portions of the screens were then concatenated and indexed into a random access file that was utilized by the test administration program to retrieve graphical images associated with text segments.

# Data Analysis

#### Combined Conditions

CONTRACTOR SEPTEMBER OF SECURIOR SECURI

The experimental design plan provided for three test administration groups: Group 1, to be tested by computer followed by paper-and-pencil; Group 2, tested by paper-and-pencil followed by computer; and Group 3, tested by paper-and-pencil twice. Within each group the three forms and two versions of each subtest were administered, except for PC in the first two groups where the three screen Modes (CRT-1 to CRT-3) were substituted for three forms and all examinees received Form 11. This resulted in 18 experimental conditions (3 groups x 3 forms x 2 versions). In addition, for the computer administration in Groups 1 and 2, two separate screen conditions were administered for the NO and CS subtests, thus adding an additional 12 conditions, yielding a total of 30 experimental conditions.

conb	1 (N=338) Sessi	: Compute on 1	r-P&P Session	1 2
s <sub>1</sub>	CRT 11A	N=59	P&P 11B	N=59
•	CRT 11B	N=56	P&P 11A	N=56
•	CRT 12A	N=54	P&P 12B	N=54
•	CRT 12B	พ=56	P&P 12A	N=56
•	CRT 13A	N=57	P&P 13B	N=57
• S <sub>338</sub>	CRT 13B	N=56	P&P 13A	N=56

Group :	2 (N=339): Sessio	-	Session 2		
S <sub>339</sub>	P&P 11A	N=56	CRT 11B	N=56	
•	P&P 11B	N=57	CRT 11A	N=57	
•	P&P 12A	N=58	CRT 12B	N=58	
•	P&P 12B	N=57	CRT 12A	N=57	
•	P&P 13A	N=56	CRT 13B	N=56	
s <sub>677</sub>	P&P 13B	n=55	CRT 13A	N=5 5	

Group 3	Session Session		Session 2		
S <sub>678</sub>	P&P 11A	N=58	P&P 11B	N=58	
•	P&P 11B	N=58	P&P 11A	N=58	
•	P&P 12A	N=58	P&P 12B	N=58	
•	P&P 12B	N=58	P&P 12A	N=58	
•	P&P 13A	ห=58	P&P 13B	N=58	
\$ <sub>1024</sub>	P&P 13B	N=57	P&P 13A	N=57	

Figure 3. Data Collection Design for AS, MC, and EI Subtests.

# Analysis of Variance (ANOVA)

The model chosen for the ANOVA was a repeated measures multivariate (MA-MOVA) design using total subtest scores as dependent variables, with univariate follow-up ANOVAs for all significant effects. A multivariate analysis was selected because it offers a substantial advantage with respect to power, while controlling the Type I error rate over all subtests simultaneously at the nominal alpha level (Morrison, 1976).

A fundamental assumption underlying any MANOVA analysis is that of homogeneity of the covariance matrices within each cell. However, the MANOVA model is widely recognized to be robust to violation of this assumption, especially for large sample sizes. Furthermore, multivariate tests of homogeneity are very powerful, given large samples, often leading to a rejection of the hypothesis of equal covariance matrices on the basis of minor differences (Cooley & Lohnes, 1971). Univariate ANOVA models in a similar way assume homogeneity of variances, and in a like manner, are largely robust to violations of this assumption. This situation holds at least for between-subjects factorial models, but for repeated measures designs violations of the equal variance assumption have been shown to lead to a greatly increased probability of Type I error (O'Brien & Kaiser, 1985). Unfortunately, there is no known test at present for the homogeneity of repeated measures variances. Therefore, the best defense against an increased incidence of Type I error is to interpret significant outcomes accordingly, when the variances over sessions appear to be heterogeneous.

MANOVA is based upon a comparison of the latent structures of the between-groups sums of squares and cross-products (SSCP) matrix, H, and the within-groups SSCP matrix of subtest scores, E, for a given effect. This is accomplished through the decomposition of the product matrix, HE<sup>-1</sup>, and the analysis of the resulting latent roots. Although there is no uniformly most powerful statistic for conducting this analysis, all of the widely accepted statistics are some function of the latent roots of HE<sup>-1</sup>, and the choice of an appropriate statistic is dependent upon the rank of the matrix, or the number of significant roots obtained.

For the situation where the rank of the matrix is i, the most powerful test of significance has been shown to be Roy's Largest Root test; whereas, when the rank is greater than 1, the Pillai-Bartlett Trace V test is most powerful (Olson, 1976). The Pillai-Bartlett offers the additional advantage of being the most robust to the violation of the assumptions of the MANOVA model, whereas Roy's test is extremely sensitive to violation of the homogeneity assumption.

For the present analyses, four multivariate tests of significance were applied: Roy's Largest Root, Hotelling's T, Wilks' Lambda, and the Pillai-Bartlett Trace V test. For every experimental outcome, the results of all four tests were in complete agreement. Therefore, the Pillai-Bartlett Trace V statistic, which has been recommended for general use (Olson, 1976) is reported for the MANOVA analyses.

The Pillai-Bartlett Trace V test is

$$V = \sum_{i}^{s} C_{i}/(1+C_{i})$$
 (1)

where  $C_1$  is the ith latent root of the matrix  $HE^{-1}$  and S is its rank. Pillai derived an approximation to the F distribution (Morrison, 1976) for V as

$$F = \frac{(dfe - p + S)V}{b(S - V)}$$
 (2)

with Sb and S(dfe - p + s) degrees of freedom, where dfe is the degrees of freedom within groups, p is the number of dependent variables, S is the rank of  $H_{\Sigma}^{-1}$ , and b is the larger of p and the degrees of freedom between groups.

The follow-up analysis for those MANOVA outcomes found to be significant was based on univariate ANOVA F tests to identify the specific subtests for which the effects were significant. Once a MANOVA result is found significant, however, all follow-up statistical tests are unconstrained in terms of Type I error. That is, the Type I error rate applies at the individual test level, and over numerous tests, the rate is compounded. Caution must be exercised in such a case in interpreting significant outcomes. Furthermore, standard forms of post hoc statistical tests, while varying in power and flexibility, are all increasingly sensitive with increasing sample sizes, and for the present study, relatively large samples were required to adequately provide for the correlational analyses, such as factor analysis. Such large samples serve to increase the sensitivity to post hoc statistical tests to the point where meaningless differences become prominent and obscure the important group differences under experimental manipulation.

Paper-and-pencil baseline analysis. The purpose of the first analysis was to examine the effects across all six subtests of (a) Form—the three test forms—ASVAB Forms 11, 12, and 13; (b) Version—the two Versions (A and B) within each form; and (b) Session—the repeated measurement of paper-and-pencil tests. This analysis was confined to Group 3 (N = 333), which functioned as a baseline comparison group, being tested entirely in the paper-and-pencil medium. Figure 4 shows the experimental design plan for Group 3.

The analysis consisted of a repeated measures MANOVA with univariate ANO-VA follow-up tests for all significant effects across session within subjects, and test form and test version between subjects. The dependent variables were the total scores for each of the six subtests taken by each examinee (PC, NO, CS, AS, MC, and EI).

Paragraph Comprehension. The second analysis was designed to determine if differences were observed in mean test scores among the three modes of computer presentation of the PC subtest between subjects, and between the computer and paper-and-pencil presentation media both between and within subjects. Test form differences were also examined to eliminate confounding with the other effects.

Figure 5 shows the experimental design plan for the PC analysis. All examiness were tested using Form 11 of the PC subtest to allow sufficient sample size for a fully crossed design. Group 1, consisting of 332 examines, was subdivided into three groups of approximately equal size. Each subgroup was administered one test version in one mode of the computer medium in the first testing session, followed by paper—and—pencil testing with the alternate version in the second session; subgroups of between 50 and 60 examinees within each mode subgroup were administered Versions A and B of ASVAB Form 11 PC in

Test Version presen-			Session	1	_		Session	2		
tation order	Exam- inees	Medium	Form & version	Subtes	 E	Medium	Form & version	Sı	ubte	st
	665 to 720		11A N=56	AS, MC, E			11B N=56		NO, MC,	
1	721 to 776	P&P		PC, NO, CS, AS, MC, EI		P&P	12B N=56	•	NO, MC,	
	777 to 833		13A N=57	PC, NO, C:	-		13B N=57	-	NO, MC,	
	834 to 889		11B N=56	PC, NO, C: AS, MC, E	- 1		11A N=56	-	-	
2	890 to 941	P&P	12B N=52	PC, NO, C: AS, MC, E	* 1	P&P	12A N=52	•	NO, MC,	-
	942 to 997		13B N=56	PC, NO, CS	-		13B N=56	-	NO, MC,	-

Figure 4. Experimental Design Plan for Paper-and-Pencil Baseline Analysis.

counterbalanced order. Group 2 (N = 332) was tested with the presentation media in reverse order, i.e., paper-and-pencil followed by computer presentation.

The method of analysis was a repeated measures MANOVA with the PC subtest score as the sole dependent variable. The effects that were examined as between-subjects variables for the PC analysis included three modes of computer presentation (Mode), computer versus paper-and-pencil presentation (Medium), and test version (Version). The effect examined as a within-subjects variable was the computer versus paper-and-pencil presentation medium across sessions (Session).

Speeded tests. The purpose of the third analysis was to determine if differences existed between mean scores resulting from the two modes of computer presentation of the NO and CS subtests, and between the computer and paper—and—pencil presentation media both between and within subjects. Test version differences were examined to determine if they interacted with these primary effects.

Figure 6 summarizes the experimental design plan for these analyses. All

Medium presen-		•	Session 1			Session 2	
tation order	Exam- inces	Mode	Form & version	Subtest	Mode	Form & version	Subtest
	1 to 58	CRT-1	11A N=58	PC	nen	11B N=58	PC
	59 to 114		11B N=56	PC	P&P	11A N=56	PC
1	115 to 168	CRT-2	11A N=54	PC	P&P	11B N=54	PC
	169 to 223	CRI-2	11B N=55	PC		11A N=55	PC
	224 to 278	<i>C</i> D m_2	11A N=55	PC	P&P	11B N=55	PC
	279 to 332	CRT-3	11B N=54	PC	rar	11A N=54	PC
	333 to 387	P&P	11A N=55	PC	CRT-1	11B N=55	PC
	388 to 441	rdr	11B N=54	PC	CR1-1	11A N=54	PC
2	442 to 499	P&P	11A N=58	PC	CRT-2	11B N=58	PC
2	500 to 553	145	11B N=54	PC	UR 1-2	11A N=54	PC
	554 to 609	P&P	11A N=56	PC		11B N=56	PC
	610 to 664	2.02	11B พ=55	PC	CR T-3	11A N=55	PC

THE RESIDENCE WALLES

Figure 5. Experimental Design Plan for Analysis of Paragraph Comprehension Subtest.

Medium presen-			Session 1			Session 2	
tation order	N	Mode	Form & version	Subtest	Mode	Form & version	Subtest
	1 to 83	on m - 1	12A N=83	NO, CS	P&P	12B N=83	NO, CS
1	84 to 168	CRT-1 ~	12B N=85	NO, CS	PGP —	12A N=85	NO, CS
1	169 to 252	CD TL-2	12A N=84	NO, CS	P&P	12B N=84	no, cs
	253 to 332	CRT-2	12B N=80	NO, CS	Far	12A N=80	NO, CS
	333 to 417		12A N=85	NO, CS	CRT-1	12B N=85	NO, CS
2	418 to 500	P&P	12B N=83	NO, CS	CAI-I	12A N=83	NO, CS
	501 to 584	gaq.	12A N=84	No, CS	CRT-2	12B N=84	No, CS
	585 to 664		12B N=80	NO, CS	UR 1-2	12A N=80	NO, CS

Figure 6. Experimental Design Plan for Analysis of Speeded Subtests.

testing was limited to Form 12 to allow sufficient sample size for a fully crossed design. Group 1, with 332 examinees, was subdivided randomly into two subgroups of approximately equal size. Each subgroup was administered one test in one of the two computer Modes (single-item or multiple-item screen) in the first testing session, followed by paper-and-pencil testing with the alternate version of Form 12 in the second session. Group 2, also with 332 examinees, was tested in the reverse order, with paper-and-pencil testing in the first session and computer testing in the second session. Within each of the Mode subgroups of Group 1 and Group 2, half of the examinees were assigned to either Version A or Version B of ASVAB Form 12 in random order to test the Version effect. This yielded a total of eight experimental groups of 80 to 85 examinees each. (Due to sample size limitations, within-subject test version and medium effects were necessarily combined into a single experimental condition.)

The method of analysis was a repeated measures MANOVA with the NO and CS subtest scores as the dependent variables, with univariate ANOVA follow-up tests for all significant tests. The between-subjects variables were test version (Version), computer presentation mode (Mode), and computer versus paper-and-pencil presentation medium (Medium), and the within-subjects variable was the computer versus paper-and-pencil medium (Session) effect.

Graphical subtests. The fourth analysis was designed to examine the differences between the computer and paper-and-pencil presentation media for the AS, MC, and EI subtests. These differences were analyzed for Forms 11, 12, and 13 of each subtest and by version. Medium and Version effects were examined in a completely unconfounded design. For the graphical subtests, a particular question of interest is what differences in performance, if any, result from the presentation of graphical images on a computer screen versus the printed page. The analysis of the MC subtest addresses this question directly, since of the 25 items comprising the test, 23 for Form 11, 21 for Form 12, and 22 for Form 13 contain graphical images. In addition, the MC subtests, as with all others, were randomly distributed over 28 computers to control for individual screen resolution differences.

Figure 7 shows the experimental design plan for these tests. The 332 examinees in Group 1 were randomly assigned to three subgroups. Each subgroup was administered one form of each subtest, one version in the computer medium in Session 1 and the alternate version in the paper-and-pencil medium in Session 2. The second group of 332 examinees was tested in a similar manner but with the order of presentation medium reversed.

The analysis was a repeated measures MANOVA with total subtest scores as dependent variables. The effects that were examined as between-subjects variables included test form, computer versus paper-and-pencil presentation medium, and test version. The effect examined as a within-subjects variable was the computer versus paper-and-pencil presentation medium.

# Reliability Analyses

Experimental group and session abbreviations are presented in Figure 8. The first character stands for medium of administration: C for computer, P for paper-and-pencil administration; the second character denotes the experimental group (1, 2, or 3); the third digit indicates testing session 1 or 2. Due to the nature of the data collected, two types of reliability comparisons were made.

Test-retest. The first comparison used a test-retest correlation design and was computed for all the ASVAB subtests. The subtests CS, AS, MC, and EI contain the same items in both Version A and Version B, providing true test-retest data. However, subtests PC and NO use different items in Versions A and B, thus changing the comparison slightly to one of an alternate-forms correlation, although the versions are nominally parallel. The comparison of interest was that between Groups 1 and 2 (C11 then P12, and P21 then C22) versus the paper-and-pencil only (P31 then P32) group. In these comparisons the Group 3 reliabilities served as a baseline against which the other experimental conditions could be judged. The reliabilities were compared by t-tests for each contrast after performing Fisher's (1921) r to z transformation on

Medium presen-			Session 1			Session 2	
tation order		Medium	Form & version	Subtest	Medium	Form & version	Subtest
	1 to 58		11A N=58	AS, MC, EI		11B AS, N=58	, MC, EI
	59 to 114		11B N=56	AS, MC, EI		11A AS, N=56	, MC, EI
1	115 to 168	CRT	12A N=54	AS, MC, EI	P&P	12B AS, N=54	, MC, EI
	169 to 223	Gai	12B N=55	AS, MC, EI	rur	12A AS, N=55	, MC, EI
	224 to 278		13A N=55	AS, MC, EI		13B AS, N=55	MC, EI
	279 to 332		13B N=54	AS, MC, EI		13A AS, N=54	MC, EI
	333 to 387		N=55	AS, MC, EI		N=55 AS,	, MC, EI
	388 to 441		11B N=54	AS, MC, EI		11A AS, N=54	MC, EI
2	442 to 499	P&P	12A N=58	AS, MC, EI	CRT	12B AS, N=58	MC, EI
	500 to 553	2.02	12B N=54	AS, MC, EI	VAI	12A AS, N=54	MC, EI
	554 to 609		13A N=56	AS, MC, EI		13B AS, N=56	MC, EI
	610 to 664		13B N=55	AS, MC, EI		13A AS, N=55	MC, EI

Figure 7. Experimental Design Plan for Analysis of Graphical Subtests.

# Test Administration

	_	Session 1	Session 2
•	1	C11	P12
Experimental Group	2	P21	C22
	3	P31	P32

Figure 8. Overview of Test Conditions by Group and Session for Computer (CRT) and Paper-and-Pencil (P&P) Groups.

the test-retest correlations.

CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL

Internal consistency. The final reliability comparisons were made using an internal consistency measure of reliability, Cronbach's (1951) coefficient alpha, which reduced to the Kuder-Richardson (1937) Formula 20 (KR-20) due to the dichotomous item responses. Because internal consistency reliability estimates are not appropriate for speeded tests, only subtests PC, AS, MC, and EI were considered in these comparisons.

The data collection plan provided the means to perform both matched groups (within-group across sessions) and multiple independent groups (across-groups within session) KR-20 comparisons. In order to perform the complete matched group comparison across all subtests by Form and Version for each experimental group, 72 tests of the type proposed by Feldt (1980) would be necessary. A simple independent groups comparison for each subtest by form and version within each session would require that 48 tests using Hakstian and Whalen's (1976) method be made. The sheer number of statistical tests necessary to adequately compare the KR-20 reliabilities suggested that the findings obtained would be extremely difficult to interpret and confounded by Type 1 error.

As an alternative, the KR-20 estimates were averaged separately for each subtest within each group and session (C11, P12, P21, C22, P31, and P32) and examined for differences. Collapsing the data in this way was justified because the ASVAB forms and versions are designed to yield similar measurement characteristics; thus, any important reliability differences across presentation medium or session would be consistent across all versions and forms.

Studying the reliabilities in this manner allowed the discovery of possible trends or differences in KR-20s both within groups across sessions, and across groups within sessions. As in the test-retest analysis, the paper-and-pencil-only groups (Group 3, P31 and P32) were used as a baseline against which the mean KR-20s from the other groups were judged.

# Analysis of Structure

Between-subtest structure. In order to examine the possible effect of different item presentation methods on a battery of tests, an analysis was performed on the similarity of factor and covariance structures between subtests at the subtest score level, under both administration medium conditions. The data were correlation and covariance matrices for between-subtest scores computed from examinees' total scores for each of the six subtests.

One method used to determine the equivalence of test presentation media was the examination of the factor structure of the between-subtest correlations across conditions. For this comparison, unrotated principal factor analysis was used as the factoring method. Although sets of common factor loadings are usually not unique and many different sets of loading values can define a solution, principal factor analysis yields a factor solution that defines both a unique common factor space and a unique set of factor loadings (Harman, 1976). Therefore, factor loadings from the unrotated principal factor analysis solution (defined by extraction of maximum variance from the correlation matrices with squared multiple correlations on the diagonals) of the subtests were directly compared for equivalence across media of presentation.

The equality of between-subtest covariance matrices and factor structures was examined using the maximum likelihood methods of LISREL VI (Jöreskog & Sörbom, 1984). There are three main indices of general model fit yielded by LISREL. The first is the overall chi-square ( $\chi^2$ ). The test made by chi-square judges the fit of the constrained model against the alternative hypothesis that the estimated covariance matrix is unconstrained. Degrees of freedom for  $\chi^2$  are calculated by

$$df = \frac{1}{2}k(k+1) - t \tag{3}$$

where k is the number of observed variables, and t is the number of free parameters estimated. Jöreskog and Sörbom (1984) suggest that  $\chi^2$  be used as an index of the degree of model fit and not strictly as a test statistic.

The second index of overall model fit is the goodness-of-fit index (GFI). GFI is defined by

GFI = 
$$1 - \frac{\operatorname{tr}(\hat{\Sigma}^{-1} - \underline{\Sigma})^2}{\operatorname{tr}(\hat{\Sigma}^{-1} - \underline{\Sigma})^2}$$
 (4)

where tr is the trace of the indicated matrices,  $\hat{\xi}$  is the fitted matrix,  $\S$  is the observed covariance matrix, and  $\S$  is an identity matrix. The range of GFI is between zero and 1.0, and it is a measure of the amount of covariance and variance accounted for by the model.

The last model fit index is the root mean square residual (RMR) defined

RMR = 
$$\begin{bmatrix} k & i \\ 2i = 1 & j = 1 \end{bmatrix} (s_{ij} - \hat{\sigma}_{ij})^2 / k(k+1)$$
 (5)

where k is the number of observed variables in the model,  $\mathbf{s}_{ij}$  is the observed variance or covariance, and  $\hat{\sigma}_{ij}$  is the estimated covariance or variance component. The interpretation of RMR depends on the relative sizes of the covariances and variances of the observed variables. For example, a large value for RMR as compared to the average observed covariance or variance would be an indication of a model that did not fit the data very well.

Jöreskog (1971) outlined a method by which the factor structures of test batteries could be tested for equality across different groups of examinees. Models assuming different levels of equalities were tested sequentially until the level of structured equality appropriate for the between-subtest data was found. The first model tested, the most strict test of covariance equality, assumed that, within each Session (1 and 2), the between-subtest scores covarisnce matrices for the paper-and-pencil administrations were equal for each group (Session 1:  $\Sigma_{G,2} = \Sigma_{G,3}$  and Session 2:  $\Sigma_{G,1} = \Sigma_{G,3}$ ). This test of the model that the covariance structures within the paper-and-pencil administrations were equal across groups provided a baseline against which the covariance structures of computer-administered tests could be judged. Next, the same test was made, again by session, with the addition of the covariances for the computer administrations ( $\Sigma_{G1} = \Sigma_{G2} = \Sigma_{G3}$ ). These tests are generalizations of the Bartlett test for homogeneity of variances (Morrison, 1976) and are susceptible to having a high degree of power when sample sizes are large, causing rejection of the null hypothesis when minor differences are present (Cooley & Lohnes, 1971).

The next model tested, holding a much less strong equality, was that within each Session (1 and 2) the between-subtest scores yielded the same factor structure in each group.

Within-subtest structure. The analysis of the similarity of factor structures within subtests was also performed for subtests AS, MC, and EI. These were the only non-speeded subtests containing the same items in both versions (A and B). By combining examinees tested on either version, the sample size requirements of factor analysis were nearly met, with approximately 100 persons per subtest available across Forms (11, 12, and 13) within each cell (C11, P12, P21, C22, P31, P32) of the experimental design.

The factor structures were compared through uniterated principal factor analysis, as described previously, of the item intercorrelation matrices composed of phi correlations. Five unrotated principal factors were extracted from each correlation matrix. These comparisons were made across both subjects and media using the first session baseline paper—and—pencil group for all comparisons (Cll and C22 versus P31). The subtest factor structures from both computer—administered conditions were compared against the subtest factor structures of the Session 1 paper—and—pencil—only group (Group 3) because it yielded an adequate representation of the factor structures of the subtests in all the paper—and—pencil groups.

#### Item Analysis

Due to limitations in sample size (between 50 and 75 per cell), only classical test theory item parameters (point-biserial, biserial, and proportion correct) were calculated and analyzed for the non-speeded subtests. The sample size demands of item response theory item parameterization using LOGIST

(Wood, Wingersky, & Lord, 1976) -- 500 to 1,000 per cell (Wood & Lord, 1976) -- greatly exceed the number of examinees in this study.

The subtests under study were chosen because they are the most problemstic ASVAB subtests for computer administration. Of particular concern was the possible difference in measurement properties of items containing graphical images (in subtests AS, MC, and EI) due to problems in translating the image from paper to a computer CRT screen. This question of measurement equivalence was neatly addressed at the subtest level because of the distribution of graphical content items among the three tests. The MC subtest contains between 21 to 23 graphical items (23 in Form 11, 21 in Form 12, 22 in Form 13) out of the 25 total, whereas subtest EI has only two or three out of 20 items. Therefore, any computer administration effect on graphical items would impact on subtest MC in its entirety and cause mean differences across media, which would be found through the MANOVA analysis. Subtest EI, having almost no graphical content items, was used to index possible graphical item administration differences since it has similar test objectives, being a non-speeded, technical information test. Subtest AS was not used in this analysis because it contains several graphical items (5 in Form 13, and 6 in Forms 11 and 12), disqualifying it as either a high or low graphical content subtest.

Administration medium differences for graphical content items were also compared at the factor structure level. The differences in the unrotated principal factor solutions for subtest HC across media of presentation were compared with the factor structure differences for subtest EI across the same conditions. Any large discrepancy between HC and EI factor structure differences would provide evidence that computer administration changes the interrelationships among graphical items, implying that the translation of images from paper to CRT screen differentially affects items with graphical content.

#### III. RESULTS

#### Analysis of Variance

#### Paper-and-Pencil Baseline Analysis

and the second and th

Table 2 shows the outcome of the MANOVA for the paper-and-pencil baseline group, both within and across sessions, for all subtests. Significance (p  $\leq$  .05) is indicated for one within-session factor, test form (Form), the repeated measures factor (Session), and for the interaction of test version (Version) with Form and Session. All other factors and interactions were not significant; therefore, no further analyses were necessary.

The results of the univariate follow-up analyses by subtest for the significant effects identified in the multivariate baseline analysis are given in Table 3. For the Form factor, significance was found for the AS subtest. Significant Session effects are shown for the NO, CS, and EI subtests, and PC shows a significant outcome for the Version by Form by Session interaction.

The next step in the analysis was to examine the difference in the means for each level of each effect. Tables 4 through 9 show the means for all subtests by condition. A significant difference in the mean scores by Form was found for the AS subtest; the largest of these was between Form 11 and Form

Table 2. Pillai-Bartlett Trace Values, Degrees of Freedom, Approximate F Ratios, and Estimated Significance Levels (p) for the Baseline MANOVA (N = 333)

		Degrees of freedom			
Source of variation	Trace V	Between	Within	F	p<
Between Groups					
Form	.10	12	646	2.96	.001**
Version	.01	6	322	.30	•935
Form x Version	.04	12	646	1.11	.353
Within Groups					
Session	.35	6	322	29.21	.001**
Form x Session	.05	12	646	1.45	.138
Version x Session	.02	6	322	.93	.473
Version x Form x Session	.08	12	646	2.30	.007**

<sup>\*\*</sup>Statistically significant at p < .01.

SACRE PROPERTY SERVICES SUSSECUES VINIONICS PROPERTY CONTROL

PROPERTY PROPERTY CONTINUES

Table 3. Results of Univariate ANOVAs for Significant Effects Identified in the Baseline MANOVA (N = 333)

Effect, degrees of freedom,	Mean_s	auares		
and subtest	Between	Within	F	p<
Form (2,327)				
PC	6.82	8.96	.76	.468
110	160.97	97.17	1.66	. 192
CS	317.30	303.33	1.05	.353
AS	129.51	39.02	3.32	.037*
MC	10.74	33.05	.33	.723
EI	20.22	23.13	.87	.418
Session (1,327)			•	•
PC	•29	3.01	.10	.755
NO	312.22	14.92	20.93	.001**
CS	5506.34	34.10	161.47	.001**
AS	.38	1.18	.33	.568
MC	5.23	2.07	2.53	.113
EI	12.99	1.85	7.02	.008**
Version x Form x Session				• • • • • • • • • • • • • • • • • • • •
PC	32.99	3.01	10.94	.001**
190	26.34	14.92	1.77	.173
CS	14.35	34.10	.42	.657
AS	•37	1.18	.32	.728
MC	1.50	2.07	.73	.484
EI	1.13	1.85	.61	.542

<sup>\*</sup>Statistically significant at p < .05.

<sup>\*\*</sup>Statistically significant at p < .01.

Table 4. Mean and Standard Deviation of Scores, Kuder-Richardson Formula 20 Reliability Coefficient (KR20), and Number of Examinees (N), for the PC Subtest by Group and Session

		Session	n 1				Š	Session	2		
Mode	Version	Hean	SD	KR20	<b> </b> =	Mode	Version	Mean	SD	<b>KR</b> 20	=
	Gro	Group 1:	Computer				Group 1:	1	Paper-and-Pencil	nc11	
CRT-1	114	10.93	2.26	.556	59	t	118	11.38	2.57	.661	58
27.	118	9.77	2.41	.550	26	•	114	11.93	2.90	.750	57
CRT-2	114	8.07	3.31	.761	53	1	118	11,31	2.26	.525	80
G 1-2	118	8.84	3.05	.730	26	1	114	11.86	2.75	.727	57
GRT-3	114	10.01	2.33	.586	21	•	118	11,93	2.48	649	26
CR T-3	118	9.95	2.38	.540	26	•	11A	11.82	2.45	•636	57
	Group 2:		Paper-and-Pencil	nc11	1		Group 2:		Computer		1
•	114	12.14	2.66	.723	57	2-1-1	118	12.11	2.44	.670	56
•	118	12.25	2.34	.652	% %	CRT-1	114	12.26	2.18	.586	57
1	111	11.71	2.72	.717	28	CR T-2	118	10.71	3.55	.849	55
•	11B	11.78	2.19	.576	55	CRT-2	114	9.82	4.00	.885	7
•	114	12,55	2.37	.701	28	CR T-3	118	12.68	2.25	.661	26
1	118	12.55	1.95	.579	88	GT-3	114	12.69	1.81	.467	55
	Group 3:		Paper-and-Pencil	me 11	1	ļ	Group 3:		Paper-and-Pencil	nc11	1
1	114	11.79	2.57	.702	88	1	118	11.54	2.81	.716	57
•	118	11.59	2.87	.752	28	1	11A	11,66	2.55	.672	58
•	12A	11.54	2.43	.637	<b>2</b> 6	1	12B	12.86	1.97	.595	58
1	12B	12.27	2.20	.627	26	1	12A	11.41	2.46	.633	54
1	13A	11.93	2.76	.750	55	•	13B	11.50	2.59	.653	28
1	13B	11.91	2.55	•675	27	•	13A	12,51	1.79	.470	27

Table 5. Mean and Standard Deviation of Scores, and Number of Examiness (N), for the NO Subtest by Group and Session

	J <b>o</b> S	Session 1				Se	Session 2		
Hode	Version	Mean	SD	~	Hode	Version	Mean	SD	Z
	Group 1:	1: Computer	iter		9	Group 1:	Paper-and-Pencil	-Pencil	
1-T	12A	33,59	7.86	83	ı	128	38.71	7.44	87
CRT-2	12B	34.36	8.75	98	•	12A	38.16	7.79	87
27-	12A	27.60	10.77	87	1	12B	37.75	7.35	85
CRT-2	128	29.16	11.48	83	1	12A	37.93	7.78	84
G	Group 2:	Paper-and-Pencil	l-Penc11	1		Group 2:	2: Computer	ter	- 1
ı	12A	37,18	8.30	87	2. 1-1.	128	36.96	7.15	85
ı	128	38.64	7.35	86	CRT-2	12A	36.92	6.89	84
1	12A	36.49	7.96	86	CRT-1	12B	31.88	9.29	85
•	12B	38.80	7.18	83	CR T-2	12A	31.04	11.62	85
	Group 3:	Paper-and-Pencil	i-Pencil	1	9	Group 3:	Paper-and-Pencil	-Pencil	
1	114	40.21	7.85	28	•	118	41.40	8.64	57
1	118	40.14	7.41	<b>28</b>	•	11A	40.50	7.18	82
•	12A	38.75	7.91	26	1	12B	40.21	7.57	28
1	12B	38,50	8.05	26	1	12A	40.52	7.85	3
•	13A	40.36	7.47	<b>22</b>	1	138	41.69	7.44	28
ı	13B	40.11	7.16	27	1	13 <b>v</b>	42.81	6.42	27

Table 6. Mean and Standard Deviation of Scores, and Number of Examinees (N), for the CS Subtest by Group and Session

	of E	Examinees (N),	(M), for	the C	for the CS Subtest by Group and Session	by Group	and Sess	nol	
	88	Session 1				88	Session 2		
Hode	Version	Hean	SD	<b>Z</b>	Hode	Version	Mesn	SD	<b>X</b>
	Group 1:	1: Computer	uter		29	Group 1:	Paper-and-Pencil	-Pencil	
8 1-T	12A	70.78	11.44	83	ı	128	55.57	11.74	87
CRT-2	12B	72.83	10.12	86	ı	12A	56.15	11.12	87
GT-1	12A	49.05	12.14	87	ı	12B	50.34	12.66	82
CRT-2	128	51.30	13.27	82	1	12A	52.73	11,38	*
	Group 2:	Paper-and-Pencil	d-Pencil	1		Group 2:	2: Computer	uter	- 1
,	12A	52.02	11.24	87	CRT-1	128	73.94	11.40	85
ı	12B	53.03	10.94	98	CRT-2	12A	74.07	10.48	8
ı	12A	53,07	13.28	98	CRT-1	128	54.84	13.36	85
ı	12B	52,39	12,23	82	CRT-2	12A	56.19	13,90	82
	Group 3:	Paper-and-Pencil	d-Pencil	1	5	Group 3:	Paper-and-Pencil	-Pencf1	1
J	11A	52.48	14.16	57	•	118	58.07	14.43	57
1	118	51.19	14.03	28	•	11A	56.14	15.18	8
J	12A	54.75	12.59	26	•	12B	60.95	13.22	58
ı	12B	53.27	12.99	26	1	12A	59.61	12.95	*
•	13A	51.76	12.20	55	ł	13B	58.84	10.92	28
ı	138	52.77	12.36	27	•	134	58.09	14.22	57
				l					

Table 7. Mean and Standard Deviation of Scores, Kuder-Richardson Formula 20 Reliability Coefficient (KR20), and Number of Examinees (N), for the AS Subtest by Group and Session

grand mercean produce provident essential property

Group and		Session	1 1	ti.		Session	n 2	
version	Hean	SD	KR20	Z	Mean	SD	KR20	Z
Group 1		Compute	) I		Pal	ber-sad-	-Pencil	
11A/11B	17.02	4.64	.784	23 23	17.57	.57 4.69 .798	.798	28
11B/11A	17.63	4.87	.819	26	17.72	4.99	.823	57
12A/12B	17.35	4.56	.795	54	18.07	4.53	800	8
12B/12A	16.75	5,32	.844	26	17.84	4.88	.830	57
13A/13B	17.12	4.94	.827	57	17,39	4.97	.832	55
13B/13A	17.04	5.17	.835	26	17.75	5.49	.861	27
Group 2	Pa	Paper-and-Pencil	Penc11			Comput	L L	
11A/11B	17.96	4.56	.795	57	18.16	4.62	\$04	26
11B/11A	17.95	5.45	.865	55	18.70	4.57	.805	57
12A/12B	16.86	4.77	<b>.</b> 804	28	•	4.45	.785	58
12B/12A	17.55	4.87	.822	55	17.44	4.85	.817	57
13A/13B	17.28	4.51	.781	28		4.77	908	26
13B/13A	18.69	4.26	.784	28	18.51	4.27	.782	55
Group 3	Pa	Paper-and-Pencfl	Penc11	!	Paj	Paper-and-Pencil	-Pencil	
11A/11B	18.45	4.67	.823	57	18.60	4.03	.753	12
11B/11A	19.09	4.36	.797	28	19.16	4.26	.791	58
12A/12B	17.21	4.90	.825	26	17.52	4.80	.818	82
12B/12A	17.04	4.69	908.	26	17.48	4.36	.784	24
13A/13B	18.44	4.31	.775	55	18.16	4.57	797	82
13B/13A	17.60	4.72	.807	57	17.74	4.96	.824	57

58 58 57 57 55 55 55 55 55 Number of Examinees (N), for the MC Subtest by Group and Session Table 8. Hean and Standard Deviation of Scores, Kuder-Richardson Formula 20 Reliability Coefficient (KR20), and Paper-and-Pencil Paper-and-Pencil 969. .779 .726 Mean and Standard Deviation of Scores, Kuder-725 .787 .673 .737 .627 .817 .772 787 .761 697 Session 2 Computer 3.80 4.42 4.00 3.90 4.22 4.72 1.20 3.87 4.62 4.90 4.30 3,37 3.62 4.03 SD 17.64 16.37 17.54 17.73 17.67 16.96 17.05 17.91 17,81 17.98 17.27 17.33 17.37 18.21 17.21 16.67 Z E 55 55 57 58 58 85 52 54 55 58 Paper-and-Pencil Paper-and-Pencil .776 .796 .662 .702 .705 .814 .722 .781 .677 629 KR20 .822 777. .746 .739 .675 Session 1 Computer 4.40 4.61 4.80 3.60 4.32 4.64 4.30 4.10 3.70 4.14 3.65 3.56 3.96 3.85 5.14 as 17.31 16.98 17.72 16.98 16.88 17.75 16.88 16.45 18.16 15.83 16.23 16.84 16.04 Zeen Leen Group and Group 3 Group 2 11A/11B 13A/13B version Group 1 11A/11B (2B/12A 12A/12B 13A/13B 11B/11A 2A/12B 13B/13A 11B/11A 12B/12A 13B/13A 12A/12B 3A/13B 11B/11A 2B/12A 13B/13A

58 58 57 57 58 58 57 Number of Examinees (N), for the El Subtest by Group and Session 57 57 55 57 Table 9. Mean and Standard Deviation of Scores, Kuder-Richardson Formula 20 Reliability Coefficient (KR20), and Paper-and-Pencil Mean and Standard Deviation of Scores, Kuder-Paper-and-Pencil .783 .740 679 .742 .646 .561 .719 **KR20** .785 .688 .754 .793 .647 687 761 Computer Session 4.23 3.64 4.05 3.11 2.75 3.66 3.40 4.15 3.47 3.70 2.99 3.32 3.08 3.51 3.49 3.81 3.71 as 14.19 13.26 13.44 14.45 13.68 14.59 14.34 13.60 13.67 14.05 14.22 14.18 13,77 13.51 13.81 14.21 14.07 Hean 28 28 55 57 58 58 58 12 54 57 57 Paper-and-Pencil Paper-and-Pencil .772 .737 .755 .560 .705 .709 .769 .818 633 .504 **KR20** 869° .743 .748 672 .751 .701 Session 1 Computer 3.56 3.83 4.16 3.94 3.71 2.93 3.78 3.52 3.34 3.35 4.05 3,39 4.54 3.15 2.62 3.96 3.81 SD 13.09 13.59 13.40 13.46 14.02 13.12 3.13 3.76 14.00 14.64 14.02 13.68 14.34 14.00 12.70 13.47 13.61 Hean Group and Group 3 11A/11B Group 1 11A/11B Group 2 11A/11B 13B/13A 3A/13B 2A/12B 3A/13B 11B/11A 2A/12B 11B/11A 12A/12B version 11B/11A 12B/12A 3B/13A 2B/12A 2B/12A 3B/13A

12, with a difference of 1.41, suggesting that no practical or meaningful significance can be attached to this outcome. Therefore, a conclusion of no important Form effect was drawn for the paper-and-pencil baseline analysis.

For the Session effect, the NO subtest showed an increase in mean score of 1.37 from Session 1 to Session 2, CS had a gain of 5.75, and EI differed by .28. Therefore, a very slight NO increase and a somewhat larger CS increase were implied by these statistically significant mean differences.

The PC subtest analysis indicated a significant Version by Form by Session interaction. However, for this subtest, the range in mean scores from the lowest to the highest over all 12 testing conditions was only 1.30. Because of the low magnitude of this mean difference, this interaction was interpreted as a psychometrically nonmeaningful difference.

# Computer versus Paper-and-Pencil

PC subtest. The results of the MANOVA for the PC subtest for the computer and paper-and-pencil groups are reported in Table 10 (means and standard deviations by condition are in Table 4). The statistically significant between-subjects effects include the mode of computer administration (Mode) and computer versus paper-and-pencil administration (Medium). No significant between-subjects interactions were revealed. The within-subjects repeated measures factor (Session) was found to be significant, as well as the Medium by Session, Version by Medium by Session, and Mode by Medium by Session interactions.

The follow-up analysis for the PC subtest began with the Mode effect. For the three computer screen Modes, the mean scores were 10.32 for CRT-1, 8.46 for CRT-2, and 9.99 for CRT-3; the corresponding mean differences were 1.86 raw-score points between Modes CRT-1 and CRT-2, .33 between 1 and 3, and 1.53 between 2 and 3. This indicates that screen condition 2 was different from 1 and 3, whereas conditions 1 and 3 were not significantly different from each other.

For the computer versus paper-and-pencil Medium effect, the mean difference within Session between the paper-and-pencil group (mean = 12.19) and the computer group (mean = 9.59) was 2.60 points. For the Session effect, the first and second session mean difference was .82 points. Upon examination of the Medium by Session interaction, it was found that the group that took the computer test in session 2 scored 2.15 points higher (mean = 11.74) than the group that took it during the first session (mean = 9.59). For the paper-and-pencil tests, however, the second session mean score (mean = 11.67) was only .52 lower than the first session scores (mean = 12.19), a finding of little practical importance.

The Medium, Session, and Medium by Session effects were reevaluated with the low-scoring second presentation Mode group removed. This reduced the Medium mean difference to 2.03 points, and increased the Session difference for the computer groups slightly to 2.43 points.

Of the three-way interactions of Version by Mode by Session, Version by Medium by Session, and Mode by Medium by Session, all revealed only minor mean differences of less than 1 point across conditions, but the Mode by Session

Table 10. Results of the F-tests of Significance from the MANOVA for the Computer Versus Paper-and-Pencil Administration PC Subtest Conditions (N = 664)

Source of variation	Degrees of freedom	Mean square	P	p<
Between Subjects				
Version	1	.01	•00	.979
Mode	2	218,66	21.31	.001**
Medium	1	590.51	57.56	.001**
Version x Mode	2	.66	.06	.937
Version x Medium	1	•57	•06	.814
Mode x Medium	2	15.77	1.54	.216
Version x Mode x Medium	2	21.69	2.11	.122
Within Cells	652	10.26		
Within Subjects				
Session	1	221.47	65.88	.001**
Version x Session	1	.20	.06	.810
Mode x Session	2	2.47	.74	.480
Medium x Session	1	531.81	158.21	.001**
Version x Mode x Session	2	15.41	4.58	.011*
Version x Medium x Session	1	14.03	4.17	.041*
Mode x Medium x Session	2	90.48	26.92	.001**
Version x Mode x Medium x Session	n 2	4.88	1.4	.235
Within Cells	652	3.36	_ <del>-</del> -	

<sup>\*</sup>Statistically significant at p < .05.

PROCESSOR PROCESSOR NAMES OF THE PROCESSOR OF THE PROCESS

interaction was a meaningful one in that Mode differences existed only within one of the two Medium conditions.

Speeded subtests. The results of the MANOVA for the speeded NO and CS subtests are shown in Table 11 (mean scores by condition are in Table 5 for NO and Table 6 for CS). For the between-subjects effects, Medium, Mode, and the Medium by Mode interaction were statistically significant. Within subjects, Session, Version by Session, Medium by Session, and Medium by Mode by Session effects were found to be statistically significant.

Table 12 contains the results of the analyses of statistically significant effects by subtest. Medium differences were indicated for the NO subtest, while Mode differences were observed for both NO and CS. The between-subjects Medium by Mode interaction was found significant for the CS subtest. Within subjects, the Session factor was significant for both NO and CS, and all of the interactions tested were significant for both subtests except for Version by Session, which was significant for NO but decidedly nonsignificant for CS.

Examination of the mean scores for the Medium effects shows that the paper-and-pencil group (mean NO = 37.79) obtained higher scores than the computer group (mean NO = 31.12) in Session 1 by 6.67 points for the NO subtest, and 8.22 (mean CS scores of 60.96 and 52.74, respectively) for CS; both differ-

<sup>\*\*</sup>Statistically significant at p < .01.

Table 11. Pillai-Bertlett Trace V Values with 2 and 655
Degrees of Freedom, Approximate F Ratios, and Estimated
Significance Levels (p) from the MANOVA for the Computer
Versus Paper-and-Pencil Administration Conditions for
the NO and CS Subtests (N = 664)

Source of variation	Trace V	F	p<
Between Groups			
Version	•00	1.11	.331
Medium	.01	3.29	.038*
Mode	.23	96.09	.001**
Version x Medium	.00	.82	.439
Version x Mode	.00	.11	.897
Medium x Mode	.01	3.30	.038*
Version x Medium x Mode	•00	.04	.965
Within Groups			
Session	.06	21.59	.001**
Version x Session	.01	3.54	.030*
Medium x Session	.63	556.01	.001**
Mode x Session	.00	.08	.925
Version x Medium x Session	.00	.84	.434
Version x Mode x Session	.00	1.43	.241
Medium x Mode x Session	.42	237.07	.001**
Version x Medium x Mode x Session		.73	.482

<sup>\*</sup>Statistically significant at p < .05.

ences were clearly consequential, even though the ANOVA analysis found the CS difference marginally statistically nonsignificant. In Session 2, the paper-and-pencil group (mean = 38.11) outscored the computer group (mean = 34.32) by 3.79 for NO, and by 11.29 for CS (means = 53.52 and 64.81). The CS result is clearly substantive. The Session effect overall, with a 1.77 point gain for NO (means = 34.46 and 36.23), and 2.32 points for CS (means = 56.91 and 59.23), does not indicate much of a real difference, since practice effects would be expected on these speeded items.

Upon comparison of computer screen Mode differences, it was found first that the CRT-1 Mode condition (mean = 34.02) produced higher scores than the CRT-2 condition (mean = 28.21) in Session 1 by 5.81 for NO, an important mean difference; and by 21.86 for CS (means = 71.89 and 50.03), a highly important difference. These disparities hardly diminished for the computer group in Session 2, with an NO difference of 5.42 (means = 37.03 and 31.61) and a CS difference of 18.45 (means = 74.04 and 55.59).

Further analyses of the computer versus paper—and—pencil medium differences by computer presentation mode within Session 1 revealed that, for NO, the CRT-1 condition (mean = 34.02) showed no practical difference from the paper—and—pencil condition (mean = 37.79), but that the CRT-2 condition (mean = 28.21) resulted in substantially lower scores than did both the paper—and—pencil condition (mean = 37.79) and the alternate computer Mode (mean = 34.02). The same results were obtained in Session 2, with the CRT-1 condition

<sup>\*\*</sup>Statistically significant at p < .01.

Table 12. Results of Univariate ANOVAs for Significant Effects Identified in the MANOVA for the Subtests with 1 and 656 Degrees of Freedom (N = 664)

Effect and	Mean sq	uares		
subtest	Between	Within	F	p<
Medium				
ИО	685.89	106.29	6.45	.011*
CS	782.94	228.41	3.43	.065
Hode				
NO	3,006.37	106.29	28.23	.001**
CS	40,997.32	228.41	179.49	.001**
Medium x Mode	·			
ИО	14.35	106.29	.13	.713
CS	1,145.51	228.41	5.02	.025*
Session	·			
ЙО	1,028.29	40.18	25.59	.001**
CS	1,784.08	57.15	31.22	.001**
Version x Session	ı			
NO	263.96	40.18	6.57	.011*
CS	.88	57.15	.02	.901
Medium x Session				
NO	9,083.82	40.18	226.09	.001**
CS	31,570.67	57.15	552.45	.001**
Medium x Mode x S	Session			
NO	2,256.84	40.18	56.17	.001**
CS	27,114.36	57.15	474.47	.001**

<sup>\*</sup>Statistically significant at p < .05.

(mean = 37.03) not being different from the paper-and-pencil condition (mean = 38.11), but with both of these conditions revealing mean scores much higher than those of the CRT-2 condition (mean = 31.60). For CS, an outcome similar to that for the NO subtest was obtained, except that for Session I the CRT-1 computer presentation condition (mean = 71.88) had mean scores much higher than the paper-and-pencil (mean = 52.74) and the CRT-2 computer presentation (mean = 50.04) conditions. For Session 2, the CRT-1 condition (mean = 74.04) was again much higher than either the paper-and-pencil (mean = 53.52) or the CRT-2 (mean = 55.58) conditions.

Although a significant Version by Session interaction was reported by the ANOVA analysis for the NO subtest, pairwise comparisons of mean differences found no statistical significance. The largest difference discovered was that between Version A in Session 1 (mean = 33.64) and Version A in Session 2 (mean = 36.30), a difference of only 2.66 points. The Version B means were 35.26 for Session 1, increasing to 36.13 in Session 2. For the Medium by Session interaction, the difference between paper-and-pencil and computer administration scores decreased in Session 2 for NO from 6.67 to 3.79, and increased for CS from 8.22 to 11.28, neither by a significant amount.

Graphical subtests. Table 13 provides the results of the MANOVA analysis for the AS, MC, and EI graphical subtests (mean scores by condition for these tests are in Tables 5, 6, 7). This analysis revealed no statistically signif-

<sup>\*\*</sup>Statistically significant at p < .01.

Table 13. Pillai-Bartlett Trace V Values, Degrees of Freedom,
Approximate F Ratios, and Estimated Significance Levels (p) from
the MANOVA for the Computer Versus the Paper-and-Pencil
Administration Conditions for the AS, MC, and EI Subtests (N = 664)

		Degrees o		_	
Source of variation	Trace V	Be tween	Within		p<
Between Groups					
Version	.00	3	650	.32	.810
Form	.01	6	1,302	1.44	.196
Medium	.01	3	650	2.34	.072
Version x Form	.00	6	1,302	.36	.902
Version x Medium	•00	3	650	1.03	.379
Form x Medium	.01	6	1,302	1.37	.225
Version x Form x Medium	•00	6	1,302	.48	.827
Within Groups					
Session	•09	3	650	20.24	.001 <del>**</del>
Version x Session	.00	3	650	.84	.474
Form x Session	.01	6	1,302	.82	.552
Medium x Session	.04	3	650	9.10	.001**
Version x Form x Session	•00	6	1,302	.35	.908
Version x Medium x Session	.01	3	650	1.88	.131
Form x Medium x Session	•01	6	1,302	1.45	.191
Version x Form x Medium x Session	.01	6	1,302	1.37	.226

<sup>\*\*</sup>Statistically significant at p < .01.

Table 14. Results of Univariate ANOVAs for Significant Effects Identified in the MANOVA for the AS, MC, and EI Subtests with 1 and 652 Degrees of Freedom (N = 664)

Effect and	Mean s	quares		
subtest	Between	Within	F	<b>p&lt;</b>
Session				
AS	58.70	2.19	26.75	.001**
MC	122.61	2.93	41.88	.001**
EI	17.45	2.13	8.21	.004 <del>**</del>
Medium x Sessio	on.			
AS	3.89	2.19	1.77	.184
MC	70.74	2.93	24.17	.001**
EI	21.86	2.13	10.28	.001**

<sup>\*\*</sup>Statistically significant at p < .01.

icant effects for the between-subjects factors, Version, Form, or Medium. Significance was indicated for the repeated measures Session effect, and the Medium by Session interaction. Table 14 shows the results of the univariate follow-up analyses for the statistically significant effects, revealing significance for all three graphical subtests on the Session effect, and for MC and EI on the Medium by Session interaction.

Comparison of the means by condition for the significant effects revealed small differences in means across session of .42 for AS, .61 for MC, and .23 for EI, certainly not of any psychometric consequence. For the Hedium by Session effect for MC and EI, differences of a similar magnitude were revealed, with the MC computer scores increasing by 1.43 across sessions (means = 16.14 and 17.57), while the paper-and-pencil scores declined by .21 (means = 17.57 and 17.21). For the EI subtest, computer scores gained .66 across sessions (means = 13.23 and 13.89) while the paper-and-pencil mean score was .20 lower (means = 13.92 and 13.72), all relatively small changes.

Comparison of the means for the MC Session 1 Medium effect, specifically computer (mean = 16.14) versus paper—and—pencil (mean = 17.43) presentation of graphical image items, showed a mean difference of 1.29. Further inspection showed that the largest part of this difference was attributable to Form 11, where the paper—and—pencil group (mean = 18.07) outscored the computer group (mean = 15.82) by 2.25. For Form 12, the means were 16.17 for the computer group and 16.88 for the paper—and—pencil group, for a difference of .71; for Form 13, the means were 16.42 and 17.32, respectively, for a difference of .90.

### Summary

CONTRACT STRUCTURE CONTRACT

ングルのある。

No important psychometrically meaningful significant differences were demonstrated for the paper-and-pencil baseline analysis for any subtests, except for a practice effect on CS. For the computer versus paper-and-pencil equivalence analysis, the PC subtest revealed a major difference in the Mode factor, with the CRT-2 condition resulting in important mean differences from the CRT-1 and CRT-3 conditions. Even with the effects of this condition removed, however, differences were still shown between the computer and paper-and-pencil presentation media. It was also found that the group that took the computer test second scored higher on it than the group that took it first. However, the group that took the paper-and-pencil test second, did not obtain higher scores than the other group's first session paper-and-pencil test.

The speeded test comparisons revealed that for NO, the CRT-2 presentation mode was decidedly inferior in performance, while the CRT-1 condition did not differ significantly from the paper-and-pencil results. For CS, it was found that the CRT-1 computer condition resulted in higher scores than did either the CRT-2 or the paper-and-pencil conditions, which did not differ from each other.

The analysis for the graphical subtests revealed no psychometrically meaningful differences for any effects for any subtests, including the first session Medium effect for the MC test which addresses directly the question of differences due to paper—and—pencil versus computer presentation of graphical image test items.

### Reliability Analysis

# Test-Retest Correlations

Table 15 shows test-retest correlations (for CS, AS, MC and EI) or alternate forms retest correlations (for PC and NO) for each subtest. For the speeded subtests (NO and CS), all the correlations for Groups 1 and 2 for both computer administration modes were significantly lower (at the .05 level) than those from Group 3, except for the NO subtest in Group 2 computer-administered Mode 1. These significant differences in retest correlations were fairly large, the smallest being .20 for CS (.65 versus .85) in Group 2 Mode 2, increasing to .36 for NO (.33 versus .69) in Group 1 Mode 2.

Table 15. Test-Retest Correlations (r), for Subtests CS, AS, MC, and EI and Alternate Forms Retest Correlations for PC and NO Subtests and Number of Examinees (N) by Group and Mode

Subtest & mode/	Gro	1p 1	Grou	n 2	Gro	up_3_
version	F	N	E	N	r	И
PC						
1	.42	114	.75*	109	.49	112
2	.45	109	.49	112		
2 3	.33	109	.79*	111		
NO						
1	.44*	168	.65	168	.69	108
2	.33*	164	.50*	164		
CS						
	.57*	168	.56*	168	.85	108
1 2	<b>.</b> 60*	164	.65*	164		
AS						
11	.91	114	.88*	109	.93	112
12	.93	109	.88*	112	.94	108
13	.89*	109	.95	111	.95	113
MC	.81*	332	.87	332	.88	333
EI	.79*	332	.89	332	.85	333

Note. Group 3 PC correlation is based on examinees taking Form 11 only, and the NO and CS correlations are based on examinees taking Form 12 only, in correspondence with the forms administered to Groups 1 and 2.

\*Indicates that the Group 1 or Group 2 correlation is significantly different from the Group 3 correlation at the .05 level.

The graphical subtests (AS, MC, and EI) showed a similar pattern of testretest correlations. For each graphical subtest, the Group 1 correlations
were significantly lower than those from Group 3, although for AS only Form 13
yielded significantly lower correlations. The only Group 2 test-retest correlations significantly lower than Group 3 were from AS, Forms 11 and 12. Although these reliabilities (test-retest) were statistically significantly lower for the groups in which one test administration was computerized, the actual differences in test-retest correlations were not very large, ranging from
.05 (AS in Group 2, Form 11) to .07 (MC in Group 1).

The pattern of test-retest correlations was somewhat different for subtest PC as there were no differences in test-retest correlations between Groups 1 and 3 that reached significance at the .05 level. The Group 2 PC test-retest correlations were significantly higher than Group 3 for Modes 1 and 3. These were the only test-retest correlations for any of the subtests that were significantly higher in either of the computer administration groups (1 and 2) than in the paper-and-pencil-only Group 3 (.75 and .79 versus .49).

## Internal Consistencies

Mean KR-20s for each non-speeded subtest by Group and Session are in Table 16 (KR-20s for each group and condition are in Tables 4 through 9). Tables 4 through 9 show that the differences in KR-20s within cells were of the same magnitude as any difference found between cells; thus, the data were studied as means instead of as individual values from separate test administrations.

Table 16. Average Kuder-Richardson Formula 20 Reliability (KR20) for Subtests PC, AS, MC, and EI by Experimental Group and Session

		Sessi	on l			Sessi	on 2	
Group	PC	AS	MC	EI	PC	AS	MC	EI
		Compu	ter			Paper-an	d-Pencil	
Group 1	.558	.817	.758	.728	.674	.824	.764	.720
		Paper-an	d-Pencil			Сощр	uter	
Group 2	.658	.808	.714	.694	.596	.800	.711	.699
		Paper-an	d-Pencil			Paper-an	d-Pencil	
Group 3	.727	.806	.748	.697	.694	.794	<b>.</b> 740	.692

Note. For the PC subtest in the computer conditions, only Modes 1 and 3 were included, due to the extreme Mode 2 differences. In the paper-and-pencil conditions, only Form 11 was included so as to correspond with the computer conditions.

The lowest mean reliabilities for both computer administration (.558 and .658) and paper-and-pencil (.727) were obtained for the PC subtest, as expect-

ed, due to its short length. Also, the largest differences in mean KR-20s across media of administration for any subtest were found for the reliabilities of PC, with differences of .100 (Cl1 versus P21) and .169 (Cl1 versus P31). The PC subtest also showed the only large increase in mean KR-20 across sessions, with the Group 1 mean KR-20 increasing from .558 in Session 1 to .674 in Session 2.

Subtest AS yielded much more consistent mean KR-20 values, with a range from .794 (Group 3, Session 2) to .824 (Group 1, Session 2). This .03 range is striking in that both values are from Session 2 paper-and-pencil-administered tests, implying that the computer versus paper-and-pencil comparisons were more equal, with only .009 (C11 versus P21) and .011 (C11 versus P31) differences in Session 1 and .024 (P12 versus C22) and .006 (C22 versus P32) differences in Session 2.

The Session 1 and 2 mean KR-20 differences were all smaller than .01 for subtest MC. This corresponds with the pattern found for subtest AS, where the largest difference was a .012 decrease from Session 1 to Session 2. Within Session 1, there was a larger mean KR-20 difference for MC between the two paper-and-pencil administrations (P21 versus P31, .03) than between C11 and P31 (.01), though all the differences were very small.

The mean KR-20 values for subtest EI conformed to the general pattern found for the other graphical subtests, indicating no effect on internal consistency for computer versus paper-and-pencil test administration. As found for HG, there was no computer administration effect within examinees for EI, with all differences in mean KR-20s across sessions being .008 or less. In both sessions, the mean KR-20 was higher in Group 1 than in the other groups, with the overall range being .692 (P32) to .728 (C11).

### Analysis of Structure

### Across Subtests

SECURIOR CONTRACTOR CONTRACTOR CONTRACTOR

For the calculation of the between-subtest correlation and covariance matrices from the computer administrations, only scores obtained from examinees taking Modes 1 and 3 for the PC subtest and Mode 1 of the NO and CS subtests were included. The MANOVA analysis showed that the Mode 2 scores for PC, NO, and CS were much different than both Mode 1 and Mode 3 in terms of subtest means and variances, thus their exclusion from this analysis. Table 17 shows the correlations between subtest scores by Group and Session which were analyzed by principal factor analysis to yield the eigenvalues shown in Table 18. The eigenstructure is fairly similar within each cell (Group and Session combination), with a large first factor capturing between 63.4% (P21) and 69.8% (P32) of the common variance. All cells seem to conform to a twofactor solution except Cll, for which three factors are indicated. Cell Cll is the only one where the third eigenvalue is positive, with the third factor accounting for 9.9% of the common variance. The third factor is present at the expense of Factor 2 which accounts for 13.3% less common variance than the Factor 2 in any other cell in Session 1.

Table 19 gives the factor loadings by Group and Session from the principal factor analyses. Factor 1 loads highest on, and is defined by, the graphical subtests (AS, MC, EI) in every cell except P31, where PC loads higher than AS (.572 versus .542). There are also substantial loadings for PC on

Table 17. Intercorrelations of Subtest Scores
by Group for Session 1 (Upper Triangle) and
Session 2 (Lower Triangle)

Subtest	PC	NO	cs	AS	MC	EI
Group	1 (N=1	71 Sessi	on 1 <sup>a</sup> ; 1	N=332 Sess	ion 2)	
PC		.36	06	.08	.30	.32
NO	.14		.27	05	.19	.11
CS	.13	.56		.08	.18	.10
AS	.25	05	.01		.59	.49
MC	.32	.00	.08	.52		.56
EI	.34	02	.00	.56	.59	
Group	2 (N=3	32 Sessi	on 1; N	=167 Sessi	on 2ª)	
PC		.20	.22	.16	.25	.28
NO	.15		.62	04	.12	02
CS	.27	.41		.11	.21	.10
AS	.24	17	.01		.54	.57
MC	.34	01	.11	•56		.55
EI	.40	09	.00	.52	.54	
	Group	3 (N=333	, both	sessions)		
PC		.39	.34	.21	.36	.35
NO	.26		.63	03	.16	.07
CS	.27	.57		.02	.21	.09
AS	.22	03	.05		.53	.55
MC	.41	.18	.28	.52		.52
	-	.11	.16	.58	.57	

The second secon

Note. Only factors with eigenvalues greater than zero are presented.

Factor 1 for cells C22 (.488) and P32 (.521), crossing both Session and Medium.

The second factor is a little cleaner, with its highest loadings found on the speeded subtests (NO and CS) in every cell except Cl1, where PC and AS have stronger loadings than CS (-.432 versus .350). In Group 1, Session 1, both PC and AS have stronger loadings than CS (.357 and -.347 versus .184). In Group 3 there is also a substantial loading on Factor 2 for subtest AS in each session (-.443 and -.385).

Assuming that a third factor is necessary to adequately explain the data

<sup>&</sup>lt;sup>a</sup>Only computer Modes 1 and 3 for PC, and Mode 1 for NO and CS, were included since Mode 2 for PC and Mode 2 for NO and CS were found to be significantly different in the MANOVA analysis.

Table 18. Eigenvalues and Percentage of Common Variance Accounted for from Principal Factor Analyses of Subtest Scores by Group and Session

	Session 1		Ses	sion 2
Group and factor	Eigen- value	% of variance	Eigen- value	% of variance
Group 1:	Computer	(N=171) <sup>a</sup>	Paper-and-Pe	ncil (N=332)
1	1.740	67.8	1.719	65.5
2	.572	22.3	•906	34.5
3	.255	9.9		
Group 2: P	aper-and-Pe	ncil (N=332)	Computer	(N=167) <sup>a</sup>
1	1.740	63.4	1.732	69.3
2	1.006	36.6	.768	30.7
Group 3: P	aper-and-Pe	ncil (N=333)	Paper-and-Po	encil (N=333)
1	1.885	64.4	1.956	69.8
2	1.043	35.6	.846	30.2

Note. Only factors with eigenvalues greater than zero are presented.

and 3 for PC, and Mode 1 for NO and CS, were included since Mode 2 for PC and Mode 2 for NO and CS were found to be significantly different in the MANOVA analysis.

in cell Cll, it is defined by low to moderate loadings on PC (-.289) and CS (.389). The communality estimate for CS in cell Cll (.220) is lower than in any other cell, the next lowest being .337 in the other computer-administered cell C22.

Table 20 summarizes the covariance structure and confirmatory factor analysis results. The first model tested was the equality of the across-subtest covariance matrices within sessions. In both sessions this model was rejected as not fitting the data, with  $\chi^2=104.57$  and  $\chi^2=75.47$  with 42 degrees of freedom. A check on the sensitivity of the procedure was run testing the equality of the across-subtest covariance matrices for only the paper-and-pencil administrations within each session. This model was not rejected in either session ( $\chi^2=22.42$  and  $\chi^2=29.91$ , with 21 degrees of freedom each), indicating that the covariance matrices for computer administration sessions were not equal to those from paper-and-pencil testing sessions.

The next model tested a less-strong equality that the factor pattern was invariant for each group within sessions. The principal factors analyses suggested that either two or three factors were present; thus, the first tests assumed the presence of three correlated factors for each group. Assuming that this model was not rejected, subsequent models would test the equality of the factor loadings, error variances and covariances, and factor covariances,

Table 19. Factor Loadings and Communalities (h2) from Principal Factor Analyses of Subtest Scores by Group and Session

	Cossign	-				Session 2	1 2		
	201000	Pentor		[	Group and		Factor		~
Group and subtest	-	2	m	P <sup>2</sup>	subtest	-	2	ر ا	'e
Group 1 (N=171);					Group 1 (N=332):				
					Paper-and-Pencil				
Computer	000	25.7	- 289	370	DA.	.431	141	•	.205
<b>3</b>	065.			200	) A	050	-,663	1	.442
ON.	.256	.531	.092	.333	2 (		683	1	437
S	. 188	.184	389	•220	3	-100	CC0*=	)	17.
<b>9</b>	469	347	.059	.526	YS	.665	.105	1	.453
2 5	778	450 -	940	.611	HC	.720	•029	ı	.519
) F	887	670	180	486	12	.748	•095	•	.568
13	000	2001	100			•	i		
Group 2 (N=332):					Group 2 (N=167):				
Description					Computer				
	201	011 -	•	159	. Z	488	299	1	.327
<b>3</b>	100	6110		764		- 041	562	1	.317
ON.	.283	- 000	•	076	2				227
ક	409	596	•	.523	જ	.133	000	i	/65.
3	639	296	1	496	ΨS	.673	.186	ı	.487
3	909	134	•	502	Œ.	.715	200	1	.512
) F	676	290	•	430	13	.714	.095	1	.519
. (N-222)				•	Group 3 (N=333):				
STORY O CHOCK					Panar-and-Panet1				
Paper-and-rencil		1				163	101	•	283
ည္ရ	.572	.155	•	105.	2	1750			181
ON	.455	.591	•	.577	OX	.352	.571	1	104.
ક દ	473	544	•	.599	ន	.431	.533	1	.469
3 4	C 4 R	443	١	490	<b>V</b> S	589	-,385	1	.495
<b>2</b>	747		1	205	Ü	727	-,113	1	.541
SE.	0/0	0570	<b>,</b>	9 6	) t	707	126	i	563
EI	•619	-, 348	ı	.505	13	1010	1670_		

Only factors with eigenvalues greater than zero are presented. Note.

Table 20. Summary Table for Testing Models of Factor Equality Within Session, Showing Model, Chi-Square Value (X2), Degrees of Freedom (df), Goodness of Fit Index (GFI), Root-Mean Square Residual (RMR), and Estimated Probability (p)

	Hypothesis	χ²	df	GFI	RMR	p<
	$\Sigma_{11} = \Sigma_{21} = \Sigma_{31}$		42	•977	2.206	.001**
	$\Sigma_{21} = \Sigma_{31}$	22.42	21	.989	2.090	.374
	$\Sigma_{12} = \Sigma_{22} = \Sigma_{32}$		42	.985	3.513	.001**
	$\Sigma_{12} = \Sigma_{32}$	29.91	21	.984	4.632	.094
A.	$\Lambda_{\mathbf{x}_{11}} = \Lambda_{\mathbf{x}_{21}} = \Lambda_{\mathbf{x}_{31}}$	θδ <b>not</b> j	positive d	efinite for	C11	
A.	Λ <sub>x<sub>12</sub></sub> = Λ <sub>x<sub>22</sub></sub> = Λ <sub>x<sub>32</sub></sub>	56.58	21	.967	2.297	•001**
В.	$\Lambda_{\mathbf{x}_{11}} = \Lambda_{\mathbf{x}_{21}} = \Lambda_{\mathbf{x}_{31}}$			finite for		
В.	<del>_</del> _		positive	definite i	for Cll	
c.	$\Lambda_{\mathbf{x}_{11}} = \Lambda_{\mathbf{x}_{21}} = \Lambda_{\mathbf{x}_{31}}$	157.54	24	.940	2.239	•001**

<sup>\*\*</sup>Statistically significant at p < .01.

providing an indication of the degree of equality of the factor structures.

Only for Session 2 did LISREL converge to meaningful parameter estimates while testing a three-factor model. This model (Factor 1 = AS, MC, EI; Factor 2 = NO, CS; Factor 3 = PC; zeroes elsewhere) produced a significant chi-square ( $\chi^2$  = 56.58, 21 degrees of freedom) indicating non-fit. In Session 1, the matrix theta-delta was not positive definite for Group 1 (C11), indicating that the model did not fit the data for that cell.

A second three-factor pattern was hypothesized, allowing two more loadings to vary (Factor 1 = AS, MC, EI; Factor 2 = NO, CS; Factor 3 = PC, MC, EI; zeroes elsewhere), which lessened the pressure to fit many zero loadings. For this model, LISREL did not converge to meaningful parameter estimates in either session. The Session 1 results found both matrices phi and theta-delta to be non-positive definite for Group 1 (Cl1). In Session 2, phi was not positive definite for cell C22 (Group 2). Again, the non-meaningful estimates of these matrices imply that the model did not fit the data within those cells.

Next, a two-factor pattern model (Factor 1 = AS, MC, EI; Factor 2 = PC, NO, CS; zeroes elsewhere) was tried for Session 1, in case three factors were not necessary to explain the data adequately. This model fit the data less well than the most restrictive covariance equality model ( $\chi^2$  = 104.57, df = 42), with a  $\chi^2$  value of 157.54 with 24 degrees of freedom. The implication of this test is that neither a two-factor model nor a three-factor model fit the Session 1 data. Thus, the reason for the non-fit of the three-factor model could not be the specification of too many factors.

# Within Subtest

STATESTS SEPTEMBER CONNECT SECTION BETWEEN STATESTS STATESTS DESPESSE SECTION SECTION SECTION

Table 21 shows eigenvalues and the percentage of common variance accounted for from the within-subtest principal factors analysis by Form (11, 12 and 13) and Medium of administration. Appendix A shows the factor loadings for the first five principal factors from the same analyses. Only non-speeded subtests AS, MC, and EI were factor analyzed, because it was necessary to combine the data from examinees taking both Versions A and B in order to obtain enough examinees to meet factor analysis requirements. Subtest PC contains different items in Versions A and B, making such a combination impossible. Due to the finding of significant Session effects in the MANOVA analysis, all analyses were performed within Session 1, with Group 1 (computer administration) being compared against Group 3 (paper-and-pencil administration).

There were no major trends across subtests or forms, or large factor structure differences for the subtests, under different media of administration conditions. The factor structures of each form of each subtest under both administration media were adequately described by one-factor solutions. The large number of eigenvalues greater than 1.0 found for each subtest is likely an indication of the small examinee-per-item ratio for each factor analysis (4:1 or 5:1). The first factors accounted for 43.8% (MC Form 13, computer-administered) to 59.4% (AS Form 13, computer-administered) of the common variance in each subtest. These first factors are more than twice as large as the second factors in every case, suggesting the interpretation of a one-factor solution. All subtests, however, showed a trend for the first factor to be larger (i.e., account for more common variance) under computer administration than for paper-and-pencil administration. These differences

Table 21. Eigenvalues (E) and Percentage of Common Variance Accounted for (I), by the First Five Principal Factors from Subtests AS, MC, and EI by Form and Administration Medium

		Porn	111			Form				Form 13	13	ľ
Test			Paper-and	pu <b>s</b>	,		Paper-and	pu <b>s</b> -	(	1	Paper-an	Pap -
and factor	S =	Computer	Pencil E	eg l	Computer	uter	Penc11	11	Computer	nrer Z	<u></u>	Penc11
VS		į.										
-	4.38	54.8	3.79	50.4	5.04	56.6	4.31	55.5	5.05	59.4	4.10	52.7
~	1.27	15.9	1.14	15.1	1.42	15.9	1.12	14.4	1.03	12.0	1.14	14.7
m	0.86	10.7	0.99	13.2	1.12	12.5	0.97	12.5	0.95	11.2	0.91	11.6
-4	0.75	9.6	0.91	12.1	69.0	7.8	0.72	9.3	0.79	9.3	0.88	11.4
'n	0.74	9.2	69.0	9.2	0.64	7.1	0.64	8.2	69*0	8.1	0.74	9.6
Ä												
-	4.39	56.8	3.11	45.5	3.50	54.0	3.87	52.0	2.74	43.8	3.11	45.5
7	0.92	11.9	1.15	16.8	0.85	13.1	1.15	15.5	1.04	16.6	1.19	17.3
m	0.85	11.0	0.97	14.3	0.78	12.2	0.89	11.9	0.92	14.8	0.95	13.9
4	0.81	10.5	98.0	12.6	0.71	11.0	0.80	10.8	0.82	13.2	0.81	11.9
S	0.75	9.8	0.73	10.7	0.62	9.7	0.73	8.6	0.73	11.7	0.78	11.4
<b>E</b> I												
<b>-</b>	3.06	50.4	2.93	50.4	3.29	57.5	3.44	55.0	3.09	53.2	2.43	47.4
7	1.08	17.8	0.87	14.9	0.81	14.3	0.92	14.7	1.04	17.8	98.0	16.8
က	0.77	12.7	0.76	13.2	0.63	10.9	0.76	12.2	0.72	12,3	0.70	13.7
4	0.65	10.7	0.68	11.7	0.51	8.9	0.62	8.6	0.53	9.0	0.67	13.2
S	0.51	8.4	0.57	8.6	0.48	8.4	0.52	8.3	0.44	7.6	0.45	8.9
												İ

ranged from 11.3% in MC Form 11 to 1.1% in AS Form 12. There was no difference in EI Form 11, and there was a 1.7% difference in the other direction for MC Form 13, but these were the only exceptions.

The only large difference in computer- versus paper-and-pencil-administered subtest factor structure occurred for subtest MC, Form 11. For computer administration, Factor 1 accounted for 56.8% of the common variance, but for the paper-and-pencil administration, Factor 1 captured only 45.5%, causing an 11.3% difference. This difference was not matched in Forms 12 or 13 of subtest MC; in fact, for Form 13, the paper-and-pencil Factor 1 accounted for more common variance than did the Factor 1 from the computer administration (45.5% versus 43.8%).

### Item Analysis

THE RESERVE WASHINGTON TO STAND THE PROPERTY OF THE PROPERTY O

100000

Conventional item statistics (proportion correct, point-biserial, and biserial item-test correlations) for each item in each non-speeded subtest (PC, AS, MC and EI) by Version (A or B) and Medium (computer or paper-and-pencil) are shown in Appendix B. There were no statistical analyses performed at the item level to compare particular values of these statistics, due to the mostly nonsignificant and inconsequential differences found for the Medium effect in the MANOVA analyses.

The important question of possible differences in graphical content items across administration media was addressed partially through the subtest-level MANOVAS. The distribution of graphical items allowed the comparisons of subtest MC across administration media to substitute for an item-level analysis. In fact, every subtest-level analysis performed on subtest MC could be used as a method to compare graphical versus non-graphical content items. By comparing computer administration versus paper-and-pencil administration differences for MC versus AS and EI, information on graphical items was obtained. The results of these comparisons were that differences in subtest MC across administration media were not significantly greater than the computer versus paper-and-pencil differences exhibited by AS or EI. The within-subtest factor analyses also showed no greater differences in the factor structure of MC across administration media than were found for subtests AS and EI.

#### IV. DISCUSSION

The purpose of this study was to determine the extent of equivalence of measurement properties for a battery of ASVAB subtests under conditions of computer versus paper-and-pencil administration. The subtests selected for study--PC, NO, CS, AS, MC, and EI--were those that presented particular problems for computer presentation.

The paper-and-pencil baseline analysis was performed to yield a lower bound against which computer versus paper-and-pencil differences could be judged, both within and between examinees. The only statistically significant effects found were those for Form on the AS subtest and Session for the NO, CS, and AS subtests. However, the statistically significant mean differences observed were small and not psychometrically meaningful, thus providing an acceptable basis for judging comparisons between computer and paper-and-pencil conditions.

# Paragraph Comprehension Subtest

CERTIFICATION OF THE PROPERTY 
The PC subtest, chosen due to its paragraph-length items and multiple items per paragraph, showed differences in measurement properties across the medium of presentation and within the three modes of computer administration. with one Hode (CRT-2) differing significantly from the other two (CRT-1, CRT-3). The first Mode (CRT-1) displayed the paragraph in one scrolling field while the items appeared sequentially in a separate nonscrolling field beneath it. Each item was erased before the next one appeared, and the examinee, unable to retrieve the item, could therefore proceed only in a forward direction through the test. The second computer administration Mode (CRT-2) contained each paragraph and all relevant questions in a single scrolling field. In this mode, the entire screen was available for viewing the paragraph, with questions appearing after the final line of text as the paragraph was scrolled up the screen, allowing the examinee to move back and forth within each paragraph. For Sessions 1 and 2, this condition resulted in mean scores significantly lower than both the paper-and-pencil condition and the other two CRT conditions, suggesting examinee confusion or disorientation arising from this particular screen format. Another possibility is that because whole paragraphs and corresponding items never appeared on the screen simultaneously, a memory component was introduced and became more important in this condition than in the others. The final computer condition (CRT-3) contained separate scrolling fields for both the paragraphs and their related items, and provided an answer-sheet type of display at the top of the screen, allowing examinees to monitor their progress through the test. This condition also enabled examinees to return to any paragraph and to change their response to any item at any time during the test. In both sessions, this condition resulted in mean scores almost identical to those for the CRT-1 condition.

Clear differences were demonstrated within Session 1 between all three CRT conditions and the paper-and-pencil administration condition. In Session 2 however, equivalent scores were obtained for the paper-and-pencil, CRT-1. and CRT-3 conditions, with the mean paper-and-pencil score being fairly constant, while the scores for all three CRT groups were significantly larger compared to Session 1. Only the CRT-2 condition still yielded significantly lower scores than paper-and-pencil in Session 2. This finding suggests that those who took the paper-and-pencil PC test first, followed by the computer PC test, may have benefitted from practice effects in the second session, implying that a more extensive practice sequence and perhaps a more detailed instruction set preceding the administration of the computerized PC test may be appropriate. In light of the absence of comparable differences on the other subtests, another possibility may be that, due to the combination of lack of familiarity with the computer medium and the complexity of the PC subtest, the first subtest administered in the sequence produced a heightened level of anxiety which attenuated test scores for those tested by computer in the first session. The equivalence of the CRT-1 and CRT-3 conditions may be due to a tendency for examinees to ignore the more complex features of the CRT-3 condition, such as the ability to return to earlier paragraphs, responding instead in a menner similar to that of the CRT-1 format, i.e., proceeding straight through the test item by item without backtracking. The lower performance for CRT-2 may have resulted from the increased memory requirement caused by the particular screen configuration used.

The reliability analyses found that the PC subtest obtained lower inter-

nal consistencies of a meaningful magnitude (> .10) when computer-administered. However, the test-retest reliabilities when one administration was by computer were not significantly lower than the paper-and-pencil-only test-retest reliabilities. In fact, the Group 2 test-retest correlations were significantly higher (for Modes 1 and 3) than those from the paper-and-pencil-only group.

# Speeded Subtests

ASSOCIATION DE LA COMPANION DE

The NO and CS subtests, chosen on the basis of their speeded nature, were administered by paper-and-pencil and by two CRT conditions. The first computer mode presented one item at a time on the screen, with each item being erased and replaced by the next item following the examinee's response. The second mode filled the screen with a block of items, with the examinee responding to the first item in the block. This item was then erased and the remaining items in the block shifted upward following the examinee's response. The number of items present on the screen decreased in this manner with each response until, following the response to the last item in the block, a new block of items appeared on the screen.

Although the initial analysis revealed significant differences between the paper-and-pencil and CRT media for both the NO and CS subtests in Session 1, further evaluation demonstrated equivalence between one CRT condition and the paper-and-pencil medium in both sessions. For the NO subtest, this equivalence was found between the CRT-1 single-item mode and the paper-and-pencil condition, with the CRT-2 group scoring significantly lower. For CS, the equivalent conditions were the CRT-2 multiple-item screen mode and the paper-and-pencil condition, with the CRT-1 single-item group scoring much higher than either of the others. It should be noted that for every comparison between the CS CRT-2 and paper-and-pencil conditions, a consistent trend of marginally lower CRT scores was observed, arguing against absolute equivalence.

For both speeded subtests, a consistent relationship was found between the two computer conditions, with the single-item presentation causing higher scores than the multiple-item presentation in every case, the multiple-item mode perhaps causing distraction or confusion for the examinees. For the NO subtest, this resulted in highly attenuated scores for the CRT-2 condition as compared with paper-and-pencil results. For the CS subtest, the single-item computer mode provided such a marked increase in performance over paper-andpencil administration that the attenuating effects of multiple-item computer presentation brought scores more in line with those for the paper-and-pencil This finding may be deceptive, however. The CS single-item presentation condition may actually be more parallel to the paper-and-pencil performance, differing only by a scaling factor due to the greater response speed afforded the CRT examinee. The multiple-item response condition may be subject to negative effects arising from rapid response times which are then negated by the distracting influence of the upward-shifting multiple-item screen format, as found with the NO subtest.

The test-retest reliability analysis showed for both NO and CS that administration by computer in one session significantly lowered the correlation of computer-administered scores with those from paper-and-pencil administration, in comparison to the paper-and-pencil baseline analysis. This suggests that the administration of speeded tests by computer might result in test

scores with somewhat different score properties than the same speeded tests administered by paper-and-pencil.

# Graphical Subtests

The AS, MC, and EI subtests, chosen for their graphical and standard multiple-choice text content, were presented in a single CRT mode in addition to paper-and-pencil presentation. The format of the computer presentation was identical to that of the paper-and-pencil tests with digitized graphical images, copied directly from the ASVAB test booklets, appearing on the computer screen with the appropriate text.

The results of the analyses for these subtests indicated a straightforward equivalence between the computer and paper-and-pencil media for all three subtests. The clarity of this finding can be attributed, at least in part, to the construction of finely detailed computer representations of all graphical images. A direct test of the equivalence of examinee perception of these images was provided by the comparison between CRT and paper-and-pencil conditions within Session 1 for the HC subtest, the content of which is almost entirely graphical. This comparison identified no differences between the two modes of presentation, thus suggesting equivalence.

### Subtest Structure

what different under the conditions of different administration methods. The principal factor analyses suggested that the factor structure of the subtest scores for computer-administered Group 1 Session 1 contained three factors, whereas only two factors were needed to explain the data from the other first session paper-and-pencil administrations. The LISREL confirmatory analysis supported these results by rejecting a model of the equality of the subtest covariance matrices when a computer administration group was included, but not rejecting a model of equal covariance matrices when only covariance matrices from the paper-and-pencil groups were included. All of the less stringent tests of the equality of factor structure models across administration media found either a rejection of the model or the presence of non-positive definite covariance matrices. A finding of non-positive definite covariance matrices is an indication that the model did not provide a suitable fit to the data.

These negative LISREL findings could be due to the slight factor structure difference found in the principal factors analyses or to the extreme power of the LISREL procedure when sample sizes and degrees of freedom are large. The model of equal factor structure that did converge to meaningful parameter estimates produced a significant chi-square, but the degree of non-fit was quite small. The estimated covariance matrices for Groups 1, 2, and 3 produced only zero, one, and two significant normalized residuals, respectively. Thus, although the model did obtain a significant chi-square value, it should not be rejected entirely.

### V. CONCLUSIONS

The results of the present study suggest that attaining equivalent test results between computer and paper-and-pencil administrations is feasible for

the power subtests of the ASVAB. For the case of standard multiple-choice text items and those with graphical content, all that may be required is careful development of testing software, with adequate attention to the clarity and detail of graphical images.

For the speeded subtests, the present findings indicate that the mode of screen presentation of test items can drastically influence the level of examinee performance. For the NO subtest, an indication of equivalence between the single-item CRT and paper-and-pencil presentation conditions was established. For CS, however, although the multiple-item screen condition produced similar scores to those from the paper-and-pencil medium, the trend over multiple comparisons between the two showed that the computer scores were marginally lower in every case. This finding suggests that further research on alternative screen configurations and enlarged computer instruction and practice sets may be appropriate to bring computer performance more in line with its paper-and-pencil counterpart. Continued investigation may also reveal that the higher-scoring single-item screen condition is actually more consistent with paper-and-pencil performance, and that a scaling factor is required to compensate for the faster response time made possible by the substitution of a computer keyboard for a paper-and-pencil answer sheet.

The PC subtest offers perhaps the greatest challenge to equivalence in the ASVAB battery. For this subtest, the present results demonstrate the sensitivity of examinee performance to alternative screen presentation modes for this rather complex test. The findings support, however, the benefits of pre-test practice, simplicity of screen format design, and detailed instruction sets in equalizing computer and paper—and—pencil performance. Recommendations for further research include experimentation with varying numbers of practice items, alternative screen formats, instruction sets emphasizing specific aspects of the computerized PC subtest, and administration of the PC subtest after administration of other subtests in the ASVAB battery to allow greater examinee familiarity with the computer before the presentation of the PC items.

#### REFERENCES

- Cooley, W., & Lohnes, P. (1971). <u>Multivariate data analysis</u>. New York: Wiley.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. Psychometrika, 16, 297-334.
- Feldt, L. S. (1980). A test of the hypothesis that Cronbach's alpha reliability coefficient is the same for two tests administered to the same sample. Psychometrika, 45, 99-106.
- Fisher, R. A. (1921). On the "probable error" of a coefficient of correlation deduced from a small sample. <u>Metron</u>, 1, 3-32.
- Green, B. F., Bock, R. D., Humphreys, L. G., Linn, R. L., & Reckase, M. D. (1982, May). Evaluation plan for the computerized adaptive vocational aptitude battery (Research Report 82-1). Baltimore, MD: The Johns Hopkins University, Department of Psychology.
- Hakstian, A. R., & Whalen, T. E. (1976). A k-sample significance test for independent alpha coefficients. Psychometrika, 41, 219-231.
- Harman, H. H. (1976). Modern factor analysis (3rd ed.). Chicago: University of Chicago Press.
- Jöreskog, K. G. (1971). Simultaneous factor analysis in several populations. <u>Psychometrika</u>, 36, 409-426.

- Jöreskog, K. G., & Sörbom, D. (1984). LISREL VI: Analysis of linear structural relationships by the method of maximum likelihood. Mooresville, IN: Scientific Software, Inc.
- Kuder, G. F., & Richardson, M. W. (1937). The theory of the estimation of test reliability. <u>Psychometrika</u>, 2, 151-160.
- Morrison, D. F. (1976). <u>Multivariate statistical methods</u> (2nd. ed.). New York: McGraw-Hill Co.
- Neter, J. & Wasserman, W. (1974). Applied linear statistical models. Homewood, IL: Irwin.
- O'Brien, R. G., & Kaiser, M. K. (1985). MANOVA method for analyzing repeated measures designs: An extensive primer. <u>Psychological Bulletin</u>, <u>97</u>, 316-333.
- Olson, C. L. (1976). On choosing a test statistic in multivariate analysis of variance. <u>Psychological Bulletin</u>, 83, 579-586.
- Prestwood, J. S., Vale, C. D., Massey, R. H., & Welsh, J. R. (1985, September)

  Armed Services Vocational Aptitude Battery: Development of Forms 11, 12,

  and 13 (AFHRL-TR-85-16(I), AD-A160584). Brooks Air Force Base, TX: Air

  Force Human Resources Laboratory, Manpower and Personnel Division.

- Winer, B. J. (1971). Statistical principles in experimental design (2nd. ed.). New York: McGraw-Hill.
- Wood, R. L., & Lord, F. M. (1976). A user's guide to LOGIST (Research Memorandum 76-4). Princeton, NJ: Educational Testing Service.
- Wood, R. L., Wingersky, M. S., & Lord, F. M. (1976). LOGIST—A computer program for estimating examinee ability and item characteristic curve parameters (Research Memorandum 76-6). Princeton, NJ: Educational Testing Service.

APPENDIX A: ITEM FACTOR LOADINGS AND COMMUNALITIES
BY SUBTEST AND FORM FOR TWO PRESENTATION MEDIA

Table A-1. Factor Loadings and Communalities (h2) for the First Five Principal Factors from Session | Subtest AS Form 11 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)

continued appropriate becomes present continued for the

	h <sup>2</sup>	.202	.135	.340	.401	.499	.038	.273	.468	.378	.273	.381	.415	.420	.217	.344	.378	.325	.163	.424	.262	.431	.280	.123	.250	.083
c11	2	.072	.001	062	.482	•019	.126	214	060	244	.074	135	275	150	099	.149	028	.253	.102	.071	.141	<b>900</b>	•033	.151	183	• 109
Paper-and-Pencil	4	.354	227	.163	048	465	039	107	049	-,394	280	300	•030	.135	.126	.139	041	•014	.196	041	.087	033	.123	.093	960•	055
Paper	3	.257	.145	033	•098	.049	085	125	545	.061	045	.015	.344	-,314	.147	258	075	085	.075	.150	.312	.273	154	087	.091	069
	2	066	.081	.367	.193	270	009	.220	.214	. 185	301	097	187	-,330	.388	279	033	.241	236	.160	227	060	230	.133	.023	9/0
	1	.025	.235	.417	.344	.454	.114	.389	.345	.354	•309	.512	•430	.414	.136	.397	<b>.</b> 607	.442	.229	• 607	.292	. 589	.432	.257	.445	.240
	h <sup>2</sup>	.509	.229	.353	.259	.310	.312	.292	.280	• 309	.413	.320	.330	•456	.217	.247	.289	.158	.340	.465	.168	.589	.268	.341	.292	•229
	2	.301	054	.218	072	-, 337	.207	960•	060	.021	.072	104	.139	248	415	.185	028	•044	-, 166	-,069	.023	153	.050	.178	.137	.042
ter	4	082	243	175	.035	203	.264	-,266	.303	218	.084	.019	228	.028	.097	.164	036	103	.158	-,102	.035	• 062	.331	.052	.233	960*-
Computer	3	138	250	206	005	.004	134	.174	128	181	229	.154	.220	259	085	.107	.295	•010	.115	. 184	.341	.171	148	.067	.207	265
	2	-, 389	.170	-,352	.231	149	.342	.201	046	.087	.153	002	.249	•098	104	175	279	. 188	.389	231	.161	228	196	.358	144	.024
	-	.491	.275	.329	.445	.364	.252	.374	.408	•469	.569	.534	.384	.562	.131	.379	.349	.331	.351	109.	.155	.692	.309	.417	.394	.383
	Item	-	7	m	4	5	9	7	<b>∞</b>	σ	01	11	12	13	14	15	16	11	18	19	70	21	22	23	24	25

Table A-2. Pactor Loadings and Communalities (h<sup>2</sup>) for the First Five Principal Factors from Session 1 Subtest AS Form 12 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)

		i	Computer	ter					Paper-	Paper-and-Pencil	ct1	
Item	-	2	3	4	s	h <sup>2</sup>	-	2	3	4	5	$h^2$
-	.524	550	.085	.045	000	.588	.486	•064	091	127	054	.268
7	.501	165	.025	015	138	.298	.322	.292	.174	063	.231	.277
m	.246	430	.028	.205	.203	•33	.251	.175	.339	060	.165	.239
4	.467	513	•00	035	110	964.	.386	.022	265	.115	1111	.246
5	.536	028	-,307	054	.162	.413	304	8	065	293	149	.205
9	.316	053	.258	220	104	.229	.410	.219	.014	023	132	.234
7	.318	.269	.464	055	•00	.393	.639	027	076	.055	-, 223	.468
∞	.385	.121	.444	.114	.203	.415	.428	.377	204	056	•026	.371
σ	.624	008	070	-, 169	094	.432	.390	138	.114	068	.00	. 189
10	.511	.140	-,161	205	.187	.384	•406	.140	.225	.271	.110	.321
11	.691	177	•036	162	.170	.567	.643	.079	.041	119	278	.514
12	.422	122	.415	048	142	.388	.438	.174	046	040	058	.229
13.	.468	.194	194	-,351	.124	.433	.451	344	150	.040	.116	.360
14	.166	000	.053	.164	.354	.183	.475	.308	.182	008	.014	.355
15	.502	•095	165	.132	018	306	.377	8	036	.279	.256	.287
16	.288	.340	.220	.221	.140	.317	.376	.164	381	223	.348	.486
11	.441	. 286	152	.027	158	.326	.274	238	350	122	075	.275
18	.440	<b>*</b> 00	•010	.356	-,112	.343	.372	213	080	235	.189	.282
19	. 588	.014	.047	069	167	.382	.481	-,334	.106	.054	023	.358
20	305	.290	084	•084	197	.230	.380	303	.243	031	.155	.321
21	.071	013	161	039	.262	105	.240	. 160	113	.146	055	.120
22	.516	.250	180	•036	076	.369	.451	-,339	.119	170	.097	.371
23	.392	.040	017	.091	164	.191	.370	.031	165	.316	.130	. 282
24	.475	096	-,331	.330	030	.455	.378	204	088	.376	098	.344
25	.475	.258	.102	.018	.149	.325	.359	.012	.397	.017	-,230	.340

Table A-3. Factor Loadings and Communalities (h) for the First Five Principal Factors from Session 1 Subtest AS Form 13 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)

			Computer	ter					Paper	Paper-and-Pencil	c11	
Item	-	2	m	4	s	h <sup>2</sup>	-	2	3	4	s	$h^2$
-	481	126	141	400.	.208	.311	.316	437	.298	129	.088	.405
7	.250	.481	026	.426	.052	.480	.328	.260	.193	.172	141	.263
m	.436	-,312	280	098	. 289	.460	• 396	240	.033	.156	-,319	.342
4	.385	-,161	.491	087	.091	.432	.241	.412	.045	112	.237	.299
5	.263	.251	172	.091	086	.178	.239	.118	152	237	.082	.157
9	.302	.020	.298	.232	.003	.234	.287	.398	.332	041	037	.354
7	.105	025	-, 336	•079	•065	.135	.148	.346	119	012	.147	.178
<b>∞</b>	.346	.387	.162	224	.212	.392	.510	.124	-,119	107	201	.342
6	.356	137	.279	.317	136	.343	.352	-,335	.234	036	.318	. 394
01	.562	.218	057	.038	.044	.370	.433	132	227	134	089	.283
==	. 584	235	. 188	.117	. 185	.480	• 439	.197	052	-,391	140	.408
12	.290	.155	206	011	.073	.156	.235	.072	.319	.008	.123	.178
13	.375	075	.031	030	030	.149	.429	.020	.259	187	214	.333
14	.393	.235	.150	387	.171	.411	.385	.151	055	.174	.083	.212
15	.602	036	023	.073	-306	494	.767	198	.107	.010	.108	.651
91	.206	.077	093	065	109	.073	.297	.020	.091	.504	.061	.355
17	• 602	-,216	058	127	087	.437	• 596	046	•90	036	072	.369
18	.477	•339	.123	119	054	.375	.401	.062	175	104	.332	.317
19	.622	120	281	.153	.123	.519	.470	064	.011	104	004	.236
20	.641	.024	108	169	118	994.	.450	.118	263	.211	045	.333
21	.325	140	.158	.216	.242	.256	.140	.014	• 062	.044	308	.120
22	.434	.054	.054	004	.113	.208	.293	.150	.038	.375	031	.252
23	.477	155	•056	-,243	-,333	.426	.541	900.	084	022	028	.301
24	.595	•036	136	.037	065	.380	.329	222	-,385	.025	099	.316
25	.539	004	023	•080	261	.367	.486	114	215	.155	.225	.371

Factor Loadings and Communalities (h2) for the First Five Principal Factors

from Sessi	Session	-	Subtest MC	gs and Form 1	1 for G	Group 1	(Computer	and (	Group 3	(Paper-	r-and-Pencil	Œ.
			Computer	ter					Paper	Paper-and-Pencil	c11	
Item	-	2	3	4	•	h <sup>2</sup>	-	2	3	4	3	$h^2$
-	491	-,026	.115	011	111	.268	.279	114	.213	100	.104	.157
7	.178	.490	-, 122	110	021	300	.196	080	.037	.324	113	.164
က	.586	-, 198	•019	150	203	.448	.138	-, 397	.258	159	.035	.270
4	.293	056	217	173	.047	.169	.280	.028	.057	.180	415	.287
•	.328	.095	051	180	.120	.167	.303	.542	.238	.122	107	.470
9	.256	900•	022	960.	273	.150	.227	•369	.037	015	.018	.190
7	.508	.048	229	.213	288	.443	.163	.034	.177	.015	.014	•059
œ	.444	.028	.229	.103	<b>-</b> .096	.270	.385	085	.229	.156	•026	.233
0	.496	021	101	-,369	.036	.394	.246	016	-, 122	-,308	.131	. 188
10	.508	062	.182	•065	018	300	.478	001	143	085	.244	.316
11	494	216	106	219	.241	.380	.437	•063	.088	113	224	.266
12	.511	052	.107	027	•90	.281	.366	144	301	217	165	.320
13	.335	420	.015	.131	.085	.314	•499	019	046	.422	.200	.470
14	.529	318	.034	•074	094	.397	•306	030	-,061	.085	.243	.165
15	.450	.217	.201	151	.137	.332	.433	131	177	115	.072	.255
16	.328	.141	.276	059	262	.276	.333	.196	.336	173	.097	.303
11	.361	076	. 196	.321	.039	.280	.468	.302	082	182	022	.351
18	.273	•276	259	027	171	.248	.274	129	.416	•068	047	.272
19	.520	069	419	. 169	005	.480	.491	301	036	005	268	.405
70	.427	.274	060.	116	080	.286	.256	027	238	.015	.243	.182
21	.378	.117	248	.073	.334	.336	.529	.215	085	248	255	.460
22	.423	.137	.027	.424	.173	•409	.546	356	094	.294	000	.521
23	•465	.041	138	-,151	005	.260	.209	.112	319	.131	.085	. 182
24	.285	101.	.128	.156	.396	.289	.100	.221	218	.143	-, 133	.145
25	• 306	•138	.304	172	.105	.246	. 284	120	.170	176	.174	. 186

Table A-5. Factor Loadings and Communalities (h<sup>2</sup>) for the First Five Principal Factors from Session 1 Subtest MC Form 12 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)

			Computer	ter					Paper	Paper-and-Pencil	c11	
Item	-	2	3	4	2	h <sup>2</sup>	-	2	3	4	5	h <sup>2</sup>
-	. 188	308	098	050	.054	.145	760°	247	079	.241	142	.155
7	.275	036	•029	-,320	.087	.188	.259	080	.241	.035	.227	.185
ന	.342	.293	-, 337	.025	293	.403	.425	•056	253	-, 195	053	. 289
4	.190	027	217	.241	090	.150	.382	.303	.304	.112	217	.391
5	.363	131	.011	.416	020	.323	.402	129	. 168	.073	.179	.245
9	.117	-, 197	.131	-,161	•062	100	.220	.275	.489	.144	.155	.409
7	.294	•109	.374	056	169	.270	.402	083	. 188	. 148	-, 321	.329
∞	.359	008	007	.085	.105	.147	.165	018	138	.003	.243	106
6	.503	175	196	021	.142	,343	.551	074	• 003	.115	203	.364
01	.341	.353	.199	-°000	.083	.288	.328	.518	-,132	.136	094	.422
11	.455	.165	.017	022	051	,238	.502	-100	.013	-,373	127	.418
12	.498	.105	•076	238	233	,376	.592	039	.231	218	.104	.465
13	.146	.255	192	.116	.149	•159	.472	179	032	.167	.047	.286
14	.345	.032	.191	.148	052	.181	400	.109	235	068	.182	.265
15	. 184	.144	• 308	.217	.317	. 298	.414	285	031	.230	.018	307
16	.451	.217	.033	020	087	.260	.301	275	005	.161	085	.200
17	.509	061	-,103	-100	.159	• 309	.410	105	.119	157	.165	. 245
18	.473	157	247	.141	065	.334	.453	.230	-,315	014	-,123	.373
61	.359	104	. 183	.323	127	.295	.247	.050	078	.270	.261	.211
70	.529	.207	134	094	•064	.354	.533	169	-, 121	.160	080	.359
21	•438	266	068	057	004	.271	.287	.359	.031	105	.120	.238
22	.337	.130	-, 133	139	.320	.271	.514	.283	101	016	127	.371
23	.167	104	•058	087	285	.131	.291	040	.136	282	025	. 185
24	.480	-, 193	.172	.024	.126	.314	.427	040	222	.049	.334	.348
25	.459	221	.155	150	100	.317	.270	304	.022	309	098	.271

Table A-6. Pactor Loadings and Communalities (h<sup>2</sup>) for the First Five Principal Factors from Session 1 Subtest MC Form 13 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)

LLON	Session	- ∣	Subtest ac	rors 1	o ror c	oroup 1	(Computer)	Burg	eroup 3	raper	(raper-and-rencil)	(11)
			Computer	ter					Paper-	Paper-and-Pencil	c11	
Item	-	2	3	4	5	h <sup>2</sup>	1	2	3	4	5	p <sub>2</sub>
-	.402	-,360	-,103	146	123	.339	.412	.200	160.	960*-	272	.020
7	.331	.120	279	•087	057	.213	980.	131	196	.241	139	.410
က	.383	.203	.123	.074	.114	.222	.386	.122	•309	•044	058	099•
4	.598	248	•086	117	011	.440	.384	.503	077	044	106	.214
5	.426	• 069	.163	229	253	.330	.520	-,313	118	.200	-,185	.573
9	.272	.147	295	.264	107	.265	.277	432	.033	228	•074	.224
7	.405	180	002	210	.276	.317	.258	-,167	198	467	•038	.549
æ	.287	012	•065	.070	.213	.137	.325	296	.122	.188	.176	.750
6	.330	.274	082	029	.158	.217	400	063	087	007	113	.919
10	.375	.187	084	080	084	.197	.552	-,361	.141	161	014	.820
11	.379	.024	432	076	015	.338	.428	.045	.051	-,002	• 186	.232
12	.327	.040	-, 328	.135	.190	.271	.111	.215	.130	199	328	.231
13	.126	075	.239	.127	060	• 098	• 196	.037	.544	080	.070	.475
14	.208	-, 192	.045	.153	.011	106	.203	.275	.043	.024	.222	069
15	.331	.316	.031	285	138	.311	.389	.167	.227	.159	.233	.113
16	.313	.111	.317	.170	095	.249	.253	.028	162	.233	.291	.303
17	.120	243	. 198	039	.194	.152	.410	104	.237	033	121	.517
18	.241	.136	.137	.388	.138	.265	.386	•093	092	.155	161	.171
19	. 194	.161	980•	.260	. 208	.182	090*	.082	021	.061	.240	.726
70	.273	.163	.380	011	.022	.246	.574	•070	020	027	057	.396
21	.335	•104	.102	195	082	•179	.235	136	154	.343	103	.262
22	•235	-,370	040	.259	012	.262	.340	300	214	049	.174	.847
23	.285	.023	•021	.276	477	.387	.207	.126	053	218	.136	. 283
24	.383	•032	003	132	.242	.224	.240	083	099	207	.294	•039
25	.324	423	•008	.061	089	. 296	•480	•085	403	•016	039	.024

<u>Table A-7.</u> Factor Loadings and Communalities  $(h^2)$  for the First Five Principal Factors from Session 1 Subtest EI Form 11 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)

			Computer	ter					Paper-	aper-and-Penci	c11	
Item	-	2	3	4	5	h <sup>2</sup>	-	2	3	4	2	h <sup>2</sup>
-	.459	.263	.015	.425	069	.466	.284	295	.031	087	•064	. 180
7	.257	.016	084	-,238	033	.131	.208	060	379	.141	.053	.213
m	.229	.595	117	.107	.054	.435	.227	.185	.081	004	.426	.274
4	.095	216	420	•205	.249	.338	.220	139	.183	354	136	.246
S	-000	•089	.264	.224	.233	.182	.226	.556	.140	195	063	.423
9	.482	.210	094	.138	162	,331	•464	019	.057	.372	049	.361
7	.476	296	022	•000	030	.316	.248	.313	.104	.133	-,324	. 294
∞	.485	.156	154	-, 135	311	.399	.381	001	-,114	.246	.211	.264
6	.385	053	120	.143	162	.213	•359	081	122	.170	140	.199
01	.442	.204	.103	238	•033	•306	.509	094	.169	.202	052	.341
11	.507	.166	•063	087	. 299	• 386	.672	.111	384	109	010	.624
12	.242	.133	.195	060.	022	.123	.338	.109	087	032	183	.168
13	.460	292	-,380	016	•004	.452	.383	166	.332	080	 81	. 293
14	.512	198	.022	084	•020	.311	.543	092	.128	232	.087	.382
15	.366	295	.367	.025	057	.360	.193	002	.153	. 191	980.	.105
91	.395	010	• 206	049	.281	.280	.430	337	.057	103	052	.316
17	021	.127	.137	171	079	.071	.115	.238	.091	002	.320	. 181
18	.311	344	.240	.174	193	.341	.321	064	.239	100	.136	.193
19	.542	068	.045	• 069	.061	• 309	.534	001	318	265	800°	.458
20	•456	690°	032	-,314	.034	.314	.450	.246	.104	.035	084	.282

Factor Loadings and Communalities (h ) for the First Five Principal Factors Table A-8.

) (11)		h <sup>2</sup>	.211	.188	. 280	.239	.167	.321	.403	.470	.169	.272	.261	.481	.113	.503	. 395	.379	.454	.343	.252	.345
and-Per	c11	5	.048	101	169	900•	145	.402	101	315	.156	167	•010	039	.205	•005	.053	.024	.232	.037	.092	132
(Paper-and-Pencil	aper-and-Pencil	4	285	.103	203	.241	132	.227	211	.303	029	031	.208	013	053	.110	• 166	236	186	062	.151	.108
Group 3	Paper	3	046	003	020	077	•037	.132	052	.218	•095	.414	.120	.183	.071	520	-,060	191	.139	.134	095	301
Pue		2	121	.324	255	265	023	082	-000	035	155	.201	181	245	044	086	026	020	.355	.287	.370	.374
(Computer)		-	,333	.249	.380	.322	.356	.288	.587	674.	.333	.175	.412	.620	.247	.461	· 600	.534	.468	.487	.273	.291
Group 1		h <sup>2</sup>	.178	.249	.153	.297	.255	.357	.305	.388	.263	.361	.224	•439	.339	.256	.469	.245	.249	.403	107	.185
12 for G		s	•016	.018	.031	.093	240	.331	115	.144	060	•005	.181	101.	-,352	.046	.047	017	216	-,145	035	.128
Porm	ter	4	.097	032	.062	•074	•90	224	104	.010	.351	.314	90.	049	• 095	.228	021	073	129	-,321	025	109
Subtest EI	Computer	3	.073	-,370	.162	.242	057	.138	.241	411	-,104	.084	.058	075	.088	.020	074	.157	• 005	120	-,167	.201
-		2	196	900•	.186	397	.049	.018	-,151	095	-, 183	•086	.196	416	.027	.367	.155	.143	234	.130	.151	.159
from Session		-	.353	,333	. 295	.257	.432	.421	.446	.434	.295	.497	.386	.498	.444	.258	099	.440	.361	.497	.232	•300
from		Item	-	7	m	4	5	9	7	œ	O	10	11	12	13	14	15	16	11	18	19	20

Table A-9. Factor Loadings and Communalities (h<sup>2</sup>) for the First Five Principal Factors from Session 1 Subtest El Form 13 for Group 1 (Computer) and Group 3 (Paper-and-Pencil)

			Computer	ter					Paper	Paper-and-Pencil	c11	
Item	1	2	3	4	2	h <sup>2</sup>	1	2	3	4	2	h <sup>2</sup>
-	.428	035	173	245	136	.293	.234	.441	045	173	.018	.282
7	.542	005	-, 283	.105	034	.387	.160	075	•084	091	•366	.181
m	.593	980	.153	051	180	.418	.212	243	•000	.047	124	.132
4	.497	-, 182	-,130	.237	.071	•359	.337	.403	193	.111	.042	.328
5	.436	.240	.105	.050	•030	.263	.478	048	162	119	006	.271
9	.536	199	-,302	.097	.122	.443	•608	067	110	088	044	.397
7	.547	.525	120	.058	•063	.598	.523	015	216	•019	.151	.344
00	.418	408	191.	.037	074	.375	.449	064	•00	.137	•035	.226
6	.445	-,330	.059	087	.085	.326	.261	.002	.048	454	085	. 284
01	.277	.014	.337	.023	.116	.205	.429	-, 324	167	.164	•078	.350
11	.194	.485	085	027	055	. 284	.310	.092	•064	. 184	158	.167
12	.426	136	084	153	047	.233	.256	053	.325	345	.119	.308
13	.361	.087	.152	120	053	.178	.375	111	.049	171	068	. 190
14	.136	029	.132	225	143	•108	.382	158	.226	.055	260	.293
15	.270	.087	.447	.020	.277	.358	.309	.263	.137	-006	263	.253
91	.257	.167	073	044	.282	.181	.382	155	035	.140	.146	.212
11	.328	-060	.022	284	040	.199	.351	.269	.067	.282	-,001	.280
18	404	021	.149	.218	226	.285	.125	300	.319	.057	.226	.263
19	•056	175	007	.225	.167	.112	.159	040	404	.118	• 086	.212
20	•049	.073	.142	.312	266	.196	035	114	.277	.207	•007	.134

APPENDIX B: ITEM STATISTICS (DIFFICULTY, POINT-BISERIAL,
AND BISERIAL CORRELATION) BY SUBTEST, FORM, AND VERSION
FOR TWO PRESENTATION MEDIA

Table B-1. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), for Version A of the PC Subtest by Session and Test Administration Hedium

stad         Picke 1         Hode 2         Hode 3         Hode 3 </th <th>Session</th> <th></th> <th></th> <th></th> <th>Comput</th> <th><b>er</b></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Paper</th> <th>-pud-</th> <th>Penc11</th> <th></th> <th></th> <th></th>	Session				Comput	<b>er</b>							Paper	-pud-	Penc11			
P		Hode			Hode	2		Hode			fode 1		-	lode 2		1	tode 3	
1.00 0.000 0.000	_			1	rpp	rbie	_	r S	rbie	i i	rbp	rbis	_	rbp	rete		rbp	rbis
1.00 0.000 0.000 1.00 0.000 0.000 1.00 0.000 0.000 0.947 0.354 0.737 0.966 0.230 0.549 0.966 0.033 0.050 0.000 0.0	Session																	
679         113         219         626         392         391         272         482         135         441         183         183         383         384         191         388         460         770         390         458         669         314         181         388         184         317         393         458         669         314         181         388         394         181         384         182         318         478         181         388         394         181         318         478         181         388         394         181         318         384         314         315         478         389         489         387         489         387         489         387         489         387         489         387         489         387         489         387         489         387         489         387         489         387         489         489         387         489 <td>1 1.0</td> <td>000.000</td> <td>00000</td> <td>9.1</td> <td>0000</td> <td>0.000</td> <td>90.1</td> <td>0000</td> <td>0000</td> <td>.947</td> <td>354</td> <td>.737</td> <td>996.</td> <td>.230</td> <td>.549</td> <td>996</td> <td>033</td> <td>079</td>	1 1.0	000.000	00000	9.1	0000	0.000	90.1	0000	0000	.947	354	.737	996.	.230	.549	996	033	079
.966        003        007        003        004        003        004        003        004        003        004        003        004        003        004	2	79 .135	.219	.824	.266	.392	.912	.272	.482	980	.202	.315	.828	.013	.020	<b>8</b> 3.	.127	. 266
949         102         215         795         229         259         259         259         359         458         689         914         161         228         914         715         711         710         702         714         397         669         319         710         702         469         319         461         319         471         319         662         310         100         702         460         482         323         476         311         471 <td>٠ •</td> <td></td> <td>_</td> <td>.837</td> <td>•101</td> <td>.028</td> <td>.893</td> <td>34.</td> <td>.770</td> <td>.930</td> <td>.235</td> <td>.447</td> <td>.948</td> <td>. 163</td> <td>.383</td> <td>.948</td> <td>. 195</td> <td>408</td>	٠ •		_	.837	•101	.028	.893	34.	.770	.930	.235	.447	.948	. 163	.383	.948	. 195	408
	6	_		.795	.279	.397	.929	.269	.507	.930	.458	.869	<b>•16</b> .	191.	.288	<b>,191</b>	.331	.591
645         -118         -180         .698         .102         .135         .842         .001         .002         .860         .305         .491         -709         -718         .718         .743         .319         .672         .231         .860         .146           .726         .326         .336         .331         .431         .742         .048         .354         .372         .646         .056         .922         .128         .341         .365         .366         .922         .128         .344         .341         .269         .366         .367         .939         .607         .381         .364         .372         .946         .929         .864         .741         .269         .364         .707         .115         .262         .990         .262         .399         .607         .381         .441         .289         .864         .741         .269         .367         .372         .864         .707         .115         .421         .864         .802         .381         .367         .302         .389         .401         .464         .474         .289         .369         .131         .484         .474         .289         .801         .389         .43	9	_		199	.335	.426	.527	. 298	.374	.895	.397	699.	.810	164.	.710	.931	.535	1.022
7.72         .0.22         .0.22         .0.22         .0.23         .0.24         .0.22         .0.24         .0.25         .0.26         .0.24         .0.26         .0.26         .0.26         .0.26         .0.26         .0.26         .0.26         .0.26         .0.26         .0.23         .0.23         .0.24         .0.26         .0.26         .0.26         .0.23         .0.24         .0.26         .0.26         .0.26         .0.23         .0.23         .0.24         .0.23         .0.23         .0.23         .0.24         .0.26	9		-	.698	102	.135	.842	8	•005	.860	305	.475	.931	097	186	.862	164	.257
556         446         682         2.10         309         268         173         232         460         462         2.35         255         572         594         405           .864         .284         .384         .387         .370         .468         .754         .652         .390         .262         .498         .845         .233         .354         .407         .157           .484         .247         .370         .467         .054         .054         .054         .054         .397         .660         .337         .427         .352         .309         .381         .444         .292         .397         .404         .290         .31         .468         .768         .369         .331         .469         .389         .607         .381         .444         .474         .280         .313         .469         .389         .268         .130         .689         .339         .474         .280         .331         .469         .389         .426         .599         .431         .444         .292         .281         .474         .280         .313         .486         .139         .446         .804         .406         .509         .531         <	77	_		.356	.351	.451	.772	092	128	754	.233	.319	.672	.523	9.	.776	.341	.475
.864         .243         .382         .387         .370         .468         .754         .455         .622         .930         .262         .496         .845         .234         .711         .269         .354         .711         .269         .354         .711         .269         .354         .711         .269         .364         .707         .157           .447         .267         .667         .346         .202         .369         .604         .309         .711         .269         .364         .707         .157           .451         .272         .667         .346         .272         .369         .471         .269         .356         .318         .369         .401         .589         .401         .589         .401         .589         .401         .589         .401         .389         .601         .301         .401         .358         .318         .402         .589         .401         .589         .401         .589         .401         .589         .401         .589         .401         .589         .415         .589         .415         .589         .415         .411         .589         .415         .589         .415         .589         .415<	æ	_		.822	.210	309	.268	.173	.232	.860	.410	.640	.862	.365	.572	.948	.405	.846
847        047        047        047        047        044        047        047        044        047        044        047        044        047        044        047        044        047        044        047        044        047        044        049        044        054        047        044        044        049        044        042        049        044        042        049        044        041        044        046        046        042        047        046        046        047        044        046        046        047        046        046        047        047        046        046        047        047        046        046        046        047        046        047        048        041        048         -	6	_		.587	.370	.468	.754	.455	.622	.930	.262	.498	.845	.233	385.	.828	.313	.463
.421         .266         .335         .600         .337         .427         .352         .392         .389         .607         .381         .484         .474         .280         .351         .669         .795         .684         .696         .795         .893         .555           .681         .272         .851         .264         .405         .594         .294         .294         .804         .589         .415         .684         .608         .795         .893         .555           .529         .608         .740         .523         .281         .274         .594         .804         .289         .415         .689         .795         .808         .415         .689         .795         .424           .529         .608         .740         .628         .720         .325         .424         .808         .386         .557         .740         .425         .575         .424           .529         .386         .375         .424         .808         .386         .424         .588         .414         .389         .414         .444         .424         .439         .414         .424         .424         .424         .424         .424	10	1		.182	.261	.382	. 667	054	070	.714	.259	.344	.741	.269	.364	707	.157	.208
.857         .176         .272         .861         .264         .405         .944         .292         .597         .804         .509         .731         .684         .608         .792         .893         .518         .722         .784         .582         .426         .538         .611         .591         .732         .782         .351           .529         .608         .763         .521         .421         .421         .544         .804         .386         .511         .591         .732         .824         .426         .538         .611         .591         .732         .824         .426         .538         .611         .591         .732         .824         .426         .538         .611         .591         .742         .824         .426         .538         .611         .591         .745         .824         .860         .745         .424         .836         .860         .746         .746         .964         .9	11 .4:	_		909	.337	.427	.352	.302	.389	.607	.381	484.	474.	. 280	.351	.649	.139	.178
691         320         420         558         236         421         274         582         426         538         611         591         752         782         782           529         608         763         553         235         212         421         594         804         289         415         691         575         579         579         378         382         424           619         318         405         561         451         586         720         325         434         808         386         150         575         379         800         428           282         142         405         561         451         586         176         600         428         386         189         387         586         391         480         396         487         396         470         489         396         489         396         486         388         396         486         396         486         388         396         486         386         386         386         396         486         396         486         386         386         386         396         486         386	12 .8	_		.851	.264	•405	.944	.292	.597	<b>8</b> 0 <b>.</b>	.509	.731	.684	809	.795	.893	.555	.931
529         608         763         523         283         283         281         421         594         804         289         415         891         535         575         890         425         575         740         425         575         890         428           619         318         405         561         451         568         720         325         434         808         386         557         740         425         575         590         428           982         142         492         221         474         927         287         586         982         251         775         992         251         474         927         286         378         586         396         197         378         982         167         369         378         396         391         377         361         499         480         377         398         397         398         499         480         398         398         398         398         398         398         398         398         398         398         398         398         398         398         398         398         398         398	13 .6	_		. 565	.325	409	.558	.218	.274	. 582	.426	.538	.611	.591	.752	.782	.351	.492
619         318         405         .561         .451         .568         .720         .325         .434         .808         .386         .557         .740         .425         .575         .808         .366         .378         .808         .366         .377         .409         .4	14 .5	_		.523	.283	.355	.212	.421	.594	<b>.</b> 804	.289	.415	.891	.536	.893	.852	.424	.651
2         2         338         346         365         -106         -068        161         964         -143         338         -947         -388           982         142         429         251         474         927         287         539         -860         378         588         982         251         777         912         092           754         244         333         786         508         774         287         216         349         930         197         374         895         109           754         244         333         786         508         745         606         507         216         349         930         197         374         895         109           911         078         626         745         036         006         008         860         475         740         862         224         303         460         109	15 .6	•		.561	.451	.568	.720	.325	.434	808	.386	.557	.740	.425	.575	800	.428	.611
.142         .429         .955         .168         .365         1.00         0.000         .965        068        161         .964         .143         .338         .947         .388           .175         .273         .287         .287         .586         .962         .251         .757         .912         .092           .244         .333         .786         .508         .714         .818         .305         .446         .877         .216         .349         .930         .197         .374         .895         .001           .499         .628         .452         .362         .455         .636         .024         .030         .877         .516         .349         .930         .197         .374         .895         .061           .078         .139         .882         .165         .269         .075         .070         .842         .240         .362         .754         .303           .183         .381         .907         .064         .075         .076         .917         .058         .910         .305         .754         .309         .929         .249         .281         .301         .301         .302         .351																		
.175         .273         .929         .251         .474         .927         .287         .860         .378         .588         .982         .251         .757         .912         .092           .244         .333         .786         .508         .714         .818         .305         .446         .877         .216         .349         .930         .197         .374         .895         .061           .499         .628         .452         .362         .024         .030         .877         .561         .906         .912         .740         .842         .240         .362         .754         .303           .078         .139         .882         .165         .269         .745         .006         .008         .860         .475         .740         .842         .240         .362         .754         .303         .740         .862         .240         .362         .058         .912         .177         .314         .860         .189         .295         .789         .058         .964         .975         .784         .613         .864         .229         .229         .295         .789         .968         .978         .789         .448         .613 <td></td> <td></td> <td>.429</td> <td>.955</td> <td>.168</td> <td>.365</td> <td>8:</td> <td>0000</td> <td>0000</td> <td>.965</td> <td>068</td> <td> 161</td> <td><b>.</b>964</td> <td>.143</td> <td>.338</td> <td>.947</td> <td>.388</td> <td>.807</td>			.429	.955	.168	.365	8:	0000	0000	.965	068	161	<b>.</b> 964	.143	.338	.947	.388	.807
.244         .333         .786         .508         .714         .818         .305         .446         .877         .216         .349         .930         .197         .374         .895         .061           .499         .628         .452         .362         .455         .636         .024         .030         .877         .561         .906         .912         .547         .545         .968         .895         .109           .078         .139         .882         .165         .269         .745         .006         .008         .860         .477         .340         .842         .240         .362         .754         .303           .183         .381         .964         .025         .058         .912         .177         .314         .860         .229         .295         .754         .303           .234         .442         .800         .281         .402         .818         .156         .754         .397         .448         .613         .825         .386         .754         .399         .448         .613         .449         .649         .229         .386         .737         .089           .170         .236         .45	2 .8	_	.273	.929	.251	.474	.927	.287	.539	.860	.378	.588	.982	.251	.757	.912	.092	. 163
.499         .628         .452         .362         .455         .636         .024         .030         .877         .561         .906         .912         .545         .948         .895         .109           .078         .139         .882         .165         .269         .745         .006         .008         .860         .475         .740         .842         .240         .362         .754         .303           .183         .381         .964         .025         .058         .912         .177         .314         .860         .189         .295         .754         .303           .233         .344         .800         .281         .402         .818         .357         .546         .397         .449         .649         .229         .295         .789         .098           .342         .442         .765         .056         .078         .818         .158         .230         .754         .448         .613         .825         .386         .754         .399         .448         .613         .826         .381         .754         .310         .754         .310         .388         .754         .399         .546         .807         .264	3 .7.	_	.333	.786	.508	.714	.818	.305	.446	.877	.216	.349	.930	.197	.374	.895	190.	.103
078 .139 .882 .165 .269 .745 .006 .008 .860 .475 .740 .842 .240 .362 .754 .303183 .381 .907 .054 .094 .964 .025 .058 .912 .177 .314 .860 .189 .295 .877 .058	4 .5		.628	.452	.362	.455	.636	.024	.030	.877	.561	906	.912	.545	896.	.895	.109	. 184
.183       .381       .907       .054       .094       .025       .058       .912       .177       .314       .860       .189       .295       .877       .058         .233       .344       .800       .281       .402       .816       .356       .544       .397       .499       .649       .229       .295       .789       .098         .342       .442       .765       .056       .078       .818       .156       .230       .754       .448       .613       .825       .381       .361       .389       .098       .737       .089         .170       .236       .638       .191       .245       .691       .140       .183       .754       .399       .546       .807       .264       .381       .754       .210         .139       .247       .938       .049       .369       .467       .849       .602       .526       .288       .361       .754       .210         .141       .238       .069       .099       .254       .447       .842       .291       .440       .789       .661       .934       .750       .409         .204       .309       .756       .467       .			.139	.882	.165	. 269	.745	98.	•00 <b>•</b>	.860	.475	.740	.842	.240	.362	.754	.303	.415
344       .800       .281       .402       .818       .367       .536       .544       .397       .499       .649       .229       .229       .295       .789       .098         .342       .442       .765       .056       .078       .818       .158       .230       .754       .448       .613       .825       .381       .561       .912       .389         .170       .236       .638       .191       .245       .691       .140       .183       .754       .399       .546       .807       .264       .381       .754       .210         .139       .247       .938       .069       .090       .873       .065       .643       .469       .602       .526       .288       .361       .500       .262         .141       .238       .069       .090       .873       .065       .649       .646       .881       .750       .469       .602       .526       .288       .361       .500       .262       .461       .460       .789       .661       .934       .750       .409       .409       .254       .447       .842       .291       .440       .789       .661       .934       .750	ъ. 9	_	.381	.80	•054	•00•	<b>.964</b>	.025	•058	.912	.177	.314	980	. 189	.295	.877	.058	.094
342     .442     .765     .056     .078     .818     .158     .230     .754     .448     .613     .825     .381     .561     .912     .389       .170     .236     .638     .191     .245     .691     .140     .183     .754     .399     .546     .807     .264     .381     .754     .210       .139     .247     .938     .240     .982     .130     .388     .754     .399     .546     .807     .264     .381     .754     .210       .150     .216     .688     .069     .090     .873     .065     .643     .469     .602     .526     .288     .361     .500     .262       .141     .238     .978     .125     .352     .909     .254     .447     .842     .291     .440     .789     .661     .934     .750     .409       .204     .309     .756     .467     .862     .345     .483     .750     .646     .881     .679     .512       .204     .309     .756     .800     .549     .764     .836     .761     .782     .342       .230     .409     .278     .309     .750     .809     .750 <td< td=""><td>7 .8.</td><td></td><td>.344</td><td>908</td><td>.281</td><td>.402</td><td>.818</td><td>.367</td><td>.536</td><td>.544</td><td>.397</td><td>.499</td><td>.649</td><td>.229</td><td>.295</td><td>.789</td><td>960.</td><td>. 139</td></td<>	7 .8.		.344	908	.281	.402	.818	.367	.536	.544	.397	.499	.649	.229	.295	.789	960.	. 139
2     .170     .236     .638     .191     .245     .691     .140     .183     .789     .308     .435     .684     .295     .386     .737     .089       2     .139     .247     .989     .246     .807     .264     .381     .754     .210       7     .150     .216     .688     .069     .090     .873     .085     .643     .469     .602     .526     .288     .361     .500     .262       5     .141     .238     .978     .125     .352     .909     .254     .447     .842     .291     .440     .789     .661     .934     .750     .409       2     .204     .309     .756     .189     .381     .303     .515     .782     .345     .483     .750     .646     .881     .679     .312       2     .230     .409     .293     .515     .782     .345     .784     .836     .508     .761     .782     .342       3     .474     .616     .510     .172     .216     .792     .529     .750     .686     .881     .679     .781     .466	8		٠	.765	•056	•078	.818	.158	.230	.754	.448	.613	.825	.381	.561	.912	.389	99
2     .139     .247     .938     .208     .154     .399     .546     .807     .264     .381     .754     .210       7     .150     .216     .688     .069     .090     .873     .053     .085     .643     .469     .602     .526     .288     .361     .500     .262       5     .141     .238     .978     .125     .352     .909     .254     .447     .842     .291     .440     .789     .661     .934     .750     .409       2     .204     .309     .756     .189     .395     .483     .750     .646     .881     .679     .512       2     .230     .408     .911     .240     .425     .891     .303     .506     .800     .549     .784     .836     .508     .761     .782     .342       3     .474     .466     .792     .529     .750     .646     .881     .679     .342       3     .474     .616     .510     .172     .216     .792     .529     .750     .646     .381     .571     .466	9	~	•	.638	.191	.245	.691	.140	.183	.789	308	.435	.684	.295	.386	.737	.089	.121
7 .150 .216 .688 .069 .090 .873 .053 .085 .643 .469 .602 .526 .288 .361 .500 .262 . 5 .141 .238 .978 .125 .352 .909 .254 .447 .842 .291 .440 .789 .661 .934 .750 .409 . 2 .204 .309 .756 .168 .230 .909 .293 .515 .782 .345 .483 .750 .646 .881 .679 .512 . 2 .230 .408 .911 .240 .425 .891 .303 .506 .800 .549 .784 .836 .508 .761 .782 .342 . 3 .474 .616 .510 .172 .216 .709 .210 .278 .792 .529 .750 .635 .411 .526 .741 .466 .	. 01	_	•	.938	.208	.410	.982	130	.388	.754	.399	.546	.807	.264	.381	.754	.210	.288
5 .141 .238 .978 .125 .352 .909 .254 .447 .842 .291 .440 .789 .661 .934 .750 .409 . 2 .204 .309 .756 .168 .230 .909 .293 .515 .782 .345 .483 .750 .646 .881 .679 .512 . 2 .230 .408 .911 .240 .425 .891 .303 .506 .800 .549 .784 .836 .508 .761 .782 .342 . 3 .474 .616 .510 .172 .216 .709 .210 .278 .792 .529 .750 .635 .411 .526 .741 .466 .	11	_	.216	.688	• 069	<b>6</b> 0.	.873	.053	•082	.643	694.	-602	. 526	.288	.361	80 80	. 262	.328
2 .204 .309 .756 .168 .230 .909 .293 .515 .782 .345 .483 .750 .646 .881 .679 .512 . 2 .230 .408 .911 .240 .425 .891 .303 .506 .800 .549 .784 .836 .508 .761 .782 .342 . 3 .474 .616 .510 .172 .216 .709 .210 .278 .792 .529 .750 .635 .411 .526 .741 .466 .	12 .8		.238	.978	.125	.352	606	.254	.447	.842	.291	.440	.789	199.	.934	.750	409	.558
2 .230 .408 .911 .240 .425 .891 .303 .506 .800 .549 .784 .836 .508 .761 .782 .342 . 3 .474 .616 .510 .172 .216 .709 .210 .278 .792 .529 .750 .635 .411 .526 .741 .466 .	13	~	.309	.756	. 168	.230	606	. 293	.515	.782	.345	.483	.750	.646	.881	.679	.512	999.
3 .474 .616 .510 .172 .216 .709 .210 .278 .792 .529 .750 .635 .411 .526 .741 .466	14 .9		<b>904</b> .	.91	.240	.425	.891	.303	.50	900	.549	.784	.836	88.	.761	.782	.342	.479
	15 .6	۵.	919.	.510	.172	.216	.709	.210	.278	.792	.529	.750	.635	114.	.526	.741	.466	.631

Note. For Session 1, computer data are from Group 1 and paper-and-pencil data are from Group 2; for Session 2, computer data are from Group 2 and paper-and-pencil data are from Group 1.

\*For Session I paper-and-pencil data, the mode designation refers to which computer administration mode followed the paper-and-pencil administration (Group 2); for Session 2, this designation indicates that the paper-and-pencil data were calculated from tests that followed the particular computer administration mode listed (Group I).

Table 9-2. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), for Version B of the PC Subtest by Session and Test Administration Medium

ANTONIO SANTACON ASSISTA

Sees.   Hode   1	Session		!	;		Compac	- L							Pape	r-end-	Peaci1			
p         rpb         rbl	7		Sec.	Ļ		Hode	2		Hode	~		Mode 1			Node 2	2.		Hode	
1	17.	-	2	rbie	l	S.	rpte	ام	윤	rbie	•	F.	rbie	1	od 1	rbis	•	Lip	rite
346         .082         .170         .940         .371         .740         .945         .004         .006         .964         .191         .451         .962         .052           2314         .117         .136         .283         .446         .135         .170         .401         .451         .962         .059           .114         .117         .187         .187         .187         .187         .401         .402         .999         .275           .446         .187         .187         .189         .275         .401         .401         .402         .999         .290         .186         .967         .981         .397         .665         .997         .966         .997         .966         .997         .997         .996         .997         .996         .997         .997         .997         .997         .997         .997         .996         .997         .996         .997         .997         .997         .997         .997         .996         .997         .996         .997         .997         .996         .997         .997         .996         .997         .997         .996         .997         .991         .994         .997         .996	Seeston	] -																•	
1, 007         .013         .816         .289         .421         .929         .243         .466         .929         .222         .420         .909         .917         .909         .917         .117         .136         .673         .481         .187         .189         .939         .909         .917         .186         .187         .189         .929         .937         .401         .626         .909         .909         .909         .786         .007         .099         .821         .190         .278         .893         .397         .665         .800         .108         .909         .909         .900         .909         .900         <	-	3	20.	.170	940	.371	.740	.945	Ş	8	196.	161.	.451	.982	00.	.149	8:	0000	9.00
6.17         .156         .673         .242         .315         .589        074         .857         .401         .622         .399        076         .999        076         .995         .811         .317         .665         .347         .665         .347         .665         .347         .665         .347         .666         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .347         .366         .356         .343         .343         .366         .356         .356         .356         .356         .356         .369         .309         .369	~	116.	.00	.013	.816	.289	.421	.929	.243	994.	.929	.222	.420	606.	.315	.553	.931	018	035
1.57         1.97         -510         -006         -046         -135         -170         -804         -242         -347         -636         -343           1. 069         -039         -786         -067         -039         -821         -190         -278         -686         -101         -247         -456         -178         -685         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -108         -900         -109         -900         -900         -900         -109         -900	~	.714	.117	35	.673	.242	.315	. 589	058	074	.857	<b>104</b>	.622	606	076	133	<b>116</b> .	.237	.424
4. 069         .099         .786         .067         .095         .821         .190         .278         .981         .357         .665         .800        108           7. 344         .334         .588         .157         .216         .875         .350         .862         .911         .241         .426         .927         .178           7. 10         .275         .684         .157         .233         .696         .0019         .696         .177         .231         .696         .012         .618         .289         .281         .618         .289         .191         .281         .456         .979         .190         .990         .190         .990         .190         .500         .456         .711         .893         .261         .458         .990         .190         .990         .190         .990         .190         .990         .190         .990         .190         .990         .190         .990         .190         .990         .190         .990         .990         .190         .990         .990         .990         .990         .990         .990         .990         .990         .990         .990         .990         .990         .990 <t< td=""><td>~</td><td>944.</td><td>.157</td><td>.197</td><td>. 510</td><td>900</td><td>008</td><td>944.</td><td>.135</td><td>.170</td><td>9</td><td>.242</td><td>.347</td><td>.636</td><td>.343</td><td>.439</td><td>.628</td><td>.030</td><td>3</td></t<>	~	944.	.157	.197	. 510	900	008	944.	.135	.170	9	.242	.347	.636	.343	.439	.628	.030	3
1.34         .334         .768         .157         .216         .875         .350         .362         .911         .241         .426         .927         .118           0047         .065         .054         .058         .074         .696         .131         .714         .342         .936         .032         .035         .035         .035         .035         .036         .039         .180         .266         .171         .313         .046         .032         .031         .032         .031         .032         .032         .031         .032         .032         .032         .032         .032         .032         .031         .032 <td< td=""><td>•</td><td>3</td><td>.069</td><td>660.</td><td>.786</td><td>.067</td><td>.095</td><td>.821</td><td>190</td><td>.278</td><td>.893</td><td>.397</td><td>.665</td><td>80</td><td>- 108</td><td>-12</td><td>.741</td><td>880.</td><td>.119</td></td<>	•	3	.069	660.	.786	.067	.095	.821	190	.278	.893	.397	.665	80	- 108	-12	.741	880.	.119
0047065         .647         .058         .074         .696         .141         .186         .768         -013         -019         .836         .078         .258         .232         .311         .714         .342         .454         .782         .258           1 - 200         .237         .129         .161         .268         .237         .231         .345         .784         .785         .258           1 - 120         .151         .253         .261         .486         .260         .131         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .319         .313         .310	•	.857	344	.534	.768	.157	.216	.875	.350	.562	.911	.241	.426	.927	.178	.335	986	88.	.020
5. 210 . 275         .537 . 1129 . 1161 . 268 . 232 . 311 . 714 . 342 . 454 . 778 . 258           6073 - 092 . 453 - 257 - 324 . 696 . 177 . 233 . 696 . 024 . 032 . 618 . 289           7. 120 . 151 . 725 . 006 . 009 . 500 . 456	_	750	- 8°	065	.647	.058	<b>4</b> /0.	%9.	141.	.186	.768	013	019	.836	.035	.052	.793	.263	.372
6.073092         .423257324         .696         .177         .233         .696         .024         .032         .618         .289           1.120         .151         .725         .006         .009         .500         .456         .571         .893         .261         .438         .909         .190           2.226         .356         .387         .312         .466         .156         .221         .800         .313         .731         .167           2.160         .219         .361         .360         .466         .156         .201         .393         .889         .499         .190           2.42         .319         .326         .301         .305         .467         .386         .306         .393         .890         .317         .318         .318         .318         .318         .318         .318         .318         .318         .318         .326         .346         .318         .318         .318         .318         .318         .318         .318         .318         .318         .318         .318         .318         .326         .348         .366         .318         .318         .328         .348         .366         .318	•	.315	.210	.275	.537	.129	.161	.268	.232	.311	.714	.342	454.	.782	.258	.362	.879	161.	.310
1.20         .151         .725         .006         .009         .500         .456         .571         .893         .261         .438         .999         .190           2.226         .356         .837         .178         .267         .846         .146         .223         .800         .219         .313         .731         .167           2.160         .219         .868         .260         .412         .660         .156         .201         .895         .480         .219         .319         .305         .493         .780         .026           1.199         .302         .875         .367         .196         .196         .305         .906         .309         .895         .926         .917         .309         .895         .926         .917         .306         .918         .317         .566         .918         .317         .366         .918         .318<	•	.556	073	092	.423	257	324	969.	.177	.233	969.	.024	.032	.618	. 289	368	99.	.133	.174
5. 226         .356         .837         .178         .267         .846        146        223         .800         .219         .313         .731         .167           3. 160         .219         .286         .260         .156         .201         .855         .200         .309         .885         .422           3. 242         .310         .917         .361         .650         .156         .256         .830         .305         .453         .780         .026           4         .199         .302         .875         .586         .500         .072         .090         .681         .434         .566         .614         .333           516         .269         .958         .879         .972         .109         .691         .914         .384         .686         .759         .225           516         .265         .958         .959         .158         .299         .914         .384         .686         .759         .222           516         .265         .903         .919         .466         .100         .964         .151         .392         .914         .984         .215         .222           505         <	2	184.	.120	.151	.725	98.	600	8	.456	.571	.893	.261	.438	606	.190	.334	.983	029	089
3.42         .310         .316         .260         .412         .660         .156         .201         .855         .200         .309         .885         .422           1.34         .317         .317         .513         .904         .393         .680         .872         .372           1.199         .302         .875         .596         .958         .878         .317         .513         .904         .393         .680         .872         .372           3.516         .649         .522         .467         .586         .500         .072         .090         .681         .434         .566         .614         .333           1.118         .357         1.00         0.000         .906         .466         1.100         .948         .163         .341         .948         .215         .215         .222         .614         .333         .215         .222         .911         .473         .835         .741         .344         .366         .759         .222         .222         .811         .473         .835         .741         .384         .686         .759         .222         .222         .222         .222         .222         .245         .804 </td <td>=</td> <td>.865</td> <td>.226</td> <td>.356</td> <td>.837</td> <td>.178</td> <td>.267</td> <td>946</td> <td> 146</td> <td> 223</td> <td>8</td> <td>.219</td> <td>.313</td> <td>.731</td> <td>.167</td> <td>.224</td> <td>.849</td> <td>98</td> <td>014</td>	=	.865	.226	.356	.837	.178	.267	946	146	223	8	.219	.313	.731	.167	.224	.849	98	014
1.42         .310         .917         .361         .650         .692         .195         .256         .830         .305         .453         .780         .026           1.199         .302         .875         .596         .956         .878         .317         .513         .904         .393         .680         .872         .372           3.516         .649         .522         .467         .586         .500         .072         .090         .681         .434         .566         .614         .333           1.18         .357         1.00         0.000         .006         .929         .158         .299         .914         .384         .686         .759         .222           1.50         .953         .913         .473         .835         .914         .384         .686         .759         .222           .369         .953         .913         .473         .835         .814         .966         .751         .395         .586         .209           .369         .804         .994         .151         .235         .741         .392         .531         .586         .224           .211         .603         .804	12	.755	31.	.219	.868	.260	.412	99.	.156	.201	.855	200	309	.885	.422	.693	.8	.137	.239
199         .302         .875         .596         .958         .876         .317         .513         .904         .393         .680         .872         .372           316         .649         .522         .467         .586         .500         .072         .090         .681         .434         .566         .614         .333           118         .357         1.00         0.000         .964         .466         1.100         .948         .163         .341         .948         .215           161         .265         .783         .006         .008         .929         .158         .299         .944         .686         .759         .222           161         .265         .783         .992         .158         .299         .994         .686         .771         .862         .209           1711         .603         .892         .913         .893         .944         .914         .392         .891         .892         .991         .994         .994         .991         .994         .994         .994         .994         .994         .994         .994         .994         .994         .994         .994         .994         .994	13	.638	.242	.310	.917	.361	.650	.692	. 195	.256	.830	305	.453	.780	•026	.037	.925	.212	.393
1.116         .357         .000         .000         .072         .090         .681         .434         .566         .614         .333           1.116         .357         1.00         0.000         .964         .466         1.100         .948         .163         .341         .948         .215           1.161         .265         .783         .006         .008         .929         .158         .299         .914         .384         .686         .759         .222           .505         .953         .958         .185         .415         .982         .103         .309         .879         .581         .586         .739         .224           .411         .603         .826         .911         .473         .835         .741         .392         .531         .586         .294           .411         .603         .894         .915         .741         .392         .531         .746         .236         .294           .411         .603         .826         .944         .151         .358         .386         .294         .397         .346         .298         .399         .897         .064         .399         .897         .064	=	44.	.199	305	.875	.596	.958	.878	.317	.513	Š	.393	999	.872	.372	.594	.846	.293	944.
118       .357       1.00       0.000       .964       .466       1.100       .948       .163       .341       .948       .215         .161       .265       .783       .006       .008       .929       .158       .299       .914       .384       .686       .759       .222         .505       .953       .958       .185       .415       .982       .103       .309       .879       .686       .739       .284         .389       .804       .981       .471       .392       .311       .386       .294         .411       .603       .826       .545       .804       .893       .206       .345       .810       .164       .238       .776       .234       .897       .063         .226       .427       .945       .064       .151       .236       .389       .897       .063       .776       .234       .327       .056       .178         .226       .427       .945       .064       .151       .236       .389       .891       .425       .776       .234       .327       .690       .178         .201       .269       .867       .456       .966       .151       .	15	. 553	.516	.649	. 522	.467	.586	8	.072	060.	.681	434	. 566	•614	.333	.424	.700	660.	131
1.18         .357         1.00         0.000         .964         .466         1.100         .948         .163         .341         .948         .212           .161         .265         .783         .006         .008         .929         .158         .299         .914         .384         .686         .759         .222           .505         .953         .966         .003         .911         .473         .835         .741         .392         .531         .586         .294           .389         .804         .991         .473         .835         .741         .392         .531         .586         .294           .411         .603         .826         .993         .906         .345         .810         .164         .238         .776         .234         .397         .063           .226         .427         .945         .064         .151         .236         .817         .405         .897         .064         .989         .897         .064         .989         .897         .946         .912         .030         .946         .918         .356         .399         .891         .376         .389         .317         .409         .881	Session	~																	
1.61         .265         .783         .006         .008         .929         .158         .299         .914         .384         .686         .759         .222           .505         .953         .958         .185         .415         .982         .103         .309         .879         .017         .862         .204           .389         .804         .951         .473         .835         .741         .392         .531         .586         .294           .411         .603         .826         .545         .804         .893         .206         .345         .810         .164         .238         .776         .294         .995         .897         .867         .399         .897         .063           .226         .427         .946         .913         .425         .776         .234         .327         .696         .178           .284         .377         .667         .211         .273         .732         .316         .425         .776         .234         .327         .690         .178           .201         .269         .821         .396         .582         .776         .234         .329         .517         .379 <td>-</td> <td>.982</td> <td>.118</td> <td>.357</td> <td>8:</td> <td>000.0</td> <td>000</td> <td>796.</td> <td>466</td> <td>1.100</td> <td>948</td> <td>.163</td> <td>.341</td> <td>.948</td> <td>.215</td> <td>644.</td> <td>.982</td> <td>.162</td> <td>7 88</td>	-	.982	.118	.357	8:	000.0	000	796.	466	1.100	948	.163	.341	.948	.215	644.	.982	.162	7 88
.505         .958         .185         .415         .982         .103         .309         .679        012        117         .862        204           .389         .804         .991         .473         .835         .741         .392         .531         .586         .294           .411         .603         .826         .545         .804         .893         .206         .345         .810         .164         .238         .776         .239         .897         .063           .226         .427         .945         .064         .132         .964         .151         .236         .879         .246         .399         .897         .063           .226         .427         .946         .151         .236         .399         .897         .063           .284         .377         .667         .211         .273         .376         .382         .776         .234         .327         .690         .178           .319         .659         .852         .386         .396         .381         .344         .369         .317         .399         .317         .391         .394         .369         .317         .396         .381	~	.887	.161	.265	.783	900	80.	.929	.158	.299	.914	.384	.686	.759	.222	Š.	.893	.076	.128
1.389 .804 .958 .309 .693 .911 .473 .835 .741 .392 .531 .586 .294           1.411 .603 .826 .545 .804 .893 .206 .345 .810 .164 .238 .776056056 .226 .427 .945064132 .964151358 .879 .246 .399 .897 .063           1.226 .427 .945064132 .964151358 .879 .246 .399 .897 .063           1.284 .377 .667 .211 .273 .732 .316 .425 .776 .234 .327 .690 .724 .283           1.201 .269 .833 .218 .325 .821 .396 .582 .776 .234 .327 .690 .178           1.202078 .667 .402 .521 .768 .114 .158 .912030053 .914 .196           1.537 .673 .566 .317 .400 .589 .321 .407 .736 .348 .469 .807 .040           1.99 .256 .642 .355 .456 .786 .397 .559 .765013018 .768 .060           1.99 .256 .305 .305 .306 .306 .307 .308 .489 .839 .226           1.99 .256 .355 .456 .786 .397 .559 .765013018 .768 .362           1.286 .395 .717 .252 .335 .821 .348 .511 .673 .348 .452 .358 .270	~	.929	.505	.953	.958	. 185	.415	.982	.103	.30	.879	072	-1117	.862	- 80	014	.893	.198	.332
1.411       .603       .826       .545       .804       .893       .206       .345       .810       .164       .238       .776      054         .226       .427       .945      064      132       .964      151      358       .879       .246       .399       .897       .063         1.284       .377       .667       .211       .273       .732       .316       .425       .776       .234       .327       .690       .178         1.201       .269       .821       .396       .982       .776       .234       .327       .690       .178         1.319       .659       .852       .388       .596       .909       .086       .151       .544       .294       .369       .517       .379         1.052       .078       .667       .402       .521       .768       .114       .158       .912       -0.03       -0.53       .914       .196         1.537       .673       .566       .317       .400       .589       .321       .407       .776       .348       .469       .807       .040         1.54       .512       .673       .489       .414       .613	•	926	.389	\$	.958	.309	.693	116.	.473	.835	.741	.392	.531	.586	.294	.372	969.	340	.447
1.226       .427       .945      064      132       .964      151      358       .879       .246       .399       .897       .063         1.284       .377       .667       .211       .273       .732       .316       .425       .776       .165       .220       .724       .283         1.201       .269       .821       .396       .396       .317       .402       .517       .396       .317       .403       .317       .309       .317       .407       .736       .344       .294       .369       .517       .379         1.052       .078       .667       .402       .521       .768       .114       .158       .912       -0.03       -0.53       .914       .196         1.537       .673       .674       .294       .296       .317       .400       .589       .321       .407       .776       .348       .469       .807       .040         1.544       .512       .674       .296       .317       .400       .589       .321       .407       .776       .348       .489       .839       .226         1.599       .256       .456       .786       .397       .489 <td>S</td> <td>.821</td> <td>.411</td> <td>3</td> <td>.826</td> <td>.545</td> <td>\$</td> <td>.893</td> <td>.206</td> <td>.345</td> <td>.810</td> <td>31.</td> <td>.238</td> <td>.776</td> <td>056</td> <td>078</td> <td>.857</td> <td>.272</td> <td>.422</td>	S	.821	.411	3	.826	.545	\$	.893	.206	.345	.810	31.	.238	.776	056	078	.857	.272	.422
1.284 .377 .667 .211 .273 .732 .316 .425 .719 .165 .220 .724 .283         1.201 .269 .833 .218 .325 .821 .396 .582 .776 .234 .327 .690 .178         5.319 .659 .852 .388 .596 .909 .086 .151 .544 .294 .369 .517 .379         1.202078667 .402 .521 .768 .114 .158912030053 .914 .196         1.537673566317400589321407736348469807040         5.364512849414633893614 1.029811338489839226         1.199256642355456786397559765013018768060         1.505705849510779745515700755487667786362         1.286395717252335821348511673348452585270	•	.929	.226	.427	. 245	064	132	3	-151	358	.879	.246	.399	.897	.063	.107	.875	. 529	<b>S</b>
7. 201       .269       .883       .218       .325       .821       .396       .582       .776       .234       .327       .690       .178         6. 319       .659       .882       .986       .151       .544       .294       .369       .517       .379         1052      078       .667       .402       .521       .768       .114       .158       .912      030      053       .914       .196         1052      078       .667       .400       .589       .321       .407       .776       .348       .469       .807       .040         2053       .674       .512       .679       .811       .338       .489       .839       .226         3054       .512       .786       .347       .559       .765       -013       -018       .768       .060         3055       .786       .515       .700       .775       .487       .667       .786       .362         3286       .395       .717       .252       .335       .821       .311       .673       .348       .452       .585       .270	_	.714	.284	.377	.667	.211	.273	.732	.316	.425	.719	.165	.220	.724	.283	.379	969.	.233	300
6 . 319 . 659	•	.727	.201	.269	.833	.218	.325	.821	.396	.582	.776	.234	.327	99.	178	.233	.732	9	.135
1052078     .667     .402     .521     .768     .114     .158     .912    030    053     .914     .196       1 .537     .673     .566     .317     .400     .589     .321     .407     .736     .348     .469     .807     .040       1 .364     .512     .849     .414     .633     .893     .614     1.029     .811     .338     .489     .839     .226       1 .364     .512     .456     .786     .397     .759     .765     -013     -018     .768     .060       1 .505     .705     .849     .510     .779     .745     .515     .700     .755     .487     .667     .786     .362       1 .286     .395     .717     .252     .335     .821     .348     .511     .673     .348     .452     .585     .270	•	.X6	.319	•629	.852	.388	.5%	8	980	.151	. S.	.294	.369	.517	.379	.475	.70	.271	.359
337 .673 .566 .317 .400 .589 .321 .407 .736 .348 .469 .807 .040       5 .364 .512 .849 .414 .633 .893 .614 1.029 .811 .338 .489 .839 .226       3 .199 .256 .642 .355 .456 .786 .397 .559 .765013018 .768 .060       3 .505 .705 .849 .510 .779 .745 .515 .700 .755 .487 .667 .786 .362       4 .286 .395 .717 .252 .335 .821 .348 .511 .673 .348 .452 .585 .270	2	.839	052	078	.667	.402	.521	.768	1114	.158	.912	-030	053	<b>• 16.</b>	196	.349	8	900	3,0
5 .364 .512 .849 .414 .613 .893 .614 1.029 .811 .338 .489 .839 .226 3 .199 .256 .642 .355 .456 .786 .397 .559 .765013018 .768 .060 1 .505 .705 .849 .510 .779 .745 .515 .700 .755 .487 .667 .786 .362 1 .205 .305 .717 .252 .335 .821 .348 .511 .673 .348 .452 .355 .270	==	8	.537	.673	.566	.317	9	.589	.321	.407	.736	.348	.469	.807	3	.057	.745	9	8
3 .199 .256 .642 .355 .456 .786 .397 .559 .765013018 .768 .060 1 .505 .705 .849 .510 .779 .745 .515 .700 .755 .487 .667 .786 .362 1 .286 .395 .717 .252 .335 .821 .348 .511 .673 .348 .452 .585 .270	12	.786	.36	.512	.849	414.	.633	.893	119.	1.029	.81	.338	.489	.839	.226	340	.836	.13	.299
1 .505 .705 .849 .510 .779 .745 .515 .700 .755 .487 .667 .786 .362 .386 .395 .717 .252 .335 .821 .348 .511 .673 .348 .452 .585 .270	13	.63	.199	.256	.642	.355	.456	.786	.397	.559	.765	013	018	.768	90.	.00	.745	.362	167.
1.286 .395 .717 .252 .335 .821 .348 .511 .673 .348 .452 .385 .270	71	.778	Š.	.705	25	.510	.779	.745	.515	8	.755	.487	.667	.786	.362	.510	.833	148	3.
	15	.768	. 286	.395	.717	.252	.335	.821	.348	.511	.673	.348	.452	. 585	.270	.342	3	.20	. 269

For Session 1, computer data are from Group 1 and paper-and-pencil data are from Group 2; for Session 2, Mote. For Session 1, computer data are from Group 1 and paper-and-pencil computer data are from Group 2 and paper-and-pencil data are from Group 1. Por Session 1 paper-end-pencil data, the mode designation refers to which computer administration mode followed the paper-end-pencil administration (Group 2); for Session 2 this designation indicates that the paper-end-pencil data were calculated from tests that followed the particular computer administration mode listed (Group 1).

Table B-3. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 1 for Version A of the AS Subtest by Form and Test Administration Medium

					Comput								Paper	-pas-a	Penc11			
		Form 1			Form 1			Porm 1			Porm 1			Porm 1	2		form 1	
Ite	_	S.	rbie	đ	rpb	rpis	ď	rpb	rbis	đ	rpp	rbie	٥	rpb	rbie	۵	rpb	rbis
-	498	85	.881	.907	.392	.685	.930	.366	.695	.860	464.	.770	.931	.449	.858	.931	.051	.098
~	.763	.225	.310	.963	.212	.495	.982	.167	200	.912	.239	.424	.793	.134	.190	.914	.205	.365
m	.810	.316	.457	.815	110	-,161	.789	.398	.562	980	.190	.296	.914	.325	580	.845	.192	. 292
•	.847	.330	.503	.963	.147	.342	.912	204	.363	.860	.317	464.	.776	.397	.554	.845	.336	.510
<b>~</b>	.763	.270	.372	.796	.488	<b>769</b>	.877	.173	.279	.754	.229	.313	.828	.472	869.	.862	.172	.270
9	<b>.864</b>	.198	.311	.778	.058	.081	.930	.280	.531	.842	108	.163	.672	.324	.422	.879	.261	.423
7	. 593	. 192	.243	.833	.380	.567	.772	.065	060•	649	.382	.492	.672	.383	.497	.793	.320	.453
∞	.746	.598	.813	.685	.503	.658	.877	.375	909•	.930	.278	.528	.741	.210	.284	.879	.372	.603
•	.847	.351	.536	.667	967.	.643	.842	.275	.415	.877	990.	107	.702	.563	.743	.776	.202	.281
2	.729	.373	.501	.815	.361	.525	.649	.591	.761	.719	.273	.365	.776	407	.567	.655	.462	.596
=	.814	.351	.510	.870	.482	.767	.684	.550	.719	.719	.166	.221	.719	909.	808	.707	.266	.352
12	.695	.345	454	.679	.145	.189	649	.233	300	.684	.445	.581	.776	.259	.361	.621	.165	.210
13	.576	.511	.645	.741	.463	.627	.333	.337	.436	.750	.429	. 585	.759	.623	.855	.672	.496	.644
14	.763	.083	114	.685	164	.214	.807	.445	.641	.772	.051	.071	.672	.178	.231	.672	.514	.668
15	.712	.372	.493	.463	.339	.425	.702	.483	.638	.786	.421	.592	.707	490	.649	649	.618	.796
91	.603	.321	.407	.630	.392	.501	.526	.213	.267	.667	.417	.541	.684	.377	.493	.655	.193	.249
17	•695	.227	. 298	.679	434	.566	.632	•476	<b>609</b>	.702	.194	.255	969	.267	.349	.534	.463	.581
18	•644	.210	.270	.611	.264	.335	.719	.417	.556	<b>989</b>	.336	.440	.603	.427	.541	.638	.326	.418
61	.576	.420	.530	.815	.451	.657	.554	.635	.799	. 536	<b>999</b>	.834	.724	.631	148.	.724	.373	664.
20	.448	.092	.116	500	.322	<b>\$</b> 0 <b>†</b> .	.607	.64	.818	•607	.529	.672	.603	.173	.220	.448	.538	929.
77	.542	.673	.846	204	006	- 000	.607	.209	.265	.518	.989	.860	.086	024	043	.737	.310	.418
77	.759	.173	.238	500	.520	.651	.393	.336	.427	.789	.164	.232	.431	.336	.424	.482	434	.544
23	.632	.354	.453	.611	.371	.472	.518	.421	.528	.625	.338	.432	.672	.170	.221	.439	.349	.439
<b>5¢</b>	.368	.374	.478	99.	904.	.518	.436	.479	•603	.327	.531	069	.439	.436	.549	.561	.282	.355
22	.456	.224	. 282	.528	•629	.827	.473	.577	.724	.625	305	• 386	.544	.231	.290	.421	.138	.175
	,				<b>'</b>								ļ					

Computer data are from Group 1 and paper-and-pencil data are from Group 2. Note.

Table B-4. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 1 for Version B of the AS Subtest by Form and Test Administration Hedium

					Computer	<u>ا</u> ا							Papel	-pue-	Penc11			
		Porm 1			Form 1	2		Porm 1.			Porm 1			form 1	2		Porm 1	
Item	_	rbp	rbis	<u>-</u>	rpb	rbis	۵	rpb	rbie	ď	rpb	rpte	۵	rpb	rpte	۵	rpb	rbie
-	.878	.217	.349	.786	.430	<b>909</b>	.889	.328	.545	.800	.296	.424	818.	.373	.545	996*	.144	.345
~	.768	.260	360	.839	. 565	.850	196	.266	.628	.855	.449	.693	.891	.231	.385	996.	.235	.561
m	.893	.258	.433	.873	.486	.777	.839	964.	.747	.891	.356	.594	606.	416	.731	.983	.210	.641
•	804	.502	.721	.839	.486	.731	.875	.432	<b>969</b>	.815	.423	.615	906	.173	305	.897	.186	.315
•	.625	.471	3.	.857	.256	.397	.839	.170	.255	.782	.360	505	.727	.396	.530	.879	.122	. 198
•	.964	.266	.629	.750	419	.571	.836	.301	.451	796.	.252	.591	.727	.478	.641	.931	.130	.248
7	.821	.315	.463	.714	.463	.615	<b>8</b> 0	.290	.417	.891	.419	869.	.745	.294	399	.828	.317	.469
∞	.818	.117	.170	969°	.224	.294	<b>839</b>	.257	.387	.727	.426	.571	.691	.463	.607	.879	.529	.858
•	.714	609	.810	.727	.714	.957	969.	.479	•630	.764	.201	.277	.764	.385	.531	.810	.165	.239
2	.836	.645	996.	.857	.571	.886	.679	.461	909	908.	.535	.764	727.	.351	.470	.724	.335	448
=======================================	.786	.458	149.	.625	109.	.768	.732	.327	.439	.873	.386	.617	.745	. 535	.727	.741	.420	. 569
12	.764	.316	.435	969°	.489	.644	679	.301	.392	.745	.447	.607	.709	. 292	.387	.741	.420	.569
13	.745	.215	.291	.518	.558	669°	.679	. 592	.771	.818	.537	.785	764	.548	.756	.793	.515	.730
14	.709	.041	•054	679	.171	.223	.661	.264	.341	.745	.274	.372	.764	.254	.350	.759	.285	.390
15	969	.511	.673	980	.401	.574	.536	301	.378	.673	208	.271	.709	.443	.587	.707	.312	.413
16	.732	.241	.325	.589	.222	.281	509	.221	.277	.727	.293	.392	.745	.432	.586	.649	.242	.311
17	. 589	<b>.664</b>	.840	.821	.571	.838	.685	.510	.667	545	.631	.792	800	. 552	.788	.638	.165	.212
18	.571	406	.512	.607	.539	.684	.745	.422	.572	.727	.214	.287	.673	.537	869.	.719	.399	.533
61	.607	.371	.472	.714	.351	994.	.643	.524	.673	.727	508	189.	.782	.233	.327	9.	.513	.672
20	400	.147	.186	.589	.280	.354	<b>9</b>	.565	.716	.527	.334	419	.655	419	.541	.517	.576	.722
21	.727	• 309	414.	.655	.396	.511	.655	.445	.574	.673	.419	.544	.636	.056	.072	.638	.391	.502
77	.818	.207	.302	.554	.431	.542	.463	.377	.473	.778	.335	.468	.545	.602	.757	.500	.239	.300
23	.545	. 589	.739	.143	.128	. 198	.611	.349	444	.537	.497	.624	.093	600	016	.776	.208	.290
<b>54</b>	.382	.288	.367	.429	.399	. 502	.455	.637	800	.426	.321	405	. 585	346	438	.517	.492	.617
25	.564	.349	.440	.446	.282	.354	.519	404	.507	.519	. 532	899.	.472	.399	.501	.466	.467	. 586

Computer data are from Group 1 and paper-and-pencil data are from Group 2. Note.

Table B-5. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version A of the AS Subtest by Form and Test Administration Medium

					Comput	ä					,		Paper	-pue-	Penc11			
		Form 1			Porm 1	~		Form 1	m		Form 1			Porm 1	2		Porm 1	
Item	_	rg G	rbie	-	rbp	rbie	۵	rpb	rbis	۵	rbp	rbie	۵	rpp	rbie	۵	rpb	rbie
-	چ	.321	.453	.754	.565	.772	.944	.367	.749	.877	.373	.602	.895	.492	.830	.877	.380	.614
8	.842	.572	.865	.877	.385	.622	796	186	.436	.772	.349	.485	.895	.443	.746	.930	309	.586
m	.912	.332	590	.929	.424	800	.891	045	075	.842	.346	.523	.860	.583	806.	.842	494.	.701
4	.825	.256	.378	.842	479	.724	.889	.260	.432	.825	.264	.389	.860	.459	.716	.912	.254	.452
'n	.789	.422	.596	.772	.447	.621	.873	960.	.154	.842	.449	.678	.825	194.	.683	.737	<b>4</b> 00	.540
9	.982	033	-, 100	<b>.</b> 684	.319	.418	.891	.390	.651	.965	•086	.205	.772	.455	.632	.860	.457	.712
7	.875	.403	.648	.789	.244	.344	.818	161.	.279	.649	.558	.718	.772	.227	.315	.842	.216	.326
œ	.737	.219	.295	.732	.258	.347	.891	.522	.871	.825	.264	.389	.737	.205	.277	.842	.501	.758
Φ.	.789	.381	.538	.737	.497	1/9.	.855	101.	.155	.789	.395	.558	.719	.648	.864	.754	.392	.535
10	.772	.492	.682	.732	.421	.566	.818	.248	.363	.789	.602	.850	.912	.615	1,093	.772	.384	.533
11	.912	.318	.565	.719	.505	.673	800	.261	.373	.649	999.	.858	.737	70.	.950	.754	.376	.514
12	.772	.284	.394	.684	.387	.505	.764	.362	499	.754	.377	.516	.737	.343	.463	.684	.416	.544
13	.807	.382	.550	.737	407	.550	900	.432	.617	.754	.368	504	.825	.363	.534	.719	.372	.496
<b>*</b> 1	.719	.280	.373	.714	.396	.526	.727	.336	.450	.632	.170	.218	.702	.245	.324	.719	.281	.375
15	.667	.310	707	.772	.391	.543	.673	.264	.343	.772	.261	.362	.789	<b>604</b>	.577	.684	.605	.791
16	.807	.248	.357	.702	.341	.450	.618	.077	•000	.702	.445	.587	<b>•614</b>	.236	300	.554	.292	.368
17	.614	.458	. 583	.842	. 299	.452	99.	.403	.512	.649	.371	.478	.737	.282	.381	.579	.627	.792
18	.737	.368	967	.607	.566	.719	.709	.391	.519	.579	.367	.463	.632	.499	.639	.719	.612	.816
19	.702	.488	.643	.772	. 299	.416	.709	.580	.769	.579	.579	.731	.825	.443	.653	.754	609	.833
20	. 596	.254	.322	.737	.155	• 209	.509	.510	.640	.526	.461	.579	649	.239	308	.446	.533	.670
21	.702	.216	. 284	.649	.193	.248	648	. 296	.381	.544	.434	.545	.123	.313	š	.632	.382	.489
22	.750	.272	.371	.526	.545	•684	.537	.253	.318	.719	.299	.398	.544	438	.551	.526	.485	<b>.</b> 608
23	.579	.443	. 559	105	.143	.241	.722	.392	.523	.719	.433	.578	.737	.205	.277	.702	.405	.535
24	.491	.413	.518	.554	.147	.185	.519	.559	.701	.446	.199	.251	.491	.480	•602	.456	.644	.809
25	.579	434	. 548	.564	.139	.175	.426	.418	.527	.526	.263	.330	.456	.215	.270	474.	.557	•699

Table B-6. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version B of the AS Subtest by Form and Test Administration Hedium

					Comput								Pape	Paper-and-Penci	Penc11			
		Form 1			Form 1	2		Form 1	3		Form 1	]		Porm 1	2		form 1	
Item	-	ğ	rbis	<b>a</b>	rbp	rbis	۵	rpb	rbie	đ	rbp	rbie	۵	rbp	rbie	۵	rbp	rbie
-	.789	.321	.453	.754	.565	.772	.944	.367	.749	.776	.513	.715	.828	•055	.081	.764	.263	.362
~	.842	.572	.865	.877	.385	.622	<b>.964</b>	.186	.436	.828	.213	.315	.948	.162	.339	.945	.189	.388
m	.912	.332	.590	.929	.424	86	.891	045	075	.862	.461	.721	.931	.472	<b>.</b> 901	.891	.160	.266
4	.825	.256	.378	.842	479	.724	.889	.260	.432	.862	.269	.421	.931	.252	.482	.945	.078	.161
~	.789	.422	.596	.772	.447	.621	.873	960•	.154	.638	.422	.541	.810	.392	.566	.855	.105	.161
9	.982	033	-100	.684	.319	.418	.891	.390	.651	.931	.081	.155	.707	.190	.251	.891	.366	.611
7	.875	.403	.648	.789	.244	.344	.818	191	.279	.793	.389	.552	.879	.218	.354	.891	.310	.518
<b>∞</b>	.737	.219	.295	.732	.258	.347	.891	.522	.871	.776	.532	.742	.754	.403	.551	.873	.277	.443
•	.789	.381	.538	.737	.497	.671	.855	101.	.155	.828	•366	.542	.842	.532	<b>804</b>	<b>.8</b> 00	.287	.410
10	.772	.492	.682	.732	.421	• 566	.818	.248	.363	.724	.337	.451	.828	.412	•610	.727	.364	.488
==	.912	.318	.565	.719	505	.673	.800	.261	.373	.897	.234	.396	.655	.310	<b>9</b>	.855	.262	404
12	.772	.284	.394	<b>.</b> 684	.387	505	.764	.362	499	.810	.273	.395	.707	090•	.080	.636	.317	406
13	.807	.382	.550	.737	.407	.550	908	.432	.617	.754	.394	. 538	.741	.370	501	. 582	.451	. 569
14	.719	.280	.373	.714	.396	.526	.727	.336	.450	.655	.088	114	•638	.487	.624	.836	.320	.480
22	.667	.310	707	.772	.391	.543	.673	.264	.343	.672	.497	.646	.776	.467	.651	.491	.302	.378
91	.807	.248	.357	.702	.341	.450	.618	.077	•000	.603	.487	•618	.655	.388	.501	.564	.335	.421
11	.614	.458	. 583	.842	.299	.452	999	.403	.512	.638	.356	.456	.741	.427	.578	.618	.382	.487
18	.737	.368	.496	<b>.</b> 607	.566	.719	.709	.391	.519	.649	.180	.231	.655	.353	.456	.745	.279	.378
19	.702	.488	.643	.772	. 299	.416	.709	.580	.769	.638	.482	.617	.741	.475	.643	•636	.506	.648
70	. 596	.254	.322	.737	.155	.209	.509	.510	.640	200	.220	.275	.552	.373	.468	909	.641	.813
21	.702	.216	.284	.649	. 193	.248	.648	.296	.381	.649	.238	.307	.793	. 195	.276	.545	.485	.610
22	.750	.272	.371	.526	.545	•684	.537	.253	.318	.719	.223	.298	.638	.514	•629	.455	.344	.432
23	.579	.443	.559	.105	.143	.241	.722	.392	.523	. 596	.453	.574	.190	.212	306	.582	.136	.172
<b>57</b>	.491	.413	.518	.554	.147	.185	.519	.559	.701	.439	.355	.447	.571	.310	.391	.436	.389	.490
25	.579	.434	.548	. 564	.139	.175	.426	.418	.527	404	.324	•410	•19•	.546	•692	.545	.366	.459

Computer data are from Group 2 and paper-and-pencil data are from Group 1. Note.

Table B-7. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 1 for Version A of the MC Subtest by Form and Test Administration Medium

SOCIETY CONTRACT COSSOCIA SASSACIA SASS

					Computer	ا ق							Page	Paper-and-P	Penc11			
		Porm 1			Form 1	12		Porm 1	<b>E</b>		Form 1			orm 1	2		Porm 1	3
Item	۵	rpp	rbie	۵	rpb	rbis	۵	r dq r	rbie	۵	rbp	rbie	_	rpb	rbie	۵	rbp	rbie
-	868.	.345	.587	1.00	0.000	00000	.912	.456	.809	.930	.137	.260	.931	.376	.718	.879	.377	.612
7	.831	101.	.150	.815	.265	.386	.930	.260	.493	.895	.230	.388	.862	.343	.536	.879	440.	.072
6	868.	.381	.649	.741	.265	.359	.842	.366	.553	.912	072	128	.897	.410	<b>769</b>	.862	006	009
~	.881	.121	.197	.830	.032	.048	.732	419	.564	.895	.074	.125	.914	.121	.217	.793	.050	.070
5	.729	.242	.325	906	.247	.429	.877	.392	.632	.877	.059	•095	.862	.418	.654	.914	000	00
•	508	.296	.371	.365	.124	.159	.772	.346	.480	.579	.067	.084	.776	110	.153	.845	•90	104
7	.627	404.	.516	.852	.453	969°	.875	.329	.528	.842	.411	.621	.741	8	.677	.810	.346	.501
90	.763	.303	.417	.642	.262	.336	.684	.417	.545	.877	.205	.330	.552	.449	.565	.724	.396	.530
0	.621	.422	.537	.519	.335	.420	.772	.162	.225	.684	.464	<b>.</b> 607	.509	.615	.771	.845	.122	. 185
9	.644	.477	.613	.833	.411	.613	.930	.312	.592	.860	.368	.574	.810	.363	.525	.893	.439	.736
==	.644	.342	.440	.556	164.	.618	.702	.238	.314	.807	990*	•095	.776	.170	.237	.810	.373	.539
12	.569	.465	.586	.585	.492	.622	.789	• 309	•436	.825	.215	.317	9.	.560	.733	.724	028	037
13	.695	.277	364	.519	.140	•176	.714	. 183	.243	.667	.236	306	.724	.265	.355	.741	.253	.342
14	.712	.453	•602	.593	.289	.366	.807	.202	.292	.719	.384	.512	9.	.418	.547	.810	.256	.370
15	.661	.432	.558	.722	. 188	.252	<b>•</b> 684	.316	414.	.754	.423	.578	.707	.280	.371	.828	.164	.243
91	.610	.311	.395	.611	.455	.578	.456	.388	.487	.772	.330	.458	707	.371	490	.776	.210	.292
11	.661	.157	.204	.630	.354	.453	.464	.124	.156	.614	.181	.230	.397	.092	.117	.466	.407	.511
81	.627	.212	.270	.593	.439	.556	.491	204	.256	.649	.446	.574	•603	.417	.529	.603	308	.391
19	. 525	.513	.643	.630	.345	.441	. 596	•209	.265	.702	. 196	.259	.724	340	.455	.632	. 186	.238
70	.552	.350	.440	•630	.612	.783	.579	• 569	.339	.702	690°	160	.534	.579	.727	.561	.167	.210
77	305	.350	.459	.574	.371	.468	.719	109	.146	.554	.374	.470	.603	.370	469	.518	.302	.379
77	.456	.316	.397	.547	.388	488	.250	.195	.266	.625	409	. 522	.552	304	.382	.375	.225	.287
23	.517	.452	. 566	358	044	056	.393	.325	.413	.518	.268	.336	.439	.481	.605	.418	.318	401
<b>5¢</b>	.400	.370	694.	.481	419	.525	.421	.388	490	.259	.245	.331	.456	.446	.561	444.	.435	.547
25	.382	.253	.322	.396	.418	.530	404	.247	.313	. 593	.244	• 309	.421	.278	.351	.315	.228	. 298
																		l

Computer data are from Group 1 and paper-and-pencil data are from Group 2. Note.

Table B-6. Item Difficulties (p), Point-Bimerial Correlations (rpb), and Bimerial Correlations (rbia), Within Session 1 for Version B of the MC Subtest by Form and Test Administration Medium

					Comput	<b>1</b>							Paper	r-end-Penci	Pencil			
		Form 1			Form 12	2		Form 1	9		Form 1			Form 1	2		Porm 1	
Ite	۵	rpb	rbie	d	rpb	rbis	đ	rpb	rbis	ď	rbp	rbie	В	rbp	rpie	d	rpb	rbis
-	.836	.602	.902	.764	.225	.310	.786	.322	.453	.964	.062	.148	.709	.337	.447	.793	.229	.324
~	496	.054	.126	.839	.167	.251	.821	.264	.387	.929	.112	.212	.782	.348	.488	996	•109	.260
~	906	.431	.758	946	.272	.562	.893	.153	.256	<b>.</b> 964	010.	.024	1.00	8.8	<b>0</b>	.931	.240	.458
•	.836	305	.457	.839	.321	.483	.625	.569	.726	.929	306	.577	<b>9</b> 00	.295	.422	.862	307	.481
5	.764	464	•639	.857	.032	•050	<b>8</b> 04	.250	.358	.821	.043	•063	.836	.235	.352	.862	•016	.024
•	.481	.136	.171	.455	.021	.026	969°	.125	.164	.571	.091	.115	.818	.230	.335	.897	.123	.208
7	.839	.358	.539	.907	.502	.877	.732	300	404	.875	.164	.263	• 300	.224	.393	.845	.276	.419
<b>®</b>	.768	.477	099.	.732	.279	.375	.607	•00	.120	.929	.208	.393	.618	308	.393	.793	.128	.182
6	.768	.424	.586	.714	.313	.416	969°	.285	.375	.786	.338	.476	.745	.18	.257	.862	.159	.249
2	169.	.385	.506	.818	.213	.312	.786	.322	.453	.750	.287	.392	.818	.302	.441	.845	.421	.639
11	.643	.392	504	.607	.475	.603	.821	.447	•656	.714	.327	434	.673	.149	194	.897	.156	.264
12	9.	.398	\$05	.509	.371	.465	.750	.207	.282	.857	.516	800	.618	.260	.331	.793	290.	•094
13	.655	.360	464	.774	.119	.165	. 564	.171	.215	.750	.372	.508	.727	.317	.424	.672	.312	406
14	.643	.448	.575	.536	.320	401	.691	.142	.186	.714	.067	.089	.582	.388	.490	.707	.238	.315
15	.589	.287	.363	.625	.081	.103	<b>.</b> 964	.038	.091	.714	. 189	.251	.618	.042	.054	.724	. 184	.246
91	.655	.211	.272	.661	.301	.389	.556	.141	.177	.732	.254	.341	9.	•095	.120	.448	305	.384
11	. 589	.385	.487	.661	.310	.401	.673	. 165	.214	.607	.549	869.	.709	. 285	.378	.655	.178	.230
18	.714	.262	.348	.774	.463	.643	969°	.253	.332	.764	.091	.126	999	.353	.447	.586	.121	.153
61	. 509	.481	• 602	•625	.545	969.	Š.	91.	.125	169.	.155	.203	.691	.348	.456	500	.297	.372
70	. 582	.387	.489	.661	.310	.401	.589	.223	.282	.709	300	.397	.722	.447	. 597	.552	.262	.330
77	.519	.332	.416	.352	.307	. 395	.357	.114	.146	.491	.338	.423	.481	162	203	.534	.287	.361
77	.519	.376	.472	.611	.145	.185	.321	.180	.235	.673	.288	.374	.585	.315	•399	.466	060	.113
23	.396	.338	.429	.537	.387	.486	.518	.377	.472	. 556	.467	.587	.642	.323	414.	.517	.239	. 299
<b>5</b>	.352	.156	.201	.528	.397	.498	.509	.181	.227	.226	.291	404	.491	406	.509	.431	.324	408
<b>52</b>	.463	.291	.365	.377	.434	.554	.345	.262	.338	. 566	.126	.159	.320	.459	.598	.362	.422	.541

Computer data are from Group 1 and paper-and-pencil data are from Group 2. Note.

Table B-9. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version A of the MC Subtest by Form and Test Administration Medium

					Computer	18							Papel	Paper-and-P	Penc11			
		Form 11			Porm 12	2		Form 13			Form 1			Form 1	2		Porm 1.	
Item	۵	rbp	rbie	۵	rbp	rbis	ď	rpb	rbis	ď	rpb	rbie	d	rpb	rbis	۵	rpb	rbis
-	.965	980.	.204	.684	.327	.427	.764	. 189	.260	.912	.626	1.111	.982	.222	.672	.965	301	.715
7	.912	.169	300	.768	.383	.530	.945	.052	.107	.877	.360	.582	.860	.281	.437	.877	.190	.307
<b>m</b>	.912	.251	.446	.982	•020	.177	.927	.342	.642	.912	.524	.931	.807	.247	.355	.842	.228	.344
4	.912	.218	.388	.842	.280	.423	.855	.355	.549	.825	.259	.382	.877	.137	.221	.649	.378	.486
50	.789	.170	.240	<b>804</b>	.341	.490	.852	055	084	.895	.460	.776	.912	. 228	.405	.719	.357	.475
9	.491	.242	.303	.804	.209	300	800	.236	,337	. 474	-,236	296	.632	.363	494.	.737	.129	.174
7	.877	.215	.346	.860	.411	.640	.836	• 209	.314	.807	.366	.528	.860	.157	.244	.912	.270	.480
<b>60</b>	.877	.158	.255	.544	.282	.354	.782	.128	.180	.877	.324	.523	•684	.195	.255	.667	.148	.192
σ	.768	.336	.464	•679	.271	.353	.891	<b>960</b>	.164	.702	.337	.444	.719	.367	490	.825	.357	. 526
20	.807	474	.683	.737	419	.566	.891	.333	.555	.649	.376	.483	.825	.275	.405	.930	.159	.301
=	.649	. 298	.383	199.	.317	•409	.855	.174	.269	.754	.456	.623	.772	.220	305	.877	.324	. 523
12	.754	.366	200	619	.472	.616	.836	.167	.250	.719	.420	.559	.737	.462	.624	.807	.093	.134
13	.719	.422	. 562	.667	.339	.440	.764	.303	.417	.649	.197	.253	.807	.203	.292	.930	990.	.126
14	.719	.152	.203	.643	•306	•393	.655	• 269	.347	.754	.456	.623	.702	.507	.668	.702	•029	.078
15	.719	.290	.387	.554	. 290	.365	.836	.139	• 208	.632	.268	.343	.754	.169	.231	.737	.423	.571
16	.702	,379	.501	.691	•064	•084	.491	.237	.297	.702	.373	.492	.667	.377	489	.561	.267	.336
17	.684	.447	. 584	.768	.276	.381	•636	.226	.290	.561	.380	.478	.702	. 288	.380	. 544	.159	. 199
<b>38</b>	.807	•074	107	.561	.249	.314	.618	.229	.292	.667	.201	.261	.754	.383	.524	.649	.303	.390
19	.719	.163	.217	.554	.442	.556	.519	.237	.297	. 596	.352	.446	.737	.239	.322	. 596	.318	.403
20	.719	.301	.401	.772	.395	.548	•618	.342	•436	.667	.444	.576	.702	406	.536	.649	.388	500
71	. 526	.376	.472	.386	.011	.014	. 345	.325	•409	.368	.472	• 604	. 526	.341	.428	. 579	.156	.197
22	.719	.205	.273	.582	.287	.362	.500	•080	.112	.579	.283	.357	.596	.427	.541	.316	.311	406
23	.632	.417	.534	.589	.318	.402	.519	.252	.316	.544	.230	. 289	404	.341	.432	.386	.323	.411
74	.298	.156	• 206	.446	.420	.528	.473	.290	.363	.351	.331	.427	.544	.325	408	.526	.240	.301
22	.554	. 195	.245	•333	.417	.540	.370	.401	.512	.579	.433	.547	.421	.320	.403	.351	. 299	.385

Computer data are from Group 2 and paper-and-pencil data are from Group 1. Note.

Table B-10. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version B of the MC Subtest by Form and Test Administration Medium

ADDITION OF STREET, MANAGED TO CONTRACT STREET,

i			o minit	noreesc	101	1010101	3		2000	2 60					11000			
					Compute	91							Paper	-Pue-a	Penc11			
		Form 1			Form 1	2		Form 1.						Porm 12	~		Form 1.	3
Item	٦	rpb	rbis	۵	rpb	rbie	۵	rpb	rbis	đ	rpb	rbie	В	rpp	rbie	đ	rbp	rbis
-	116.	.290	.513	.914	110	.196	.929	.261	464.	.948	.273	.572	.789	.224	316	.836	.348	.522
7	.857	.253	.392	.842	300	.454	.929	.030	•026	.845	.148	.225	.842	.236	.356	•900	.112	.197
က	.911	.221	.391	.879	.340	.551	808	.179	.257	.897	.246	.416	90.1	2.000.0	0000	.891	.438	.730
4	.929	003	005	.914	.229	•409	.839	.182	.273	.879	.266	.432	.825	.179	.263	.745	.259	.352
5	.873	.234	.374	.897	.343	.581	. 946	029	-,060	.707	.346	.458	.895	.078	.132	.891	.182	.304
9	.536	.213	.268	.810	•046	990.	.732	-106	143	.517	.091	.114	.719	.227	.303	.818	.319	.466
7	.818	.319	.466	.754	.370	• 506	.855	.324	.500	.776	.150	.210	.947	.354	.736	.891	.182	.304
œ	.873	.201	.322	.621	.253	.322	969•	.345	.454	.845	.238	.362	.649	.223	.287	.709	.112	.149
•	619.	.299	.390	• 586	.384	• 486	.839	.398	.599	.793	.224	.318	.719	.313	.417	.764	.190	.261
2	.804	.420	•603	.845	.129	961.	.946	.234	.483	.672	.565	.734	.825	.402	.592	.927	.288	.542
11	800	•000	.142	.862	.142	.222	.732	.408	.549	.638	.366	.470	.772	.176	.244	.873	. 168	.268
12	.786	.204	.287	.741	474	.641	.750	- 049	067	.655	.199	.256	.614	.381	.485	800	.254	.363
13	.661	.282	.365	969•	• 306	.403	804	.351	.503	.586	.334	.423	.772	.452	•628	800	.201	.287
14	.714	.225	.299	069	.403	.528	804	110	.157	069°	.325	•426	.579	<b>.</b> 406	.513	.782	.131	.184
15	.804	.368	.528	.655	.495	•639	.833	.146	.218	.741	.156	.211	.561	•054	<b>.</b> 068	.764	. 290	400
16	.786	.314	.442	.655	.222	.287	.750	.335	.456	9.	.325	.426	.632	.393	.502	.545	.340	.427
11	.643	.172	.221	.397	991.	.211	.482	.381	.478	•603	.394	.500	.667	.353	.458	.618	.173	.220
81	.679	.255	.333	.655	.343	.442	.589	.153	.194	.672	•004	.122	.596	.471	.597	•618	.261	.333
61	.673	404	.525	.789	.263	.371	<b>.</b> 607	.105	.133	•638	200	.256	.737	.349	.471	. 564	.045	.057
70	.714	064	085	.621	.456	.581	.571	.123	.155	. 586	•206	.261	.684	609	.796	.491	.390	.489
77	.643	.256	.328	•614	.279	•326	.571	.225	. 284	.552	.315	• 396	.351	.355	.457	.436	.194	.244
22	.732	.394	.530	.569	.050	•063	.364	.092	.118	.483	.546	.684	.632	.329	.421	.327	.272	.354
23	.491	• 206	.258	.414	.348	.440	.446	.255	.320	.431	.535	•674	.632	.320	409	.691	.034	.045
24	.291	.193	.256	.439	.462	.582	.464	.305	.383	.431	.384	.484	.561	.214	.269	.491	.268	.336
25	.625	.456	.583	.431	.201	.253	.304	.192	.252	404	.419	.531	.386	.454	.578	400	.403	.511

Computer data are from Group 2 and paper-and-pencil data are from Group 1. Note.

Table B-11. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 1 for Version A of the RI Subtest by Porm and Test Administration Medium

-000000000

					Comput	10							Pape	r-and-	Penc11			
		Form 1			Form 1	2		form 1	 	i '	Porm 1			Form 1	2		Porm 1	
Item	۵	rpp	rbie	_	흅	rbis	۵.	rpb	rbis	ď	rbp	rbis	_	rpp	rbie	۵	rbp	rbis
1	.746	.375	.509	.870	.169	.269	.877	.247	.398	.772	.394	.546	948	121	252	.897	.456	.772
7	.932	.175	.336	.722	.295	.394	.947	489	1.016	.947	•074	.154	.862	.020	.032	.914	.371	.662
m	.780	.179	.250	.811	. 182	.263	.857	.581	.901	.895	.332	.559	.879	.246	.399	.862	.395	.617
4	.741	009	012	.759	.318	.436	.772	.508	.705	.684	.175	.229	.724	.158	.211	.860	.160	.250
~	.862	061	095	.722	. 284	.380	.732	.271	.364	.877	.116	. 188	.759	.399	.547	.879	.259	.421
•	.797	.334	.475	.673	.241	.313	.750	.423	.576	.860	.244	.380	.914	.068	.122	.793	.124	.176
7	.763	.320	.440	.792	.235	.333	.709	.569	.754	.789	.176	.249	.737	.310	.418	.707	.362	.479
<b>œ</b>	.741	.425	.575	.736	.395	.533	.737	464.	999•	.768	.590	.817	.793	.023	.033	.724	.439	.587
σ,	.793	.281	.398	.792	.361	.512	.772	.407	.564	.754	.407	.556	.603	.331	.420	.845	.182	.276
2	.763	.295	407	099•	.499	.645	.754	.217	.296	.772	.275	.381	.719	106	.142	.759	.309	.425
==	.621	.370	.472	.685	.414	.542	.772	.025	.035	.684	.651	.852	.741	.072	•098	.707	.140	.185
12	.508	.207	.259	.692	.451	.592	.491	.441	.552	.737	.172	.233	.741	.058	.079	<b>.</b> 690	.314	.411
13	.655	.264	.341	.472	. 340	.426	.754	407	.557	.536	.233	.292	.603	. 184	.233	.672	116	.150
14	.441	.303	.381	.585	.102	.130	.632	.143	.183	.536	.533	699.	.672	.331	•430	.586	.196	.248
15	. 525	.510	•639	.491	.575	.720	.544	.441	.554	. 589	.327	.414	•638	.226	.290	.534	.420	.527
91	.492	.436	.547	.623	.377	.481	•684	.243	.317	.464	.427	.536	.534	.238	.299	.741	.322	.436
11	. 552	043	054	.673	•330	.429	464	.176	.220	.554	049	062	.483	.015	•019	.448	.191	.240
<b>8</b> 1	.305	.357	.469	.538	.462	.580	.643	.455	.584	.393	.435	.553	.517	.273	.342	.719	.190	.254
19	.492	.480	• 602	.547	.075	•00	339	027	035	<b>,</b> 607	.445	• 566	. 509	.223	.280	.386	.319	406
70	.288	.388	.514	.481	.320	.401	.263	•010	.013	.339	.421	.544	.421	.302	.381	.316	.227	.296

Computer data are from Group 1 and paper-and-pencil data are from Group 2. Note.

Table B-12. Item Difficulties (p), Point-Biserial Correlations (rpb), and Diserial Correlations (rbis), Within Session 1 for Version B of the KI Subtest by Form and Test Administration Medium

					Computer	20							Papel	Paper-and-P	Penc11			
		Form 1	1		Porm 1	2		Porm 1	3		Form 1	1		Porm 1.	2		Form 1	_
Item	Ь	rpb	rbis	۵	rpp	rpte	م	rpb	rbie	đ	rbp	rbie	۵	rbp	rbis	۵	rpb	rbie
1	.764	901.	.137	.875	.311	.499	.875	.446	7117.	.821	.319	.467	.945	.143	.294	.879	.150	.243
7	•909	.061	101.	.786	.235	.331	.927	.440	.826	.911	.194	.342	.873	.158	.253	.983	.226	.689
m	.836	.357	.536	.839	409	•616	.911	.448	.791	<b>.</b> 964	.033	.078	.945	.143	.294	.931	.267	.509
4	.818	.034	050	.589	.142	.179	.857	.252	•390	.714	.425	.565	.691	.387	.507	.810	.289	.418
ý	.745	.370	.503	.709	.477	.631	.618	.347	.442	.821	.467	•685	.727	.399	.534	.810	. 163	.236
9	.764	.438	.603	.764	.355	.489	.750	.382	.520	<b>904</b>	.206	.295	.782	.366	.514	.810	.463	699°
7	.873	073	116	.764	.445	.613	.782	.471	999	.911	.263	494	.727	. 184	.247	.879	.134	.217
<b>8</b> 0	800	309	.441	969	300	.395	.768	.105	.145	.857	.351	.544	.782	.258	.361	.672	.281	.365
Φ.	.727	.469	.628	.714	.271	360	.821	.224	.328	.750	.391	.533	.691	.276	.362	069.	.355	.466
9	.709	.432	.573	.732	.330	.444	799.	.366	.473	.786	.579	.815	.727	.258	.346	.828	.212	,314
=	.673	.316	.411	.661	.144	.186	.839	.346	.521	.661	.527	.682	.782	.312	.437	.828	.212	.314
12	•636	.155	.198	.625	.399	.510	.571	.280	.353	.607	.273	.347	.778	.153	.214	.638	.354	.453
13	999	490.	.081	.741	. 582	.788	.500	990•	.083	.500	.403	505	.741	.214	.290	.741	. 289	.391
14	.564	.531	.668	.750	.258	.351	.582	.089	.113	.564	.431	.543	.582	.043	•054	.655	.269	.347
15	.636	.410	.525	.661	.359	.465	.661	•20 <del>4</del>	.264	.625	.390	.498	.655	454	.586	.707	.358	474.
91	.455	.297	.373	9.	•339	.429	.714	.172	.229	.518	.140	.176	.630	.276	.353	.793	.212	.301
11	999	.468	.593	.607	.297	.378	309	.169	.222	629	. 590	.770	.537	.412	.518	.431	.522	.657
<b>8</b> 1	.455	.135	.170	.589	.329	.417	.564	.244	308	.418	.277	.350	500	.377	.472	99.	.368	.482
61	.491	112	140	.518	. 284	.356	464	.297	.372	.455	.067	.085	.481	.247	308	. 569	.352	.443
70	309	.394	.516	.455	•166	.208	.357	060.	911.	.283	.331	.441	.528	.321	.403	.293	.262	.347

Computer data are from Group 1 and paper-and-pencil data are from Group 2. Note.

Table B-13. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version A of the RI Subtest by Form and Test Administration Medium

					Comput	19							Paper-	-pue-	Penc11			
		Porm 1			Form 12	2		Porm 1.			Form 1		1	ors 12	7		Orm 1	
Item	۵	rpp	rbis	۵	rbp	rbis	۵	rbp	rbie	۵	ğ	rbis	۵	qdı	refe	۵	rpb	rbie
-	.842	201.	.159	.982	368	1.102	.836	.362	.542	.825	.442	.651	.860	.172	.267	.930	.166	.315
7	.860	.269	419	800	.281	401	.945	.092	.190	.912	.156	.278	.842	.243	.368	.912	.083	.147
~	.930	.175	.332	.857	.329	.510	. 945	012	025	.807	• 198	.286	.877	.175	.282	.912	.232	.413
4	.719	.362	.482	.679	.481	.627	.873	.128	.204	986	.197	.307	.702	•079	.105	.912	.157	.279
5	.821	.398	.584	.719	.453	•604	.873	.411	.657	.807	. 184	.266	.737	.271	.365	.842	.421	.636
9	.789	.322	.455	. 969*	.383	.504	980	.378	.541	.789	.512	.724	.807	.421	909.	.877	.214	.346
7	.895	.231	.390	.745	•004	.128	.836	.275	.412	<b>.</b> 80	.073	105	.825	.428	.631	.649	.519	999.
∞	.825	. 582	.857	.842	.555	.840	•636	.197	.252	980	.150	.234	.719	.311	.415	.649	334	.430
o	.719	.385	.513	<b>489</b> .	.479	•626	.709	.216	.286	.842	.231	.349	.737	.197	.266	.825	.265	.390
01	.789	.501	.708	.745	.258	.350	.815	.205	.298	.789	.273	.386	.702	.195	.258	.772	.278	.386
11	.667	.338	.438	679	.475	.620	<b>8</b>	.313	.447	.789	.498	.703	.754	.294	.402	.842	.238	.359
12	.649	.303	.390	.714	.345	.458	.618	.373	.475	.649	.214	.275	.684	.272	.355	.632	.353	.452
13	.509	.382	.479	.714	.345	.458	169.	.297	.390	.579	.292	• 369	.667	.208	.270	<b>.</b> 684	484	.632
14	.561	.435	.548	.579	•074	.093	•618	.277	.353	.509	.429	.538	.684	.356	.465	.571	.185	.234
15	.667	. 382	964.	.684	.322	.420	169.	.213	.280	.526	.294	•369	.772	.399	.553	.544	.321	<b>404.</b>
16	.526	.171	.215	.579	.368	494.	.745	.269	.365	.526	.340	.427	•596	.331	.420	.737	.560	.755
11	<b>.</b> 684	409	.534	•614	.322	409	777.	.327	.412	404	078	099	.561	.238	300	.509	.278	.349
18	.357	.388	.498	464	464.	.620	800	.170	.243	.421	002	003	.544	.162	204	•614	.398	.506
61	.368	131	.168	•439	.251	.316	.491	.275	.345	.561	.547	.689	.632	409	.523	.526	.036	.046
20	.351	•100	.128	.421	•330	.417	•309	.020	•026	.351	.444	.572	.474	300	.376	.286	.229	304

Table B-14. Item Difficulties (p), Point-Biserial Correlations (rpb), and Biserial Correlations (rbis), Within Session 2 for Version B of the KI Subtest by Form and Test Administration Medium

THE PROPERTY OF THE PROPERTY O

			Steman Jeseton															
					Computer	10							Papel	r-and-P	Penc11			
		Form 1			Porm 1	2		Porm 1.		ŀ	Porm 1	1		Porm 1	7		form 1	
Item	۵.	ğ	rbis	۵	rpb	rbie	۵	qda	rbie	đ	rpp	rbie	a	rbp	rbis	a	r pp 1	rbis
-	.786	.389	.548	996.	980.	.204	.893	.533	.893	.759	305	.415	.842	.205	.310	.873	.263	.420
~	946	.092	.190	.877	.055	980	946	.377	.779	.931	.348	.663	.825	.252	.371	.982	.215	.643
m	.929	.214	405	.845	.142	.215	.821	.437	.641	.810	.454	•656	.877	.83	.479	.891	200	.333
4	.750	.027	.037	.724	.221	.295	.857	.103	.159	.776	009	012	.789	304	.429	800	490	.78
S	.839	8.	.00	.759	.221	.303	.821	.375	.550	.759	.265	.363	.807	.259	.373	800	.286	409
•	.857	.272	.422	.879	.173	.280	.714	.413	.550	.810	.247	.358	.719	.397	.529	.836	.447	.670
7	.821	.311	.457	.776	.267	.373	.750	.359	.489	.879	.149	.242	.789	.279	.394	800	.271	.387
<b>&amp;</b>	.750	.565	.769	.724	.364	.486	.732	904.	.537	.810	.274	.397	.789	.255	360	.745	.502	.682
<b>o</b>	.786	.352	.495	.655	.366	.473	.857	022 .	034	.702	.415	.548	.772	604.	.567	.782	.167	.234
01	.768	.434	9.	•638	•044	.057	.750	.317	.433	.845	.367	.558	.667	.452	.585	.764	•000	.137
11	.786	.594	.836	.737	.165	.222	.750	. 196	.268	.759	.340	.467	.825	344	86.	.818	.259	.378
71	.786	.229	.322	.684	077	101	.714	.360	.478	80 80	.281	.352	.667	.139	.180	999	.145	.184
2	.500	.337	.422	.672	.336	.437	199.	.158	.205	500	.403	505	.649	.531	<b>.</b> 684	.564	.352	.443
71	.625	.549	.702	.655	.298	.384	.582	.118	.149	.552	.287	.361	.561	.356	644.	.655	.340	.439
21	.589	364	.461	.672	.254	.330	•607	.170	.215	.672	.312	<b>4</b> 06	.482	.244	.307	.727	.397	.533
91	494.	.445	.559	.586	.163	.206	.732	400	.537	.448	.382	.480	.632	.325	.416	.611	.202	.257
11	.643	.219	.281	.534	.089	.111	.411	.280	354	.614	.415	.528	.579	.216	.273	.327	.081	.105
81	.411	.361	.457	.534	.174	.219	.714	.178	.237	.333	.243	.315	.589	.528	999.	.727	.355	.475
61	.643	.445	.571	.561	.314	• 396	.393	<b>.</b> 084	107	200	169	212	.632	.210	. 368	.382	. 189	.241
70	.393	.497	.631	.386	.048	•062	.357	•200	.257	.357	.289	.372	.446	.216	.272	.345	.027	•034

Computer data are from Group 2 and paper-and-pencil data are from Group 1. Note.